Northwest Kidney Centers - Facility Checklist - Kirkland

Preparation For, and Recovery From any type of Disaster Event. Information for Staff Temporarily Relocated to an Alternate Facility

ITEM	NEED TO KNOW	NOTES
Building Access	Key/Keycard/Security Code	East side of nurse's station
	Patient door lock/unlock procedure	
Parking	Where to park at the facility and how to access garage if needed	Signs for NKC parking
Power	Location of main breakers Location(s) of sub-panels Locations of emergency (battery-operated) lights Location of time clock for radiant heat panels	Electrical room Electrical room Electrical room Electrical room
Water	Location of time clock for outside lighting Location of incoming feed line(s) & shut off Location(s) of secondary shut-offs	Electrical room Janitor's closet
Natural Gas	Location of main shut-off & Wrench	No gas in unit, roof top units west side of bldg
Oxygen Gas	Location of distribution manifold & shut-offs Location(s) of zone shut-off(s)	O ₂ room by loading dock Chair 13
Fire Alarm System	Location on main panel; reset procedure; vendor contact info	Electrical room Vendor: Pro Comm
Security System	Location on main panel; reset procedure; vendor contact info	Electrical room
HVAC	Location of On/Off switch (or breakers) Timeclock	Electrical room H2 + L2B T stats
Phones	Location of switch; vendor contact info Location(s) of direct lines (emergency line, fax lines) Location of Cell Phone; charged and working? Location of 800MHz radio; charged and working?	2 nd floor data room Workroom & nurse's station Nurse's station None
Data	Location of router/server	2 nd floor data room
Disaster Toolbox	Location; procedure to access; inventory check	None

Emergency Container	Location; inventory check (first aid/pharmacy box/etc.)	Locker room loading dock
Emergency Supplies	Location; inventory check (food/water/blankets/etc.)	FSS office
Dialysis Supplies	Location & Inventory	Storeroom
RO System	Detailed procedure for start-up/shut-down Testing equipment/supplies/QA log	RO room

If you have questions or would like to submit updates to this checklist, please place a Plant Ops work order through KNET.

DATE: May 17, 2016