


Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)


Through period ending Dec. 31, 2002

I. ADEQUACY OF DIALYSIS


	J	F	M	A	M	J	J	A	S	O	N	D
# eKt/V	63	65	63	69	69	73	69	69	71	76	78	86
# eKt/V >= 1.2	47	48	48	51	52	57	51	51	51	49	65	65
Pop. Mean =	1.33	1.32	1.34	1.33	1.37	1.39	1.35	1.33	1.34	1.31	1.38	1.36
Std. Deviation =	0.24	0.22	0.24	0.24	0.45	0.37	0.21	0.22	0.29	0.25	0.22	0.23
Network Mean =												
Natl. Mean =												
% eKt/V >= 1.2	75%	74%	76%	74%	75%	78%	74%	74%	72%	64%	83%	76%



# URR	63	65	63	69	69	73	69	69	72	76	78	86
# URR >= 65.0	55	57	55	60	63	64	60	62	60	64	72	78
Pop. Mean =	72.3	72	72.5	71.8	72	73.1	73	72.7	72	72.2	73.7	73.2
Std. Deviation =	6.54	6.3	6.95	6.89	10.9	7.46	5.9	6.42	7.96	6.89	5.94	6.39
*Network Mean =	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4	72.4
Natl. Mean =	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2
% URR >= 65.0	87%	88%	87%	87%	91%	88%	87%	90%	83%	84%	92%	91%
*Network % > 65.0	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%
*Natl. % > 65.0	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%



# Kt/V	63	65	63	69	69	73	69	69	71	76	78	86
# Kt/V >= 1.4	47	47	44	48	50	55	50	51	49	49	62	63
Pop. Mean =	1.54	1.53	1.55	1.54	1.59	1.61	1.56	1.54	1.56	1.52	1.59	1.57
Std. Deviation =	0.28	0.27	0.28	0.28	0.52	0.45	0.26	0.27	0.33	0.3	0.26	0.27
Network Mean =	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61
Natl. Mean 1999 =	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
% Kt/V >= 1.4	75%	72%	70%	70%	72%	75%	72%	74%	69%	64%	79%	73%
% Kt/V > 1.2	90%	89%	94%	90%	91%	89%	90%	91%	87%	87%	95%	93%
Network > 1.2 '00	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%
Natl. % > 1.2 - 2001	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)


Through period ending Dec. 31, 2002

I. ADEQUACY OF DIALYSIS - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
Blood Pressure Control (Pre)												


# Pre Dia BP	63	65	66	70	71	73	69	71	74	76	80	86
# Pre Dia BP < 90	47	50	55	54	56	55	55	60	59	63	66	71
Pop. Mean =	82	81	79	81	80	81	80	79	79	79	79	79
Std. Deviation =	13.9	13.1	12.4	14.6	12.7	14.4	14.3	11.7	11.9	12.5	11.9	11.5
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	75%	77%	83%	77%	79%	75%	80%	85%	80%	83%	83%	83%

% Pre Dia BP < 90




# Pre Sys BP	63	65	66	70	71	73	69	71	74	76	80	86
# Pre Sys BP < 150	29	33	35	37	42	39	39	42	40	38	41	43
Pop. Mean =	152	151	147	148	148	150	149	146	148	148	150	149
Std. Deviation =	20	20.4	20.4	20.8	20.6	22.3	22.8	22.2	22.3	21.3	21.9	19.4
Network Mean =												
Natl. Mean =												
%Pre Sys BP <150	46%	51%	53%	53%	59%	53%	57%	59%	54%	50%	51%	50%

% Pre Sys BP < 150



# Post/Dwt	65	67	70	73	69	71	72	76	80	85
# +/- 1% of Dwt	48	51	46	50	54	52	47	47	52	60
% +/- 1 % of Dwt	74%	76%	66%	68%	78%	73%	65%	62%	65%	71%

% +/- 1% of Dwt



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)

Through period ending Dec. 31, 2002

I. ADEQUACY OF DIALYSIS - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# CO2	63	65	66	69	71	73	69	70	74	76	79	86
# CO2 >= 23	12	21	19	25	14	30	20	19	37	20	19	28
Pop. Mean =	21	22	21	21	20	22	21	20	22	21	21	22
Std. Deviation =	2.71	2.35	2.6	3.57	2.47	2.67	2.76	3.63	2.73	2.35	3.32	2.57
Network Mean =												
Natl. Mean =												
% CO2 >= 23	19%	32%	29%	36%	20%	41%	29%	27%	50%	26%	24%	33%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)
Through period ending Dec. 31, 2002

*Albumin values use BCG method - as of July 2001


II. NUTRITION

	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin	63	65	66	69	71	73	69	70	74	76	79	86
# Albumin >= 3.5	32	40	43	38	31	43	45	42	49	47	53	54
Pop. Mean =	3.4	3.5	3.5	3.5	3.5	3.5	3.6	3.5	3.6	3.6	3.5	3.5
Std. Deviation =	0.34	0.35	0.33	0.31	0.36	0.34	0.39	0.36	0.4	0.38	0.34	0.36
*Network Mean =	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	51%	62%	65%	55%	44%	59%	65%	60%	66%	62%	67%	63%
AKC % >= 3.7	21%	31%	24%	26%	25%	29%	39%	30%	38%	43%	41%	34%
AKC % >= 4.0	3%	11%	6%	4%	7%	8%	13%	9%	12%	14%	11%	12%
*Natl % >= 3.5-BCG	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%
*Natl. % >= 4.0-BCC	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
*Netwk%>=3.5 BCC	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%
*Netwk%>=4.0 BCC	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%

*Figures for 2000



# PCR/DPI	63	65	63	69	69	73	69	69	71	76	78	86
# PCR/DPI >= 1.2	13	18	13	16	18	17	16	15	20	17	23	20
Pop. Mean =	0.96	1.00	0.98	1.00	1.03	1.01	1.03	0.99	0.99	0.99	1.06	1.00
Std. Deviation =	0.25	0.25	0.23	0.24	0.27	0.24	0.21	0.22	0.24	0.23	0.24	0.24
Network Mean =												
Natl. Mean =												
% PCR/DPI >= 1.2	21%	28%	21%	23%	26%	23%	23%	22%	28%	22%	29%	23%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)

Through period ending Dec. 31, 2002

III. OSTEODYSTROPHY


	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	63	65	66	69	71	73	69	70	74	76	79	86
# PO4 < 6.0	44	43	46	45	48							
# PO4 < 5.5						44	47	46	42	49	56	63
Pop. Mean =	5.2	5.3	5.3	5.3	5.5	5.2	5.0	5.0	5.2	5.0	4.7	4.9
Std. Deviation	1.55	1.65	1.72	1.58	1.48	1.22	1.49	1.24	1.46	1.34	1.33	1.28
Network Mean =												
Natl. Mean =												
% PO4 < 6.0 or 5.5	70%	66%	70%	65%	68%	60%	68%	66%	57%	64%	71%	73%

% PO4 < 6.0 (Before June '02)
% PO4 < 5.5 (As of June '02)




# PO4	63	65	66	69	71	73	69	70	74	76	79	86
# PO4 > 3.0	60	60	61	66	68							
# PO4 > 3.5						69	60	67	65	65	66	75
Pop. Mean =	5.2	5.3	5.3	5.3	5.5	5.2	5.0	5.0	5.2	5.0	4.7	4.9
Std. Deviation	1.55	1.65	1.72	1.58	1.48	1.22	1.49	1.24	1.46	1.34	1.33	1.28
Network Mean =												
Natl. Mean =												
% PO4 > 3.0 or 3.5	95%	92%	92%	96%	96%	95%	87%	96%	88%	86%	84%	87%

% PO4 > 3.0 (Before June '02)
% PO4 > 3.5 (As of June '02)



# Calcium	63	65	66	69	71	73	69	70	74	76	79	86
# Calcium < 11.0	62											
# Calcium < 10.2		58	59	60	67	68	63	69	71	68	74	83
Pop. Mean =	9.2	9.1	9.2	9.3	9.2	9.3	9.3	9.1	9.1	9.1	9.2	9.1
Std. Deviation	0.76	0.84	0.86	0.75	0.77	0.68	0.6	0.7	0.86	0.78	0.73	0.81
Network Mean =												
Natl. Mean =												
% Ca < 11.0 or 10.2	98%	89%	89%	87%	94%	93%	91%	99%	96%	89%	94%	97%

% Ca < 11.0 (Before Feb. '02)
% Ca < 10.2 (As of Feb. '02)




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)
Through period ending Dec. 31, 2002

III. OSTEODYSTROPHY - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# Calcium	63	65	66	69	71	73	69	70	74	76	79	86
# Calcium > 8.5	51	49	51	60	57	62	62	55	57	57	62	67
Pop. Mean =	9.2	9.1	9.2	9.3	9.2	9.3	9.3	9.1	9.1	9.1	9.2	9.1
Std. Deviation =	0.76	0.84	0.86	0.75	0.77	0.68	0.6	0.7	0.86	0.78	0.73	0.81
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	81%	75%	77%	87%	80%	85%	90%	79%	77%	75%	78%	78%



# PTH-I	63	33	69	23
# PTH-I > 100	40	27	48	20
Pop. Mean =	251	371	342	494
Std. Deviation =	401	428	408	449
Network Mean =				
Natl. Mean =				
% PTH-I > 100	63%	82%	70%	87%



# PTH-I	63	33	69	23
# PTH-I < 300	49	21	43	10
Pop. Mean =	251	371	342	494
Std. Deviation =	401	428	408	449
Network Mean =				
Natl. Mean =				
% PTH-I < 300	78%	64%	62%	43%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)

Through period ending Dec. 31, 2002

III. OSTEODYSTROPHY - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# Ca x PO4	63	65	66	69	71	73	69	70	74	76	79	86
# Ca x PO4 <= 65	53	54	55	59	61							
# Ca x PO4 <= 60						61	57	62	58	64	69	78
Pop. Mean =	48.2	48.1	48.2	49.0	50.1	48.4	46.8	45.4	47.7	45.5	43.9	44.3
Std. Deviation =	15.2	15.8	16.4	15.7	14.2	12.1	14.7	12.6	14.6	13.6	13.6	12.5
Network Mean =												
Natl. Mean =												
CaxPO4 <= 65or60	84%	83%	83%	86%	86%	84%	83%	89%	78%	84%	87%	91%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)

Through period ending Dec. 31, 2002

IV. ACCESS


	J	F	M	A	M	J	J	A	S	O	N	D
# Access	63	65	66	70	71	73	69	71	74	76	80	86
# Fistula	21	24	27	29	29	29	28	30	33	36	40	43
Network %												
Natl. % - 2000	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%
% Fistula	33%	37%	41%	41%	41%	40%	41%	42%	45%	47%	50%	50%



Access

	J	F	M	A	M	J	J	A	S	O	N	D
# Access	63	65	66	70	71	73	69	71	74	76	80	86
# Graft	31	30	31	33	33	33	32	32	31	32	33	32
Network %												
Natl. %												
% Graft	49%	46%	47%	47%	46%	45%	46%	45%	42%	42%	41%	37%


% Graft



Access

	J	F	M	A	M	J	J	A	S	O	N	D
# Access	63	65	66	70	71	73	69	71	74	76	80	86
# Other	8	11	8	8	9	11	9	9	10	8	7	11
Network %												
Natl. %												
% Other	13%	17%	12%	11%	13%	15%	13%	13%	14%	11%	9%	13%

% Other



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)
Through period ending Dec. 31, 2002

*Hct. values use Coulter method - as of July 2001

V. ANEMIA


	J	F	M	A	M	J	J	A	S	O	N	D
# Hct	63	65	66	70	71	73	69	70	74	76	79	86
# Hct > 30.0	61	60	62	64	65	73	63	68	72	73	72	79
Pop. Mean =	36.0	35.3	34.9	35.0	35.2	35.9	35.9	36.3	36.1	35.6	35.1	36.3
Std. Deviation =	3.09	3.55	3.77	3.45	3.79	3.47	3.96	3.69	3.81	3.74	3.84	4.11
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 30.0	97%	92%	94%	91%	92%	####	91%	97%	97%	96%	91%	92%
*% Network > 30.0	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
% Natl. > 30.0	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%

* Figures for 2000




# Hct	63	65	66	70	71	73	69	70	74	76	79	86
# Hct > 33.0	54	53	50	51	50	54	53	52	59	61	61	71
Pop. Mean =	36.0	35.3	34.9	35.0	35.2	35.9	35.9	36.3	36.1	35.6	35.1	36.3
Std. Deviation =	3.09	3.55	3.77	3.45	3.79	3.47	3.96	3.69	3.81	3.74	3.84	4.11
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 33.0	86%	82%	76%	73%	70%	74%	77%	74%	80%	80%	77%	83%
*% Network > 33.0	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%
*% Natl. > 33.0	73%	73%	73%	73%	73%	73%	73%	73%	73%	73%	73%	73%

*Figures for 2000



# Hgb	73	69	70	74	76	79	86
# Hgb > 10.0	72	65	68	71	72	72	80
Pop. Mean =	12	12	12	12	12	12	12.2
Std. Deviation =	1.09	1.33	1.21	1.25	1.18	1.19	1.30
*Network Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7
Natl. Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7
% Hgb > 10.0	99%	94%	97%	96%	95%	91%	93%
*% Network >= 10	93%	93%	93%	93%	93%	93%	93%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31. 2002)


Through period ending Dec. 31, 2002

V. ANEMIA - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# Hgb						73	69	70	74	76	79	86
# Hgb > 11.0						56	57	53	60	64	64	71
Pop. Mean =						12	12	12	12	12	12	12.2
Std. Deviation =						1	1	1	1	1	1	1.3
*Network Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7
Natl. Mean =												
% Hgb > 11.0						77%	83%	76%	81%	84%	81%	83%
**% Network >= 11	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%

*Figures for 2000

% Hgb > 11.0




Iron Profile

# Ferritin	63	70	69	76
# Ferritin > 100	57	63	61	70
Pop. Mean =	324	375	321	342
Std. Deviation =	184	284	193	190
*Network Mean =	489	489	489	489
Natl. Mean =				
% Ferritin > 100	90%	90%	88%	92%
**% Network > 100	88%	88%	88%	88%

*Figures for 2000


% Ferritin > 100



# Ferritin	63	70	69	76
# Ferritin < 800	62	68	67	75
Pop. Mean =	324	375	321	342
Std. Deviation =	184	284	193	190
*Network Mean =	489	489	489	489
Natl. Mean =				
% Ferritin < 800	98%	97%	97%	99%

*Figures for 2000

% Ferritin < 800



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2002

V. ANEMIA - CONT.

	J	F	M	A	M	J	A	S	O	N	D
# % Sat	63			70		69		76			
# % Sat > 20	42			46		39		53			
Pop. Mean =	22.7			25		23		26.2			
Std. Deviation =	7.12			8.02		11.8		10.8			
*Network Mean =	28			28		28		28			
Natl. Mean =											
% Sat% > 20	67%			66%		57%		70%			
*% Network > 20	71%			71%		71%		71%			

*Figures for 2000


% Sat > 20



# % Sat	63	70	69	76
# % Sat < 50	62	69	66	75
Pop. Mean =	22.7	25	23	26.2
Std. Deviation =	7.12	8.02	11.8	10.8
*Network Mean =	28	28	28	28
Natl. Mean =				
% Sat% < 50	98%	99%	96%	99%

*Figures for 2000

% Sat < 50



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.