


Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J. - I.S. Dept.


I. ADEQUACY OF DIALYSIS

	J	F	M	A	M	J	J	A	S	O	N	D
# eKt/V	89	91	90	87	82	89	84	90	93	94	93	96
# eKt/V >= 1.2	57	57	55	64	64	69	66	69	70	69	70	75
Pop. Mean =	1.28	1.29	1.25	1.29	1.34	1.35	1.34	1.34	1.31	1.30	1.33	1.34
Std. Deviation =	0.27	0.39	0.25	0.18	0.20	0.26	0.26	0.31	0.25	0.35	0.23	0.20
Network Mean =												
Natl. Mean =												
% eKt/V >= 1.2	64%	63%	61%	74%	78%	78%	79%	77%	75%	73%	75%	78%




# URR	91	93	95	91	82	89	85	90	94	94	94	96
# URR >= 65.0	69	72	78	75	66	76	72	79	81	81	82	88
Pop. Mean =	70.5	70.1	70.0	70.5	69.9	71.0	72.2	72.2	71.4	71.3	72.5	72.6
Std. Deviation =	7.40	9.35	9.76	7.53	8.13	7.09	7.97	7.26	7.86	7.95	6.95	6.0
*Network Mean =	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7
Natl. Mean =	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2
% URR >= 65.0	76%	77%	82%	82%	80%	85%	85%	88%	86%	86%	87%	92%
*Network % > 65.0	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%
Natl. % > 65.0	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%


* Figures for 2000




# Kt/V	89	91	90	87	82	89	84	90	93	94	93	96
# Kt/V >= 1.4	54	53	51	60	61	64	64	65	65	65	67	73
Pop. Mean =	1.48	1.49	1.44	1.49	1.54	1.56	1.54	1.54	1.51	1.50	1.53	1.54
Std. Deviation =	0.30	0.46	0.29	0.21	0.24	0.30	0.31	0.37	0.30	0.41	0.28	0.24
Network Mean =												
*Natl. Mean =	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
% Kt/V >= 1.4	61%	58%	57%	69%	74%	72%	76%	72%	70%	69%	72%	76%
% Kt/V > 1.2	87%	87%	82%	93%	93%	92%	90%	90%	89%	89%	90%	95%
*Network % > 1.2	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%
*Natl. % > 1.2	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%



# Pre Dia BP	92	94	97	95	88	90	90	93	98	95	94	97
# Pre Dia BP < 90	67	71	79	75	65	74	75	78	82	74	75	81
Pop. Mean =	82	82	80	81	82	79	79	79	80	80	81	80
Std. Deviation =	13.1	13.4	10.9	12.0	11.6	11.1	12.4	11.2	11.4	10.6	10.3	11.4
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	73%	76%	81%	79%	74%	82%	83%	84%	84%	78%	80%	84%



# Pre Sys BP	92	94	97	95	88	90	90	93	98	95	94	97
# Pre Sys BP < 150	46	52	60	62	59	64	65	72	65	63	59	66
Pop. Mean =	149	147	145	144	142	141	140	140	144	143	145	143
Std. Deviation =	19.4	19.0	19.5	18.6	17.9	18.7	18.3	17.9	19.1	16.8	15.9	16.6
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	50%	55%	62%	65%	67%	71%	72%	77%	66%	66%	63%	68%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.


DO NOT USE THIS PAGE!!!

I. ADEQUACY OF DIALYSIS - CONT.


	J	J	J	J	J	J	J	J	J	J	J
# Dialysis Hrs											
# Hrs. 2.5 - 3.0											
Pop. Mean =											
Std. Deviation =											
Network Mean =											
Natl. Mean =											
% Hrs. 2.5 - 3.0	#####	#####	#####	#####	#####	#####	#####	#####	#####	#####	#####




# Dialysis Hrs	91	91	91	91	91	91	91	91	91	91	91
# Hrs 3.1 - 3.5	23	23	23	23	23	23	23	23	23	23	23
Pop. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
Std. Deviation =	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
Network Mean =											
Natl. Mean =											
% Hrs 3.1 - 3.5	25%	25%	25%	25%	25%	25%	25%	25%	25%	25%	25%




# Dialysis Hrs	91	91	91	91	91	91	91	91	91	91	91
# Hrs 3.6 - 4.0	39	39	39	39	39	39	39	39	39	39	39
Pop. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
Std. Deviation =	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
Network Mean =											
Natl. Mean =											
% Hrs 3.6 - 4.0	43%	43%	43%	43%	43%	43%	43%	43%	43%	43%	43%



# Dialysis Hrs	91	91	91	91	91	91	91	91	91	91	91
# Hrs 4.1 - 4.5	16	16	16	16	16	16	16	16	16	16	16
Pop. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
Std. Deviation =	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
Network Mean =											
Natl. Mean =											
% Hrs 4.1 - 4.5	18%	18%	18%	18%	18%	18%	18%	18%	18%	18%	18%



# Dialysis Hrs	91	91	91	91	91	91	91	91	91	91	91
# Hrs > 4.5	6	6	6	6	6	6	6	6	6	6	6
Pop. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
Std. Deviation =	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
Network Mean =											
Natl. Mean =											
% Hrs > 4.5	7%	7%	7%	7%	7%	7%	7%	7%	7%	7%	7%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.

I. ADEQUACY OF DIALYSIS - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# CO2	91	92	95	93	88	90	90	93	98	95	94	97
# CO2 >= 23	15	33	32	7	32	29	46	67	65	37	52	48
Pop. Mean =	19	21	21	18	22	22	22	24	24	22	23	22
Std. Deviation =	3.84	4.24	4.49	4.01	2.66	2.90	3.13	3.40	3.13	3.05	2.58	3.21
Network Mean =												
Natl. Mean =												
% CO2 >= 23	16%	36%	34%	8%	36%	32%	51%	72%	66%	39%	55%	49%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.J - I.S. Dept.

*Albumin values use BCP method)


II. NUTRITION

	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin	91	92	95	93	88	90	90	93	98	95	94	97
# Albumin >= 3.2	64	66	74	74	67	77	71	80	79	74	68	73
Pop. Mean =	3.4	3.3	3.4	3.4	3.4	3.6	3.5	3.6	3.5	3.4	3.3	3.4
Std. Deviation =	0.43	0.47	0.44	0.48	0.48	0.49	0.44	0.44	0.43	0.38	0.42	0.41
*Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
% Albumin >= 3.2	70%	72%	78%	80%	76%	86%	79%	86%	81%	78%	72%	75%
*Network % >= 3.2	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%
Natl. % >= 3.2	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%
Natl. % >= 3.7	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%


*Figures for 2000



# Cholesterol	91	92	95	93	88	90	90	92	98	95	94	97
# Chol. >= 150	54	58	59	57	53	52	55	60	62	62	59	66
Pop. Mean =	161	159	160	157	167	163	161	164	165	161	166	169
Std. Deviation =	42.5	45.3	45.9	45.9	42.8	43.1	36.9	43.3	40.9	40.3	43.4	42.4
Network Mean =												
Natl. Mean =												
% Chol. >= 150	59%	63%	62%	61%	60%	58%	61%	65%	63%	65%	63%	68%



# PCR/DPI	90	91	90	87	82	89	84	90	93	94	93	96
# PCR/DPI >= 1.2	22	22	24	29	31	28	29	18	25	26	25	37
Pop. Mean =	1.00	1.03	1.04	1.05	1.08	1.03	1.04	0.99	0.99	1.01	1.05	1.11
Std. Deviation =	0.25	0.37	0.28	0.29	0.33	0.25	0.29	0.31	0.27	0.27	0.28	0.26
Network Mean =												
Natl. Mean =												
% PCR/DPI >= 1.2	24%	24%	27%	33%	38%	31%	35%	20%	27%	28%	27%	39%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.J - I.S. Dept.

III. OSTEODYSTROPHY


	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	91	92	95	93	88	90	90	93	98	95	94	97
# PO4 < 6.0	61	55	61	60	59	56	59	58	67	62	60	58
Pop. Mean =	5.5	5.6	5.5	5.5	5.6	5.5	5.5	5.4	5.4	5.3	5.2	5.4
Std. Deviation	1.95	2.11	1.95	2.05	1.81	1.75	1.77	1.69	1.57	1.46	1.66	1.74
Network Mean =												
Natl. Mean =												
% PO4 < 6.0	67%	60%	64%	65%	67%	62%	66%	62%	68%	65%	64%	60%




# PO4	91	92	95	93	88	90	90	93	98	95	94	97
# PO4 > 3.0	85	85	89	87	84	84	86	89	91	91	82	91
Pop. Mean =	5.5	5.6	5.5	5.5	5.6	5.5	5.5	5.4	5.4	5.3	5.2	5.4
Std. Deviation	1.95	2.11	1.95	2.05	1.81	1.75	1.77	1.69	1.57	1.46	1.66	1.74
Network Mean =												
Natl. Mean =												
% PO4 > 3.0	93%	92%	94%	94%	95%	93%	96%	96%	93%	96%	87%	94%




# Calcium	91	92	95	87	88	90	90	93	98	95	94	97
# Calcium < 11.0	83	88	86	76	84	88	85	92	96	91	89	94
Pop. Mean =	9.4	9.3	9.5	9.4	9.3	9.4	9.5	9.2	9.2	9.2	9.3	9.2
Std. Deviation	1.14	1.03	1.07	1.05	0.94	0.84	0.89	0.75	0.83	0.85	1.06	0.97
Network Mean =												
Natl. Mean =												
% Calcium < 11.0	91%	96%	91%	87%	95%	98%	94%	99%	98%	96%	95%	97%



# Calcium	91	92	95	87	88	90	90	93	98	95	94	97
# Calcium > 8.5	66	69	75	76	70	74	80	72	79	79	75	68
Pop. Mean =	9.4	9.3	9.5	9.4	9.3	9.4	9.5	9.2	9.2	9.2	9.3	9.2
Std. Deviation	1.14	1.03	1.07	1.05	0.94	0.84	0.89	0.75	0.83	0.85	1.06	0.97
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	73%	75%	79%	87%	80%	82%	89%	77%	81%	83%	80%	70%



# PTH-I	95		62		95		66
# PTH-I > 100	63		48		67		60
Pop. Mean =	275		212		271		249
Std. Deviation	343		292		291		324
Network Mean =							
Natl. Mean =							
% PTH-I > 100	66%		77%		71%		91%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at month's end.


Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.

III. OSTEODYSTROPHY - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# PTH-I	95			62			95			66		
# PTH-I < 300	65			40			69			42		
Pop. Mean =	275			212			271			249		
Std. Deviation =	343			292			291			324		
Network Mean =												
Natl. Mean =												
% PTH-I < 300	68%			65%			73%			64%		

% PTH-I < 300



# Ca x PO4	91	92	95	93	88	90	90	93	98	95	94	97
# Ca x PO4 <= 65	72	80	74	72	72	70	70	76	83	83	80	78
Pop. Mean =	51.9	51.5	51.9	51.2	51.8	51.5	52.6	49.7	49.9	48.8	48.7	49.3
Std. Deviation =	18.3	18.9	17.9	17.7	16.5	17.9	16.8	15.5	15.1	13.5	16.1	15.6
Network Mean =												
Natl. Mean =												
% Ca x PO4 <= 65	79%	87%	78%	77%	82%	78%	78%	82%	85%	87%	85%	80%

% Ca x PO4 <= 65




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.J - I.S. Dept.

IV. ACCESS


	J	F	M	A	M	J	J	A	S	O	N	D
# Access	92	94	97	94	88	90	90	93	98	95	94	97
# Fistula	43	45	48	46	44	44	48	48	46	47	46	46
Network %												
Natl. % - 1999	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%
% Fistula	47%	48%	49%	49%	50%	49%	53%	52%	47%	49%	49%	47%



# Access	92	94	97	94	88	90	90	93	98	95	94	97
# Graft	44	43	43	43	37	40	37	39	44	43	43	43
Network %												
Natl. %												
% Graft	48%	46%	44%	46%	42%	44%	41%	42%	45%	45%	46%	44%



# Access	92	94	97	94	88	90	90	93	98	95	94	97
# Other	5	6	6	5	7	6	5	6	8	5	5	8
Network %												
Natl. %												
% Other	5%	6%	6%	5%	8%	7%	6%	6%	8%	5%	5%	8%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.


V. ANEMIA

	J	F	M	A	M	J	J	A	S	O	N	D
# Hct	85	73	82	89	84	87	87	92	94	93	90	92
# Hct > 30.0	77	71	74	83	82	82	83	85	88	86	84	86
Pop. Mean =	35.6	36.0	35.7	35.9	36.4	35.7	35.4	35.2	35.4	35.2	35.4	35.4
Std. Deviation =	4.06	3.91	4.18	4.54	4.02	4.32	3.63	3.68	3.58	3.71	3.83	3.5
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 30.0	91%	97%	90%	93%	98%	94%	95%	92%	94%	92%	93%	93%
*% Network > 30.0	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
% Natl. > 30.0	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%

* Figures for 2000




# Hct	85	73	82	89	84	87	87	92	94	83	90	92
# Hct > 33.0	67	52	55	66	65	67	65	70	74	64	67	69
Pop. Mean =	35.6	36.0	35.7	35.9	36.4	35.7	35.4	35.2	35.4	35.2	35.4	35.4
Std. Deviation =	4.06	3.91	4.18	4.54	4.02	4.32	3.63	3.68	3.58	3.71	3.83	3.5
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 33.0	79%	71%	67%	74%	77%	77%	75%	76%	79%	77%	74%	75%
*% Network > 33.0	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%
% Natl. > 33.0	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%



*Figures for 2000


Iron Profile

# Ferritin	93	88	97	97
# Ferritin > 100	71	71	83	84
Pop. Mean =	273	405	362	346
Std. Deviation =	199	301	249	246
*Network Mean =	428	428	428	428
Natl. Mean =				
% Ferritin > 100	76%	81%	86%	87%
*% Network > 100	86%	86%	86%	86%



*Figures for 2000


# Ferritin	93	88	97	97
# Ferritin < 800	92	78	91	91
Pop. Mean =	273	405	362	346
Std. Deviation =	199	301	249	246
*Network Mean =	428	428	428	428
Natl. Mean =				
% Ferritin < 800	99%	89%	94%	94%



*Figures for 2000

# % Sat	93	88	97	97
# % Sat > 20	67	78	84	73
Pop. Mean =	28.0	32.9	31.1	27.4
Std. Deviation =	13.5	11.8	12.1	9.51
*Network Mean =	27.0	27.0	27.0	27.0
Natl. Mean =				
% Sat% > 20	72%	89%	87%	75%
*% Network > 20	72%	72%	72%	72%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.

V. ANEMIA - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# % Sat		93			88			97			97	
# % Sat < 50		87			81			91			95	
Pop. Mean =		28.0			32.9			31.1			27.4	
Std. Deviation =		13.5			11.8			12.1			9.51	
*Network Mean =		27.0			27.0			27.0			27.0	
Natl. Mean =												
% Sat% < 50		94%			92%			94%			98%	

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Elliott Bay Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.J - I.S. Dept.


DO NOT USE THIS PAGE!!!

VI. OTHERS


	D	D	D	D	D	D	D	D	D	D	D	D
--	---	---	---	---	---	---	---	---	---	---	---	---

Dialyzer ratios


# Dialyzers	91	91	91	91	91	91	91	91	91	91	91	91
# High Flux	59	59	59	59	59	59	59	59	59	59	59	59
Network %												
Natl. %												
% High Flux	65%	65%	65%	65%	65%	65%	65%	65%	65%	65%	65%	65%



# Dialyzers	91	91	91	91	91	91	91	91	91	91	91	91
# High Efficiency	8	8	8	8	8	8	8	8	8	8	8	8
Network %												
Natl. %												
% High Efficiency	9%	9%	9%	9%	9%	9%	9%	9%	9%	9%	9%	9%



# Dialyzers	91	91	91	91	91	91	91	91	91	91	91	91
# Standard	24	24	24	24	24	24	24	24	24	24	24	24
Network %												
Natl. %												
% Standard	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.