


Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.j - I.S. Dept.

I. ADEQUACY OF DIALYSIS


	J	F	M	A	M	J	J	A	S	O	N	D
# eKt/V	696	692	693	678	712	741	746	763	767	782	777	792
# eKt/V >= 1.2	497	500	505	491	563	569	566	569	575	575	591	611
Pop. Mean =	1.32	1.35	1.35	1.34	1.38	1.37	1.36	1.39	1.34	1.37	1.33	1.38
Std. Deviation =	0.30	0.38	0.35	0.34	0.37	0.32	0.36	0.86	0.31	0.84	0.27	0.40
Network Mean =												
Natl. Mean =												
% eKt/V >= 1.2	71%	72%	73%	72%	79%	77%	76%	75%	75%	74%	76%	77%



# URR	719	705	705	701	730	757	760	767	779	795	785	797
# URR >= 65.0	618	603	599	607	628	651	659	662	673	684	684	704
Pop. Mean =	72.0	71.6	71.2	72.1	72.0	71.4	72.5	72.4	71.9	71.9	72.2	72.7
Std. Deviation =	7.45	8.19	8.10	7.78	7.36	7.51	7.67	8.01	7.67	7.76	7.50	7.0
*Network Mean =	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7	71.7
Natl. Mean =	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2	68.2
% URR >= 65.0	86%	86%	85%	87%	86%	86%	87%	86%	86%	86%	87%	88%
*Network % > 65.0	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%	86%
*Natl. % > 65.0	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%




# Kt/V	696	692	693	678	712	742	746	763	767	782	777	792
# Kt/V >= 1.4	476	484	486	474	542	560	550	554	550	558	565	594
Pop. Mean =	1.53	1.56	1.56	1.55	1.60	1.59	1.58	1.61	1.55	1.58	1.54	1.59
Std. Deviation =	0.35	0.45	0.41	0.41	0.44	0.37	0.42	1.02	0.36	1.00	0.32	0.47
Network Mean =												
*Natl. Mean =	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
% Kt/V >= 1.4	68%	70%	70%	70%	76%	75%	74%	73%	72%	71%	73%	75%
% Kt/V > 1.2	89%	89%	90%	90%	92%	91%	90%	90%	89%	89%	90%	91%
*Network % > 1.2	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%	83%
*Natl. % > 1.2	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%




Blood Pressure Control (Pre)

# Pre Dia BP	741	724	731	722	756	762	776	784	799	808	798	812
# Pre Dia BP < 90	572	566	581	579	603	621	645	650	666	660	634	657
Pop. Mean =	81	80	80	80	80	79	79	79	79	79	80	79.8
Std. Deviation =	13.5	12.6	12.7	12.6	13.0	13.1	13.9	12.8	13.0	13.6	12.9	13.1
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	77%	78%	79%	80%	80%	81%	83%	83%	83%	82%	79%	81%



# Pre Sys BP	741	724	731	722	756	762	776	784	799	808	798	812
# Pre Sys BP < 150	393	390	403	397	427	460	455	473	474	450	441	458
Pop. Mean =	149	148	148	147	146	145	144	145	145	147	147	147
Std. Deviation =	21.6	21.1	20.8	21.2	21.1	20.5	20.9	20.8	20.8	21.2	21.4	20.4
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	53%	54%	55%	55%	56%	60%	59%	60%	59%	56%	55%	56%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.j - I.S. Dept.


DO NOT USE THIS PAGE!!!

I. ADEQUACY OF DIALYSIS - CONT.


	J	J	J	J	J	J	J	J	J	J	J	J
# Dialysis Hrs												
# Hrs. 2.5 - 3.0												
Pop. Mean =												
Std. Deviation =	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
Network Mean =												
Natl. Mean =												
% Hrs. 2.5 - 3.0	####	####	####	####	####	####	####	####	####	####	####	####




# Dialysis Hrs	744	744	744	744	744	744	744	744	744	744	744	744
# Hrs 3.1 - 3.5	174	174	174	174	174	174	174	174	174	174	174	174
Pop. Mean =	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation =	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
Network Mean =												
Natl. Mean =												
% Hrs 3.1 - 3.5	23%	23%	23%	23%	23%	23%	23%	23%	23%	23%	23%	23%




# Dialysis Hrs	744	744	744	744	744	744	744	744	744	744	744	744
# Hrs 3.6 - 4.0	314	314	314	314	314	314	314	314	314	314	314	314
Pop. Mean =	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation =	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
Network Mean =												
Natl. Mean =												
% Hrs 3.6 - 4.0	42%	42%	42%	42%	42%	42%	42%	42%	42%	42%	42%	42%



# Dialysis Hrs	744	744	744	744	744	744	744	744	744	744	744	744
# Hrs 4.1 - 4.5	136	136	136	136	136	136	136	136	136	136	136	136
Pop. Mean =	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation =	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
Network Mean =												
Natl. Mean =												
% Hrs 4.1 - 4.5	18%	18%	18%	18%	18%	18%	18%	18%	18%	18%	18%	18%



# Dialysis Hrs	744	744	744	744	744	744	744	744	744	744	744	744
# Hrs > 4.5	46	46	46	46	46	46	46	46	46	46	46	46
Pop. Mean =	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation =	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19	1.19
Network Mean =												
Natl. Mean =												
% Hrs > 4.5	6%	6%	6%	6%	6%	6%	6%	6%	6%	6%	6%	6%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I,j - I.S. Dept.

I. ADEQUACY OF DIALYSIS - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# CO2	732	721	723	713	753	758	771	781	792	804	794	805
# CO2 >= 23	226	308	314	229	289	214	329	367	334	325	346	292
Pop. Mean =	21	22	22	21	22	21	22	22	22	22	22	21
Std. Deviation =	4.04	3.45	3.99	4.11	3.36	3.72	3.72	3.53	3.84	3.60	3.47	3.78
Network Mean =												
Natl. Mean =												
% CO2 >= 23	31%	43%	43%	32%	38%	28%	43%	47%	42%	40%	44%	36%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.j - I.S. Dept.


*Albumin values use BCP method)

II. NUTRITION


	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin	732	721	723	714	753	758	771	781	791	804	794	805
# Albumin >= 3.2	571	576	544	576	574	679	645	700	701	646	617	618
Pop. Mean =	3.4	3.5	3.4	3.5	3.4	3.7	3.5	3.7	3.6	3.4	3.4	3.4
Std. Deviation =	0.42	0.42	0.43	0.42	0.43	0.44	0.42	0.44	0.43	0.41	0.39	0.40
*Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6	3.6
% Albumin >= 3.2	78%	80%	75%	81%	76%	90%	84%	90%	89%	80%	78%	77%
*Network % >= 3.2	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%
Natl. % >= 3.2	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%
Natl. % >= 3.7	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%	32%



# Cholesterol	732	721	723	713	753	758	771	780	791	804	794	805
# Chol. >= 150	418	417	411	383	410	407	413	430	439	438	459	476
Pop. Mean =	156	158	157	155	157	155	155	155	156	156	160	159
Std. Deviation =	42.4	39.8	42.6	40.9	40.1	39.3	38.5	39.3	42.3	40.0	41.6	42
Network Mean =												
Natl. Mean =												
% Chol. >= 150	57%	58%	57%	54%	54%	54%	54%	55%	55%	54%	58%	59%



# PCR/DPI	700	692	693	678	712	741	746	763	767	782	777	792
# PCR/DPI >= 1.2	199	226	240	230	242	284	256	236	226	236	237	265
Pop. Mean =	1.00	1.05	1.06	1.04	1.06	1.08	1.07	1.03	1.03	1.03	1.05	1.07
Std. Deviation =	0.26	0.29	0.27	0.27	0.28	0.26	0.27	0.27	0.26	0.28	0.27	0.28
Network Mean =												
Natl. Mean =												
% PCR/DPI >= 1.2	28%	33%	35%	34%	34%	38%	34%	31%	29%	30%	31%	33%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.j - I.S. Dept.

III. OSTEODYSTROPHY


	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	732	721	724	714	753	758	771	781	791	804	794	806
# PO4 < 6.0	498	447	457	464	501	498	510	531	563	565	536	552
Pop. Mean =	5.3	5.6	5.5	5.5	5.4	5.5	5.4	5.3	5.3	5.3	5.3	5.3
Std. Deviation	1.79	1.84	1.85	1.78	1.77	1.76	1.71	1.76	1.75	1.62	1.72	1.74
Network Mean =												
Natl. Mean =												
% PO4 < 6.0	68%	62%	63%	65%	67%	66%	66%	68%	71%	70%	68%	68%




# PO4	732	721	724	714	753	758	771	781	791	804	794	806
# PO4 > 3.0	675	687	673	672	710	719	729	733	729	760	735	755
Pop. Mean =	5.3	5.6	5.5	5.5	5.4	5.5	5.4	5.3	5.3	5.3	5.3	5.3
Std. Deviation	1.79	1.84	1.85	1.78	1.77	1.76	1.71	1.76	1.75	1.62	1.72	1.74
Network Mean =												
Natl. Mean =												
% PO4 > 3.0	92%	95%	93%	94%	94%	95%	95%	94%	92%	95%	93%	94%




# Calcium	732	721	724	714	753	758	771	781	791	804	794	806
# Calcium < 11.0	689	690	680	672	726	722	738	767	767	785	770	788
Pop. Mean =	9.4	9.4	9.5	9.5	9.3	9.4	9.5	9.1	9.3	9.2	9.3	9.1
Std. Deviation	0.99	0.93	0.93	0.90	0.88	0.92	0.90	0.84	0.85	0.84	0.85	0.91
Network Mean =												
Natl. Mean =												
% Calcium < 11.0	94%	96%	94%	94%	96%	95%	96%	98%	97%	98%	97%	98%



# Calcium	732	721	724	714	753	758	771	781	791	804	794	806
# Calcium > 8.5	611	591	627	613	625	636	674	594	663	657	664	570
Pop. Mean =	9.4	9.4	9.5	9.5	9.3	9.4	9.5	9.1	9.3	9.2	9.3	9.1
Std. Deviation =	0.99	0.93	0.93	0.90	0.88	0.92	0.90	0.84	0.85	0.84	0.85	0.91
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	83%	82%	87%	86%	83%	84%	87%	76%	84%	82%	84%	71%



# PTH-I		717		403		764		482
# PTH-I > 100		418		301		447		350
Pop. Mean =		223		149		205		177
Std. Deviation =		278		255		246		283
Network Mean =								
Natl. Mean =								
% PTH-I > 100		58%		75%		59%		73%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I,j - I.S. Dept.

III. OSTEODYSTROPHY - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# PTH-I			717			403			764			482
# PTH-I < 300			559			273			602			328
Pop. Mean =			223			149			205			177
Std. Deviation =			278			255			246			283
Network Mean =												
Natl. Mean =												
% PTH-I < 300			78%			68%			79%			68%



# Ca x PO4	732	721	724	714	753	758	771	781	791	804	794	806
# Ca x PO4 <= 65	596	580	575	562	626	617	628	655	672	691	674	690
Pop. Mean =	49.9	51.7	51.7	51.5	50.4	51.1	51.0	48.4	49.0	48.6	49.0	47.7
Std. Deviation =	16.9	16.8	17.0	16.6	16.2	16.5	15.9	15.6	15.8	14.9	15.6	15.4
Network Mean =												
Natl. Mean =												
% Ca x PO4 <= 65	81%	80%	79%	79%	83%	81%	81%	84%	85%	86%	85%	86%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000


I.j - I.S. Dept.

IV. ACCESS


	J	F	M	A	M	J	J	A	S	O	N	D
# Access	741	724	731	721	757	762	776	784	799	808	798	812
# Fistula	302	301	311	309	315	328	337	347	352	349	345	354
Network %												
Natl. % - 1999	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%	26%
% Fistula	41%	42%	43%	43%	42%	43%	43%	44%	44%	43%	43%	44%



# Access	741	724	731	721	757	762	776	784	799	808	798	812
# Graft	358	350	352	348	356	358	364	361	360	364	361	373
Network %												
Natl. %												
% Graft	48%	48%	48%	48%	47%	47%	47%	46%	45%	45%	45%	46%



# Access	741	724	731	721	757	762	776	784	799	808	798	812
# Other	81	73	68	64	86	76	75	76	87	95	92	85
Network %												
Natl. %												
% Other	11%	10%	9%	9%	11%	10%	10%	10%	11%	12%	12%	10%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Northwest Kidney Centers - Consolidated Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 6 months of treatment)
Through period ending Dec. 31, 2000

I.j - I.S. Dept.

V. ANEMIA


	J	F	M	A	M	J	J	A	S	O	N	D
# Hct	710	669	694	700	703	728	715	751	759	736	752	768
# Hct > 30.0	642	616	647	658	664	682	658	692	698	688	706	718
Pop. Mean =	35.4	35.6	35.8	35.9	35.7	35.5	35.6	35.1	35.2	35.3	35.7	35.6
Std. Deviation =	4.14	3.99	4.12	4.12	4.04	3.99	7.17	4.07	4.13	3.90	8.05	3.69
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 30.0	90%	92%	93%	94%	94%	94%	92%	92%	92%	93%	94%	93%
*% Network > 30.0	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
% Natl. > 30.0	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%

* Figures for 2000



# Hct	710	669	694	700	703	728	715	751	759	736	752	768
# Hct > 33.0	512	486	506	535	519	544	520	525	534	511	544	583
Pop. Mean =	35.4	35.6	35.8	35.9	35.7	35.5	35.6	35.1	35.2	35.3	35.7	35.6
Std. Deviation =	4.14	3.99	4.12	4.12	4.04	3.99	7.17	4.07	4.13	3.90	8.05	3.69
Network Mean =	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9	33.9
Natl. Mean =	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2	34.2
% Hct > 33.0	72%	73%	73%	76%	74%	75%	73%	70%	70%	69%	72%	76%
*% Network > 33.0	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%	74%
% Natl. > 33.0	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%	68%


*Figures for 2000



Iron Profile


# Ferritin	700	733	790	803
# Ferritin > 100	585	647	691	703
Pop. Mean =	295	433	416	378
Std. Deviation =	240	350	371	270
*Network Mean =	428	428	428	428
Natl. Mean =				
% Ferritin > 100	84%	88%	87%	88%
*% Network > 100	86%	86%	86%	86%

*Figures for 2000




# Ferritin	700	733	790	803
# Ferritin < 800	680	649	723	748
Pop. Mean =	295	433	416	378
Std. Deviation =	240	350	371	270
*Network Mean =	428	428	428	428
Natl. Mean =				
% Ferritin < 800	97%	89%	92%	93%

*Figures for 2000



# % Sat	699	732	790	803
# % Sat > 20	516	658	689	637
Pop. Mean =	27.9	37.4	34.1	29.0
Std. Deviation =	12.1	14.1	13.4	11.1
*Network Mean =	27.0	27.0	27.0	27.0
Natl. Mean =				
% Sat% > 20	74%	90%	87%	79%
*% Network > 20	72%	72%	72%	72%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis

I,j - I.S. Dept.


Quality Assurance Reports (Excludes patients in first 6 months of treatment)

Through period ending Dec. 31, 2000

V. ANEMIA - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# % Sat			699			732			790			803
# % Sat < 50			666			584			695			768
Pop. Mean =			27.9			37.4			34.1			29.0
Std. Deviation =			12.1			14.1			13.4			11.1
*Network Mean =			27.0			27.0			27.0			27.0
Natl. Mean =												
% Sat% < 50			95%			80%			88%			96%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Northwest Kidney Centers - Consolidated Center Hemodialysis

I,j - I.S. Dept.


Quality Assurance Reports (Excludes patients in first 6 months of treatment)

Through period ending Dec. 31, 2000


DO NOT USE THIS PAGE!!!

VI. OTHERS


	D	D	D	D	D	D	D	D	D	D	D	D
Dialyzer ratios												
# Dialyzers	744	744	744	744	744	744	744	744	744	744	744	744
# High Flux	494	494	494	494	494	494	494	494	494	494	494	494
Network %												
Natl. %												
% High Flux	66%	66%	66%	66%	66%	66%	66%	66%	66%	66%	66%	66%



# Dialyzers	744	744	744	744	744	744	744	744	744	744	744	744
# High Efficiency	87	87	87	87	87	87	87	87	87	87	87	87
Network %												
Natl. %												
% High Efficiency	12%	12%	12%	12%	12%	12%	12%	12%	12%	12%	12%	12%



# Dialyzers	744	744	744	744	744	744	744	744	744	744	744	744
# Standard	163	163	163	163	163	163	163	163	163	163	163	163
Network %												
Natl. %												
% Standard	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.