


Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003

I.J - I.S. Dept.

I. ADEQUACY OF DIALYSIS


	J	F	M	A	M	J	J	A	S	O	N	D
# Kt/V - CA/CC PD				64				59			60	
# Kt/V >= 2.0				59				54			55	
Pop. Mean =				2.43				2.42			2.43	
Std. Deviation =				0.38				0.48			0.49	
Network Mean =												
Natl. Mean=CAPD				2.27				2.27			2.27	
Natl. Mean=CCPD				2.34				2.34			2.34	
% Kt/V >= 2.0				92%				92%			92%	
*Natl% CAPD>= 2.0				69%				69%			69%	
*Natl% CCPD>= 2.1				62%				62%			62%	

*Figures for 2000




# CRCL CA/CC PD	64	59	60
# CCRCL >= 60	33	30	38
Pop. Mean =	66.3	68.6	74.6
Std. Deviation =	19.2	22.9	47.9
Network Mean =			
Natl. Mean CAPD	72.7	72.7	72.7
Natl. Mean CCPD	71.0	71.0	71.0
% CCRCL >= 60	52%	51%	63%
*Natl CAPD% >= 60	69%	69%	69%
*Natl CCPD% >= 63	62%	62%	62%

*Figures for 2000




# Kt/V / CRCL	64	58	60
Kt/V>2.0/CRCL>60	57	50	53
Kt/V Pop. Mean	2.43	2.42	2.43
Kt/V Std Dev.	0.38	0.48	0.49
CCRCL Pop. Mean	66.3	68.6	74.6
CCRCL Std Dev.	19.2	22.9	47.9
Natl. Mean =			
Network Mean =			
% Kt/V / CCRCL	89%	86%	88%



Blood Pressure Control (Pre)

# Pre Dia BP	68	71	73
# Pre Dia BP < 90	59	60	61
Pop. Mean =	79	75	75
Std. Deviation =	13	20	22
Network Mean =			
*Natl. Mean =	79	79	79
% Pre Dia BP < 90	87%	85%	84%
*Natl. % < 90	84%	84%	84%

*As of 4/30/98




*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.

Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003


I.J - I.S. Dept.

I. ADEQUACY OF DIALYSIS - CONT

	J	F	M	A	M	J	J	A	S	O	N	D
# Pre Sys BP				68				71				73
# Pre Sys BP <150				52				55				55
Pop. Mean =				132				124				128
Std. Deviation =				22.5				34.5				36.9
Network Mean =												
*Natl. Mean =				136				136				136
% Pre Sys BP <150				76%				77%				75%
*Natl. % < 150				77%				77%				77%
*As of 4/30/98												



# CO2	70	71	73
# CO2 >= 23	56	49	62
Pop. Mean =	24	24	24
Std. Deviation =	2.90	2.74	2.52
Network Mean =			
*Natl. Mean =			
% CO2 >= 23	80%	69%	85%



*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.

Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003

I.J - I.S. Dept.


Note: Albumin values use BCG method - as of July 2001

II. NUTRITION

	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin				70				71				73
# Albumin >= 3.5				37				39				45
Pop. Mean =				3.5				3.5				3.6
Std. Deviation =				0.36				0.4				0.43
Network Mean =												
Natl. Mean in 4/98				3.5				3.5				3.5
% Alb >= 3.5				53%				55%				62%
Pd Home % >= 3.7				31%				30%				36%
Pd Home % >= 4.0				9%				14%				16%
*Natl. > 3.5 BCG				56%				56%				56%
*Natl. > 4.0 BCG				14%				14%				14%


*Figures for 2000

% Albs >= 3.5



# nPNA	64	59	60
# nPNA >= 0.9	28	27	23
Pop. Mean =	0.91	0.93	0.87
Std. Deviation =	0.26	0.28	0.26
Network Mean =			
Natl. Mean =			
% nPNA >= 0.9	44%	46%	38%

% nPNA >= 0.9




III. OSTEODYSTROPHY

% PO4 < 5.5

*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.

Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003

I.J - I.S. Dept.



*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.


Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003

I.J - I.S. Dept.

III. OSTEODYSTROPHY - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# PTH-I				64				62				54
# PTH-I < 300				41				33				25
Pop. Mean =				331				304				365
Std. Deviation =				357				388				495
Network Mean =												
Natl. Mean =												
% PTH-I < 300				64%				53%				46%

% PTH-I < 300



# Ca x PO4	70	71	73
# Ca x PO4 <= 60	64	68	68
Pop. Mean =	43.6	43.4	40.5
Std. Deviation =	11.8	10.8	11.2
Network Mean =			
Natl. Mean =			
CaxPO4 <= 60	91%	96%	93%

% CaxPO4 <= 60



*Hct. values us Coulter method - as of July 2001


*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.

Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003


I.J - I.S. Dept.

IV. ANEMIA


	J	F	M	A	M	J	J	A	S	O	N	D
# Hct				68				70			73	
# Hct > 30.0				62				61			64	
Pop. Mean =				34.9				34.8			35.1	
Std. Deviation =				4.58				4.41			4.37	
Network Mean =												
*Natl. Mean =				33.8				33.8			33.8	
% Hct > 30.0				91%				87%			88%	
*Natl. % > 30.0				78%				78%			78%	
*As of 4/30/98												




# Hct	68	70	73
# Hct > 33.0	45	53	59
Pop. Mean =	34.9	34.8	35.1
Std. Deviation =	4.58	4.41	4.37
Network Mean =			
Natl. Mean =	34.8	34.8	34.8
% Hct > 33.0	66%	76%	81%
*Natl. % > 33.0	69%	69%	69%




# Hgb	70	71	73
# Hgb > 10.0	67	63	65
Pop. Mean =	12.0	11.7	11.7
Std. Deviation =	1.31	1.32	1.31
Network Mean =			
Natl. Mean =			
% Hgb > 10.0	96%	89%	89%



# Hgb	70	71	73
# Hgb > 11.0	55	58	58
Pop. Mean =	12.0	11.7	11.7
Std. Deviation =	1.31	1.32	1.31
Network Mean =			
Natl. Mean =			
% Hgb > 11.0	79%	82%	79%



# Ferritin	69	67	71
# Ferr > 100	65	62	67
Pop. Mean =	477	525	614
Std. Deviation =	312	469	505
Network Mean =			
Natl. Mean =			
% Ferr > 100	94%	93%	94%



*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.


Northwest Kidney Centers - Home Peritoneal Dialysis
Quality Assurance Reports (Includes patients in first 6 months of treatment)
Through period ending Dec. 31, 2003

I.J - I.S. Dept.

IV. ANEMIA - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# Ferritin		69			67			71				
# Ferr < 800		57			50			53				
Pop. Mean =		477			525			614				
Std. Deviation =		312			469			505				
Network Mean =												
Natl. Mean =												
% Ferr < 800		83%			75%			75%				

% Ferritin < 800




# % Sat	69	67	71
# % Sat > 20	62	53	55
Pop. Mean =	30.8	30	30
Std. Deviation =	9.5	12	13
Network Mean =			
Natl. Mean =			
% Sat % > 20	90%	79%	77%

% Sat % > 20



# % Sat	69	67	71
# % Sat < 50	65	63	67
Pop. Mean =	30.8	30	30
Std. Deviation =	9.5	12	13
Network Mean =			
Natl. Mean =			
% Sat % < 50	94%	94%	94%

% Sat% < 50



*Methodology: a) Quarter values are average of all values for quarter b) Values not averaged use last value present at months end.