


Lake City Kidney Center - Center Hemodialysis

1

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003


I. ADEQUACY OF DIALYSIS

	J	F	M	A	M	J	J	A	S	O	N	D
# Kt/V	34	37	38	39	36	36	42	38	39	38	38	41
# Kt/V >= 1.4	25	30	29	30	30	23	32	25	25	29	29	29
Pop. Mean =	1.59	1.59	1.62	1.61	1.99	1.8	1.66	1.67	1.56	1.56	1.73	1.7
Std. Deviation =	0.32	0.36	0.4	0.28	0.91	0.84	0.56	0.74	0.43	0.28	0.6	0.70
Network Mean =	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61	1.61
Natl. Mean 1999 =	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40	1.40
% Kt/V >= 1.4	74%	81%	76%	77%	83%	64%	76%	66%	64%	76%	76%	71%
% Kt/V > 1.2	94%	92%	87%	92%	92%	86%	88%	82%	92%	89%	92%	90%
Network > 1.2 '00	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%
Natl. % > 1.2 - 2001	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%




Blood Pressure Control (Pre)

# Pre Dia BP	36	39	41	40	38	38	42	42	42	40	39	41
# Pre Dia BP < 90	30	31	34	34	34	35	39	37	35	32	33	35
Pop. Mean =	75	76	76	74	71	74	72	73	76	78	76	78
Std. Deviation =	15.2	14.1	19.1	15.3	15	14.6	12.8	12.1	14.4	16	14.6	17.8
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	83%	79%	83%	85%	89%	92%	93%	88%	83%	80%	85%	85%



Pre-Systolic Blood Pressure

# Pre Sys BP	36	39	41	40	38	38	42	42	42	40	39	41
# Pre Sys BP < 150	24	26	28	27	26	25	30	30	28	25	26	28
Pop. Mean =	142	142	138	139	137	139	135	136	141	142	142	141
Std. Deviation =	22.9	18.4	21.4	23.7	23.6	21.6	19	19.5	21.1	23.4	24.9	20
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	67%	67%	68%	68%	68%	66%	71%	71%	67%	63%	67%	68%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis

2


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending December 31, 2003


I. ADEQUACY OF DIALYSIS - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# Post/Dwt	35	39	41	40	38	38	42	42	42	40	39	41
# +/- 1% of Dwt	21	28	30	24	23	22	24	27	26	25	27	23

% +/- 1 % of Dwt	60%	72%	73%	60%	61%	58%	57%	64%	62%	63%	69%	56%
------------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



# CO2	36	39	40	40	38	37	42	42	42	40	39	41
# CO2 >= 23	29	25	34	32	29	31	33	35	32	29	30	35
Pop. Mean =	25	24	25	24	25	24	24	25	25	24	25	26
Std. Deviation =	3.23	4.22	5.37	3.54	3.17	5.18	2.87	2.50	3.60	3.15	3.16	2.96
Network Mean =												
Natl. Mean =												
% CO2 >= 23	81%	64%	85%	80%	76%	84%	79%	83%	76%	73%	77%	85%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin	36	39	40	40	38	37	42	42	42	40	39	41
# Albumin >= 3.5	30	29	28	28	28	28	31	35	36	34	33	37
Pop. Mean =	3.7	3.7	3.6	3.6	3.6	3.6	3.7	3.8	3.7	3.8	3.8	3.9
Std. Deviation =	0.44	0.39	0.43	0.4	0.4	0.43	0.45	0.4	0.43	0.38	0.37	0.27
*Network Mean =	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7	3.7
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	83%	74%	70%	70%	74%	76%	74%	83%	86%	85%	85%	90%
LCKC % >= 3.7	64%	67%	53%	53%	53%	46%	62%	69%	64%	78%	74%	83%
LCKC % >= 4.0	28%	23%	20%	25%	18%	14%	29%	33%	26%	28%	31%	39%
*Natl % >= 3.5-BCG	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%
*Natl. % >= 4.0-BCC	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
*Netwk%>=3.5 BCC	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%	79%
*Netwk%>=4.0 BCC	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis


4

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003

III. OSTEODYSTROPHY


	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	36	39	40	40	38	38	42	42	42	40	39	41
# PO4 < 5.5	24	26	23	24	22	24	27	22	27	25	22	25
Pop. Mean =	5.0	5.1	5.4	5.1	5.1	5.2	5.2	5.2	5.1	4.9	5.1	5.3
Std. Deviation	1.24	1.56	1.43	1.45	1.4	1.54	1.38	1.57	1.75	1.49	1.42	1.42
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	67%	67%	58%	60%	58%	63%	64%	52%	64%	63%	56%	61%

% PO4 < 5.5




	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	36	39	40	40	38	38	42	42	42	40	39	41
# PO4 > 3.5	31	34	37	33	33	32	37	35	33	35	36	39
Pop. Mean =	5.0	5.1	5.4	5.1	5.1	5.2	5.2	5.2	5.1	4.9	5.1	5.3
Std. Deviation	1.24	1.56	1.43	1.45	1.4	1.54	1.38	1.57	1.75	1.49	1.42	1.42
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	86%	87%	93%	83%	87%	84%	88%	83%	79%	88%	92%	95%

% PO4 > 3.5



	J	F	M	A	M	J	J	A	S	O	N	D
# Calcium	36	39	40	40	38	38	42	42	42	40	39	41
# Calcium < 10.2	34	35	37	39	34	36	37	41	40	37	38	39
Pop. Mean =	9.2	9.3	9.1	9.1	9.2	9.1	9.1	9.2	9.3	9.2	9.2	9.2
Std. Deviation	0.77	0.71	0.78	0.82	0.76	0.69	0.85	0.54	0.59	0.77	0.66	0.58
Network Mean =												
Natl. Mean =												
% Ca < 10.2	94%	90%	93%	98%	89%	95%	88%	98%	95%	93%	97%	95%

% Ca. < 10.2



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Lake City Kidney Center - Center Hemodialysis

5


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003

III. OSTEODYSTROPHY - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# Calcium	36	39	40	40	38	38	42	42	42	40	39	41
# Calcium > 8.5	28	33	33	30	32	29	31	38	37	33	34	39
Pop. Mean =	9.2	9.3	9.1	9.1	9.2	9.1	9.1	9.2	9.3	9.2	9.2	9.2
Std. Deviation =	0.77	0.71	0.78	0.82	0.76	0.69	0.85	0.54	0.59	0.77	0.66	0.58
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	78%	85%	83%	75%	84%	76%	74%	90%	88%	83%	87%	95%



# PTH-I	36	26	24	42	26	29
# PTH-I > 100	30	26	23	33	23	27
Pop. Mean =	367	489	442	408	277	492
Std. Deviation =	341	371	361	357	377	517
Network Mean =						
Natl. Mean =						
% PTH-I > 100	83%	####	96%	79%	88%	93%



# PTH-I	36	26	24	42	26	29
# PTH-I < 300	21	11	10	18	12	14
Pop. Mean =	367	489	442	408	277	492
Std. Deviation =	341	371	361	357	377	517
Network Mean =						
Natl. Mean =						
% PTH-I < 300	58%	42%	42%	43%	46%	48%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis


6

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending December 31, 2003

III. OSTEODYSTROPHY - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# Ca x PO4	36	39	40	40	38	38	42	42	42	40	39	41
# Ca x PO4 <= 60	30	33	32	35	32	30	35	34	33	33	29	35
Pop. Mean =	45.9	46.8	48.9	46.7	46.8	47.2	47.1	47.7	47.2	45.1	47.2	49.4
Std. Deviation =	12.8	13.9	13.7	13.1	12.7	14.6	14.1	14.5	17.5	14.5	13.9	13.1
Network Mean =												
Natl. Mean =												
CaxPO4 <= 60	83%	85%	80%	88%	84%	79%	83%	81%	79%	83%	74%	85%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis


7

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending December 31, 2003

IV. ACCESS


	J	F	M	A	M	J	J	A	S	O	N	D
# Access	36	39	41	40	38	38	42	42	42	40	39	41
# Fistula	28	26	28	28	28	28	31	32	30	30	28	28
Network %												
Natl. % - 2000	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%	30%
% Fistula	78%	67%	68%	70%	74%	74%	74%	76%	71%	75%	72%	68%



	J	F	M	A	M	J	J	A	R	S	O	D
# Access	36	39	41	40	38	38	42	42	42	40	39	41
# Graft	5	6	5	5	6	7	7	5	8	6	6	7
Network %												
Natl. %												
% Graft	14%	15%	12%	13%	16%	18%	17%	12%	19%	15%	15%	17%



	J	F	M	A	M	J	J	A	R	S	O	D
# Access	36	39	41	40	38	38	42	42	42	40	39	41
# Catheters	3	7	8	7	4	3	4	5	4	4	5	6
Network %												
Natl. %												
% Other	8%	18%	20%	18%	11%	8%	10%	12%	10%	10%	13%	15%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Lake City Kidney Center - Center Hemodialysis


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003

V. ANEMIA

	J	F	M	A	M	J	J	A	S	O	N	D
# Hgb	36	39	40	40	38	38	42	42	42	40	39	41
# Hgb > 10.0	34	36	38	37	36	33	35	39	35	38	37	38
Pop. Mean =	12	11.9	11.7	11.7	12	11.8	11.8	12	11.8	11.9	12.1	12.0
Std. Deviation =	1.27	1.39	1.28	1.32	1.10	1.65	1.72	1.35	1.42	1.26	1.24	1.50
*Network Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7
Natl. Mean =												
% Hgb > 10.0	94%	92%	95%	93%	95%	87%	83%	93%	83%	95%	95%	93%
*% Network >= 10	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%
*Figures for 2000												




# Hgb	36	39	40	40	38	38	42	42	42	40	39	41
# Hgb > 11.0	28	31	26	24	33	27	30	35	30	34	33	31
Pop. Mean =	12	11.9	11.7	11.7	12	11.8	11.8	12	11.8	11.9	12.1	12.0
Std. Deviation =	1.27	1.39	1.28	1.32	1.10	1.65	1.72	1.35	1.42	1.26	1.24	1.50
*Network Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7
Natl. Mean =												
% Hgb > 11.0	78%	79%	65%	60%	87%	71%	71%	83%	71%	85%	85%	76%
*% Network >= 11	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%	76%
*Figures for 2000												



Iron Profile

# Ferritin	35	40	42	30
# Ferritin > 100	32	39	42	29
Pop. Mean =	348	389	547	427
Std. Deviation =	206	215	318	364
*Network Mean =	489	489	489	489
Natl. Mean =				
% Ferritin > 100	91%	98%	####	97%
*% Network > 100	88%	88%	88%	88%
*Figures for 2000				



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending December 31, 2003

9

V. ANEMIA - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# Ferritin	35			40			42			30		
# Ferritin < 800	35			38			33			23		
Pop. Mean =	348			389			547			427		
Std. Deviation =	206			215			318			364		
*Network Mean =	489			489			489			489		
Natl. Mean =												
% Ferritin < 800	#####			95%			79%			77%		

*Figures for 2000




# % Sat	35	40	42	30
# % Sat > 20	23	26	28	21
Pop. Mean =	24.5	26	25.4	26.4
Std. Deviation =	8.6	11.9	9.46	12.4
*Network Mean =	28	28	28	28
Natl. Mean =				
% Sat% > 20	66%	65%	67%	70%
*% Network > 20	71%	71%	71%	71%

*Figures for 2000



# % Sat	35	40	42	30
# % Sat < 50	35	37	41	29
Pop. Mean =	24.5	26	25.4	26.4
Std. Deviation =	8.6	11.9	9.46	12.4
*Network Mean =	28	28	28	28
Natl. Mean =				
% Sat% < 50	#####	93%	98%	97%

*Figures for 2000



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.