


I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	91	89	90	88	93	92	75	77	75	77	79	93
# Kt/V >= 1.4	72	78	65	58	68	64	52	62	66	63	60	79
Pop. Mean =	1.61	1.65	1.60	1.53	1.56	1.52	2.00	1.61	1.67	1.65	1.59	1.60
Std. Deviation =	0.30	0.28	0.30	0.26	0.31	0.28	3.87	0.26	0.25	0.26	0.31	0.27
Network Mean =	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean =												
% Kt/V >= 1.4	79%	88%	72%	66%	73%	70%	69%	81%	88%	82%	76%	85%
**% Kt/V >= 1.2	96%	97%	93%	92%	91%	91%	89%	95%	99%	96%	94%	92%

** As of Apr. '04




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	92	89	92	93	94	92	81	77	75	77	80	93
# Pre Dia BP < 90	76	73	73	78	77	76	73	70	66	68	66	83
Pop. Mean =	80	80	80	79	78	79	76	77	77	79	80	76
Std. Deviation =	15.3	12.4	14.2	15.9	14.4	13.4	10.9	11.6	11.2	15.6	13.3	11.8
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	83%	82%	79%	84%	82%	83%	90%	91%	88%	88%	83%	89%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	92	89	92	93	94	92	81	77	75	77	80	93
# Pre Sys BP < 150	56	56	56	56	61	60	58	56	54	58	51	57
Pop. Mean =	145	145	145	144	143	143	139	141	141	141	145	147
Std. Deviation =	19.6	19.8	20.4	20.6	20.0	18.4	17.0	16.4	15.9	15.6	19.5	18.4
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	61%	63%	61%	60%	65%	65%	72%	73%	72%	75%	64%	61%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Post/Dwt	92	89	92	93	94	92	81	77	75	77	80	93
# +/- 1% of Dwt	56	61	69	58	64	58	55	58	57	61	59	69
% +/-1 % of Dwt	61%	69%	75%	62%	68%	63%	68%	75%	76%	79%	74%	74%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	92	89	92	92	94	92	80	77	75	77	80	93
# CO2 >= 23	77	82	72	67	84	69	56	44	57	56	62	77
Pop. Mean =	25	26	25	24	25	24	24	23	25	24	25	25
Std. Deviation =	2.96	3.17	3.22	3.37	2.95	2.91	3.30	3.38	2.69	3.37	3.25	3.24
Network Mean =												
Natl. Mean =												
% CO2 >= 23	84%	92%	78%	73%	89%	75%	70%	57%	76%	73%	78%	83%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

*Albumin values use BCG method - as of July 2001


II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	91	89	92	92	94	92	80	77	75	77	80	93
# Albumin >= 3.5	81	78	79	74	76	79	71	73	70	71	75	81
Pop. Mean =	3.8	3.9	3.8	3.7	3.8	3.8	3.9	4.0	4.0	4.0	3.9	3.9
Std. Deviation =	0.31	0.33	0.32	0.36	0.38	0.34	0.35	0.31	0.35	0.36	0.35	0.42
Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	89%	88%	86%	80%	81%	86%	89%	95%	93%	92%	94%	87%
% Alb >= 4.0	30%	37%	35%	28%	33%	34%	43%	56%	57%	53%	56%	47%
*Natl % >= 3.5-BCG	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
*Natl. % >= 4.0-BCG	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%

*Figures for 2004




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c							19		1			3
# HgA1c < 7							12					2
Pop. Mean =							6.9		7.4			6.5
Std. Deviation =							1.53					1.51
Network Mean =												
Natl. Mean =												
% HgA1c < 7							63%					67%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	92	89	92	92	94	92	81	77	75	77	80	93
# PO4 < 5.5	45	53	57	52	54	57	50	45	44	54	50	52
Pop. Mean =	5.4	5.2	5.1	5.2	5.3	5.2	5.2	5.2	5.2	4.9	5.1	5.5
Std. Deviation =	1.61	1.38	1.42	1.55	1.71	1.67	1.72	1.54	1.60	1.24	1.29	1.56
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	49%	60%	62%	57%	57%	62%	62%	58%	59%	70%	63%	56%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	92	89	92	92	94	92	81	77	75	77	80	93
# PO4 > 3.5	80	80	80	79	81	79	68	63	64	69	71	85
Pop. Mean =	5.4	5.2	5.1	5.2	5.3	5.2	5.2	5.2	5.2	4.9	5.1	5.5
Std. Deviation =	1.61	1.38	1.42	1.55	1.71	1.67	1.72	1.54	1.60	1.24	1.29	1.56
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	87%	90%	87%	86%	86%	86%	84%	82%	85%	90%	89%	91%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	92	89	92	92	94	92	81	77	75	77	80	93
# Calcium < 10.2	89	87	90	89	88	90	76	71	74	73	79	92
Pop. Mean =	9.1	9.2	9.0	9.0	9.0	9.0	8.9	9.0	8.9	9.0	8.8	8.8
Std. Deviation =	0.63	0.59	0.60	0.74	0.77	0.72	0.83	0.78	0.66	0.66	0.66	0.72
Network Mean =												
Natl. Mean =												
% Ca < 10.2	97%	98%	98%	97%	94%	98%	94%	92%	99%	95%	99%	99%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	92	89	92	92	94	92	81	77	75	77	80	93
# Calcium > 8.5	78	75	75	70	73	70	60	53	51	57	55	66
Pop. Mean =	9.1	9.2	9.0	9.0	9.0	9.0	8.9	9.0	8.9	9.0	8.8	8.8
Std. Deviation =	0.63	0.59	0.60	0.74	0.77	0.72	0.83	0.78	0.66	0.66	0.66	0.72
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	85%	84%	82%	76%	78%	76%	74%	69%	68%	74%	69%	71%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	90		67		68		80		55		61	
# PTH-I > 100	72		62									
# PTH-I > 150					58		59		44		53	
Pop. Mean =	340		312		330		394		481		496	
Std. Deviation =	333		401		475		412		469		462	
Network Mean =												
Natl. Mean =												
% PTH-I > 100 or > 150 (As of May '05)	80%		93%		85%		74%		80%		87%	



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	90		67		68		80		55		61	
# PTH-I < 300	52		36		31		42		26		26	
Pop. Mean =	340		312		330		394		481		496	
Std. Deviation =	333		401		475		412		469		462	
Network Mean =												
Natl. Mean =												
% PTH-I < 300	58%		54%		46%		53%		47%		43%	




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I							80		55		61	
# PTH-I > 150 & < 300							21		15		18	
Pop. Mean =							394		481		496	
Std. Deviation =							412		469		462	
Network Mean =												
Natl. Mean =												
% PTH-I > 100 & < 300							26%		27%		30%	



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	92	89	92	92	94	92	81	77	75	77	80	93
# Ca x PO4 < 55	62	68	70	69	72	71	61	61	59	64	66	67
Pop. Mean =	49.4	47.2	46.2	46.3	47.5	46.2	45.7	46.6	45.7	44.4	44.6	48.0
Std. Deviation =	14.4	12.8	12.9	13.4	16.2	14.1	14.0	12.5	14.0	11.1	10.8	13.7
Network Mean =												
Natl. Mean =												
% CaxPO4 < 55	67%	76%	76%	75%	77%	77%	75%	79%	79%	83%	83%	72%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	92	89	92	93	94	92	64	77	74	77	79	69
# Fistula	53	52	53	55	57	58	34	46	42	45	46	44
Network % - 2004	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%
Natl. % - 2004	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%
% Fistula	58%	58%	58%	59%	61%	63%	53%	60%	57%	58%	58%	64%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	92	89	92	93	94	92	64	77	74	77	79	69
# Graft	20	20	19	18	20	18	18	18	17	19	20	15
Network %												
Natl. %												
% Graft	22%	22%	21%	19%	21%	20%	28%	23%	23%	25%	25%	22%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	92	89	92	93	94	92	64	77	74	77	79	69
# Catheters	19	17	20	20	17	16	12	13	15	13	13	10
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheters	21%	19%	22%	22%	18%	17%	19%	17%	20%	17%	16%	14%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	92	89	92	92	94	92	81	77	75	76	80	93
# Hgb > 10.0	86	86	86	84	84	86	76	73	70	69	73	84
Pop. Mean =	12.1	12.0	12.0	11.9	11.9	12.0	11.9	12.2	12.2	12.0	12.0	11.7
Std. Deviation =	1.2	1.2	1.2	1.3	1.4	1.3	1.5	1.5	1.4	1.4	1.4	1.2
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	93%	97%	93%	91%	89%	93%	94%	95%	93%	91%	91%	90%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	92	89	92	92	94	92	81	77	75	76	80	93
# Hgb >= 11.0	80	71	77	76	76	70	64	66	63	54	65	72
Pop. Mean =	12.1	12.0	12.0	11.9	11.9	12.0	11.9	12.2	12.2	12.0	12.0	11.7
Std. Deviation =	1.2	1.2	1.2	1.3	1.4	1.3	1.5	1.5	1.4	1.4	1.4	1.2
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	87%	80%	84%	83%	81%	76%	79%	86%	84%	71%	81%	77%
% Natl. >= 11 2004	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	92	89	92	92	94	92	81	77	75	76	80	93
# Hct >= 33.0	81	75	75	73	69	75	63	66	62	57	64	73
Pop. Mean =	37	37	35	35	35	37	36	37	37	36	36	36
Std. Deviation =	3.62	3.54	3.64	4.02	4.06	4.11	4.27	4.51	4.50	4.38	4.22	3.72
Network Mean =												
Natl. Mean =												
% Hct >= 33.0	88%	84%	82%	79%	73%	82%	78%	86%	83%	75%	80%	78%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	90			90			80			77		
# Ferritin >= 100	81			86			76			70		
Pop. Mean =	448			520			456			492		
Std. Deviation =	302			387			272			351		
Network Mean =												
Natl. Mean =												
% Ferritin >= 100	90%			96%			95%			91%		
%Natl. >=100 2004	94%			94%			94%			94%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	90			90			80			77		
# Ferritin < 800	78			75			73			66		
Pop. Mean =	448			520			456			492		
Std. Deviation =	302			387			272			351		
Network Mean =												
Natl. Mean =												
% Ferritin < 800	87%			83%			91%			86%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	90			90			80			75		
# % Sat >= 20	63			55			54			45		
Pop. Mean =	26			26			27			25		
Std. Deviation =	12			18			15			15		
Network Mean =												
Natl. Mean =												
% Sat% >= 20	70%			61%			68%			60%		
%Natl. >=20 2004	81%			81%			81%			81%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	90			90			80			75		
# % Sat < 50	85			84			76			69		
Pop. Mean =	26			26			27			25		
Std. Deviation =	12			18			15			15		
Network Mean =												
Natl. Mean =												
% Sat% < 50	94%			93%			95%			92%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.