



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	86	85	88	84	89	90	95	92	88	87	89	93
# Kt/V >= 1.4	72	68	72	71	74	73	79	75	68	65	75	77
Pop. Mean	1.64	1.63	1.60	1.60	1.62	1.60	1.59	1.62	1.60	1.61	1.62	1.58
Std. Deviation	0.26	0.36	0.25	0.29	0.32	0.27	0.27	0.27	0.36	0.41	0.28	0.26
Network Mean '04	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06							1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.4	84%	80%	82%	85%	83%	81%	83%	82%	77%	75%	84%	83%
% Kt/V >= 1.2	94%	94%	95%	93%	93%	93%	95%	95%	93%	89%	90%	91%
Network % >= 1.2 '06	92%	92%	92%	92%	92%	92%	92%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06	89%	89%	89%	89%	89%	89%	89%	90%	90%	90%	90%	90%




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	86	86	90	88	91	91	95	94	93	93	90	94
# Pre Dia BP < 90	79	83	88	84	87	90	93	89	88	87	89	91
Pop. Mean	71	71	70	69	69	68	69	69	69	71	69	70
Std. Deviation	12.5	12.6	11.6	12.2	11.9	11.9	11.7	12.4	13.1	12.4	11.4	11.3
Network Mean												
Natl. Mean												
% Pre Dia BP < 90	92%	97%	98%	95%	96%	99%	98%	95%	95%	94%	99%	97%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	86	86	90	88	91	91	95	94	93	93	90	94
# Pre Sys BP < 150	53	54	54	58	61	60	68	68	66	60	61	64
Pop. Mean	144	144	143	142	140	140	140	138	140	143	140	142
Std. Deviation	23.3	24.8	23.8	24.5	23.9	24.5	21.7	23.1	22.8	20.2	20.3	20.9
Network Mean												
Natl. Mean												
% Pre Sys BP < 150	62%	63%	60%	66%	67%	66%	72%	72%	71%	65%	68%	68%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg						91	95	94	93	93	90	94
# L processed/kg>0.8						79	80	79	80	76	75	79
Pop. Mean						1	1	1	1	1	1	1
Std. Deviation						0.3	0.3	0.3	0.3	0.3	0.3	0.3
Network Mean												
Natl. Mean												
% L processed/kg>0.8						87%	84%	84%	86%	82%	83%	84%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	86	85	90	87	90	91	95	93	90	88	89	94
# CO2 >= 23	68	75	72	66	81	81	80	84	87	75	81	89
Pop. Mean	24	25	24	25	26	26	25	26	26	25	26	27
Std. Deviation	2.27	2.36	2.78	3.06	2.69	2.66	2.67	2.75	2.23	2.89	2.41	2.55
Network Mean												
Natl. Mean												
% CO2 >= 23	79%	88%	80%	76%	90%	89%	84%	90%	97%	85%	91%	95%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	86	85	90	87	90	91	95	93	90	88	89	94
# Albumin >= 4.0	54	57	59	62	57	56	63	66	71	64	59	66
Pop. Mean	4.0	4.0	4.0	4.1	4.0	4.0	4.0	4.1	4.1	4.1	4.1	4.1
Std. Deviation	0.34	0.32	0.31	0.32	0.30	0.32	0.32	0.37	0.34	0.34	0.38	0.40
Network Mean	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	94%	93%	97%	94%	93%	95%	97%	95%	97%	98%	96%	93%
% Alb >= 3.0	100%	100%	100%	100%	100%	100%	99%	100%	99%	99%	99%	99%
% Alb >= 4.0	63%	67%	66%	71%	63%	62%	66%	71%	79%	73%	66%	70%
Netwk%>=3.5 '06	75%	75%	75%	75%	75%	75%	75%	82%	82%	82%	82%	82%
Netwk%>=4.0 '06	25%	25%	25%	25%	25%	25%	25%	34%	34%	34%	34%	34%
Natl % >= 3.5 '06	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
Natl. % >= 4.0 '06	39%	39%	39%	39%	39%	39%	39%	34%	34%	34%	34%	34%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# SGA						89	93	91	88	89	89	92
# SGA <=9						80	82	80	78	79	79	81
Pop. Mean						6	6	6	6	5	5	5
Std. Deviation						3.4	3.8	3.7	3.6	3.2	3.3	3.3
Network Mean												
Natl. Mean												
% SGA <= 9						90%	88%	88%	89%	89%	89%	88%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	86	85	90	87	91	91	95	93	90	88	89	94
# PO4 < 5.5	52	52	56	55	58	61	63	57	57	62	63	64
Pop. Mean	5.4	5.3	5.1	5.2	5.0	5.0	5.1	5.1	5.2	5.0	4.8	5.0
Std. Deviation	1.61	1.43	1.40	1.30	1.39	1.44	1.42	1.28	1.41	1.34	1.47	1.43
Network Mean												
Natl. Mean '06								5	5	5	5	5
% PO4 < 5.5	60%	61%	62%	63%	64%	67%	66%	61%	63%	70%	71%	68%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	86	85	90	87	91	91	95	93	90	88	89	94
# PO4 > 3.5	77	78	80	83	79	81	87	83	80	79	77	81
Pop. Mean	5.4	5.3	5.1	5.2	5.0	5.0	5.1	5.1	5.2	5.0	4.8	5.0
Std. Deviation	1.61	1.43	1.40	1.30	1.39	1.44	1.42	1.28	1.41	1.34	1.47	1.43
Network Mean												
Natl. Mean '06								5	5	5	5	5
% PO4 > 3.5	90%	92%	89%	95%	87%	89%	92%	89%	89%	90%	87%	86%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4										88	89	94
# PO4 3.5 to 5.5										58	55	54
Pop. Mean										5.0	4.8	5.0
Std. Deviation										1.34	1.47	1.43
Network Mean												
% PO4 3.5 to 5.5										66%	62%	57%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	86	85	90	87	90	91	95	93	90	88	89	94
# Calcium < 10.2	84	80	88	82	87	89	94	91	86	86	86	92
Pop. Mean	9.0	9.1	9.1	9.2	9.2	9.2	9.1	9.2	9.3	9.3	9.1	9.2
Std. Deviation	0.57	0.60	0.60	0.59	0.52	0.56	0.49	0.55	0.53	0.50	0.52	0.52
Network Mean												
Natl. Mean '06								9	9	9	9	9
% Ca < 10.2	98%	94%	98%	94%	97%	98%	99%	98%	96%	98%	97%	98%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	86	85	90	87	90	91	95	93	90	88	89	94
# Calcium > 8.4	70	74	78	79	83	85	87	83	84	85	83	85
Pop. Mean	9.0	9.1	9.1	9.2	9.2	9.2	9.1	9.2	9.3	9.3	9.1	9.2
Std. Deviation	0.57	0.60	0.60	0.59	0.52	0.56	0.49	0.55	0.53	0.50	0.52	0.52
Network Mean												
Natl. Mean '06	9	9	9	9	9	9	9	9	9	9	9	9
% Calcium > 8.4	81%	87%	87%	91%	92%	93%	92%	89%	93%	97%	93%	90%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	85		25	71			93			75		
# PTH-I > 150	76		25	59			74			68		
Pop. Mean	370		351	356			395			412		
Std. Deviation	240		161	271			313			279		
Network Mean												
Natl. Mean												
% PTH-I > 150	89%		100%	83%			80%			91%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	85		25	71			93			75		
# PTH-I < 300	40		12	34			44			32		
Pop. Mean	370		351	356			395			412		
Std. Deviation	240		161	271			313			279		
Network Mean												
Natl. Mean												
% PTH-I < 300	47%		48%	48%			47%			43%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	85		25	71			93			75	21	
# PTH-I 150 to 300	31		12	22			25			25	2	
Pop. Mean	370		351	356			395			412	519	
Std. Deviation	240		161	271			313			279	354	
Network Mean												
Natl. Mean												
% PTH-I 150 to 300	36%		48%	31%			27%			33%	10%	



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	86	85	90	87	90	91	95	93	90	88	89	94
# Ca x PO4 < 55	59	58	66	64	67							
# Ca x PO4 < 65						84	79	76	74	75	78	85
Pop. Mean	49.3	50.0	48.9	48.8	47.1	46.3	48.9	49.6	50.1	48.1	46.7	47.4
Std. Deviation	16.1	15.6	15.8	13.7	15.2	13.4	16.1	14.3	15.7	15.1	16.9	15.3
Network Mean												
Natl. Mean												
% CaxPO4 < 65	69%	68%	73%	74%	74%	92%	83%	82%	82%	85%	88%	90%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	86	86	90	88	91	91	95	92	91	92	89	93
# Fistula	56	60	60	60	69	69	70	66	65	69	71	72
Network % '06	58%	58%	58%	58%	58%	58%	58%	61%	61%	61%	61%	61%
Natl. % '06	39%	39%	39%	39%	39%	39%	39%	45%	45%	45%	45%	45%
% Fistula	65%	70%	67%	68%	76%	76%	74%	72%	71%	75%	80%	77%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	86	86	90	88	91	91	95	92	91	92	89	93
# Graft	15	15	15	14	10	13	12	8	9	11	11	12
Network %												
Natl. %												
% Graft	17%	17%	17%	16%	11%	14%	13%	9%	10%	12%	12%	13%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	86	86	90	88	91	91	95	92	91	92	89	93
# Catheters	14	10	14	13	11	8	12	17	16	11	6	8
Network % '06								22%	22%	22%	22%	22%
Natl. % '06	27%	27%	27%	27%	27%	27%	27%	29%	29%	29%	29%	29%
% Catheters	16%	12%	16%	15%	12%	9%	13%	18%	18%	12%	7%	9%



Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access										92	89	93
# Cuffed Catheters										6	4	3
Network % '06										22%	22%	22%
Natl. % '06										29%	29%	29%
% Cuffed Catheters										7%	5%	4%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	86	85	90	87	91	92	95	93	90	88	89	94
# Hgb >= 11.0	65	73	77	67	69	73	79	83	76	72	68	74
Pop. Mean	11.9	12.2	12.1	11.8	11.8	11.9	12.1	12.2	12.2	12.2	12.0	12.0
Std. Deviation	1.3	1.1	1.1	1.2	1.2	1.3	1.2	1.1	1.4	1.3	1.5	1.4
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06								12	12	12	12	12
% Hgb >= 11.0	76%	86%	86%	77%	76%	79%	83%	89%	84%	82%	76%	79%
% Hgb <= 11.0	24%	14%	14%	23%	24%	21%	17%	12%	17%	18%	25%	23%
% Netwk >= 11 '06	80%	80%	80%	80%	80%	80%	80%	87%	87%	87%	87%	87%
% Natl. >= 11 '06	80%	80%	80%	80%	80%	80%	80%	84%	84%	84%	84%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb						92	95	93	90	88	89	94
# Hgb 11 to 12						30	32	33	22	24	24	29
Pop. Mean						11.9	12.1	12.2	12.2	12.2	12.0	12.0
Std. Deviation						1.3	1.2	1.1	1.4	1.3	1.5	1.4
Network Mean						11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06								12	12	12	12	12
% Hgb 11 to 12						33%	34%	35%	24%	27%	27%	31%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb										88	89	94
# Hgb < 13										70	70	74
Pop. Mean										12.2	12.0	12.0
Std. Deviation										1.3	1.5	1.4
Network Mean										11.8	11.8	11.8
% Hgb < 13										80%	79%	79%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb										88	89	94
# Hgb 10 to 12										37	41	44
Pop. Mean										12.2	12.0	12.0
Std. Deviation										1.3	1.5	1.4
Network Mean										11.8	11.8	11.8
% Hgb 10 to 12										42%	46%	47%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	86	85	91	87	91	91	95	93	90	88	89	94
# Hct >= 33.0	62	72	73	61	58	67	75	80	72	67	65	65
Pop. Mean	35	36	36	35	34	35	36	37	37	36	35	35
Std. Deviation	3.67	3.25	3.55	3.55	3.57	3.81	3.63	3.50	4.55	3.93	4.37	4.31
Network Mean												
Natl. Mean												
% Hct >= 33.0	72%	85%	80%	70%	64%	74%	79%	86%	80%	76%	73%	69%
% Netwk >= 33 '05	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%
% Natl. >= 33 '05	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%




Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	85			87			94			89		
# Ferritin >= 100	82			83								
# Ferritin > 200							84			77		
Pop. Mean	554			648			562			557		
Std. Deviation	320			404			294			265		
Network Mean												
Natl. Mean '06												
% Ferritin > 200	86%			90%			89%			87%		
% Netwk >= 100 '06	92%			92%			93%			93%		
% Natl. >=100 '06	94%			94%			95%			95%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	85			87			94			89		
# Ferritin < 800	66			61			74			77		
Pop. Mean	554			648			562			557		
Std. Deviation	320			404			294			265		
Network Mean												
Natl. Mean '06												
% Ferritin < 800	78%			70%			79%			87%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin										89		
# Ferritin < 500										38		
Pop. Mean										557		
Std. Deviation										265		
Network Mean												
% Ferritin < 500										43%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	85			87			94			89		
# % Sat > 20	45			57			54			59		
Pop. Mean	22			27			25			27		
Std. Deviation	10			15			13			12		
Network Mean												
Natl. Mean '06	28			28			28			28		
% Sat% > 20	53%			66%			57%			66%		
% Netwk >= 20 '06	74%			74%			74%			74%		
% Natl. >=20 '06	79%			79%			79%			79%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	85			87			94			89		
# % Sat < 50	84			81			88			85		
Pop. Mean	22			27			25			27		
Std. Deviation	10			15			13			12		
Network Mean												
Natl. Mean '06										28		
% Sat% < 50	99%			93%			94%			96%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	37			39			43			38		
# HgA1c < 7	24			25			25			22		
Pop. Mean	6.7			6.8			6.7			6.9		
Std. Deviation	1.71			1.35			1.33			1.43		
Network Mean												
Natl. Mean												
% HgA1c < 7	65%			64%			58%			58%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient										90	90	91
# HBsAb >= 1.0										64	64	65
% HBsAb >= 1.0										71%	71%	71%




Pneumonia vaccination within the past five years at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient										90	90	91
# Pneumonia										57	58	57
% Pneumonia										63%	64%	63%



Influenza vaccination since August at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient								92	90	90	90	91
# Influenza since 08/08									24	79	79	79
% Influenza									27%	88%	88%	87%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.