



I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	47	53	57	55	55	57	59	56	58	58	58	56
# spKt/V >= 1.2	47	53	56	55	54	57	58	56	57	57	54	55
Pop. Mean	1.57	1.55	1.54	1.58	1.54	1.55	1.51	1.60	1.51	1.53	1.51	1.54
Std. Deviation	0.35	0.32	0.29	0.41	0.29	0.29	0.29	0.42	0.28	0.32	0.29	0.28
% spKt/V >= 1.2	100%	100%	98%	100%	98%	100%	98%	100%	98%	98%	93%	98%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	43	48	49	50	49	50	54	52	52	50	48	50
# spKt/V >= 1.2 w/3tx/wk	43	48	49	50	49	50	53	52	51	50	48	50
Pop. Mean	1.56	1.54	1.55	1.54	1.54	1.53	1.50	1.56	1.49	1.54	1.53	1.54
Std. Deviation	0.35	0.32	0.29	0.29	0.29	0.28	0.30	0.38	0.27	0.31	0.28	0.28
% >= 1.2 w/3tx/wk	100%	100%	100%	100%	100%	100%	98%	100%	98%	100%	100%	100%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	58	63	66	66	64	66	70	69	69	69	68	70
# URR >= 65	56	61	64	63	62	64	65	68	64	65	62	64
Pop. Mean	73	74	73	73	73	74	72	74	73	73	73	72
Std. Deviation	6.95	6.02	6.17	6.61	6.22	6.12	6.86	7.49	7.12	7.00	6.69	7.19
% URR >= 65	97%	97%	97%	95%	97%	97%	93%	99%	93%	94%	91%	91%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	44	49	51	51	49	51	55	53	53	52	52	54
# URR>=65 w/ 3tx/wk	43	48	51	51	49	51	52	53	51	51	50	51
Pop. Mean	74	74	74	74	74	74	72	74	72	73	73	73
Std. Deviation	6.08	5.92	5.28	5.33	5.38	5.46	6.64	6.60	6.48	6.42	6.11	6.81
% URR>=65 w/ 3tx/wk	98%	98%	100%	100%	100%	100%	95%	100%	96%	98%	96%	94%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	58	63	66	67	65	66	70	69	69	69	69	70
# Pre Sys BP <= 165	51	54	56	58	59	61	66	63	58	57	54	61
Pop. Mean	148	149	149	148	145	144	144	143	147	147	148	147
Std. Deviation	15.8	14.4	16.1	16.5	16.7	16.1	16.4	17.3	19.1	17.7	18.7	16.5
%Pre Sys BP <=165	86%	86%	82%	85%	91%	92%	91%	91%	81%	80%	77%	84%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	58	63	66	67	65	66	70	69	69	69	69	70
# L processed/kg>=0.8	49	54	54	54	51	54	55	54	52	56	54	59
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>=0.8	84%	86%	82%	81%	78%	82%	79%	78%	75%	81%	78%	84%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	58	63	66	67	65	66	70	69	69	69	69	70
# CO2 < 23	20	16	17	14	18	15	24	16	22	13	18	21
Pop. Mean	24	25	24	25	24	24	24	24	24	25	24	24
Std. Deviation	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76	3.28
% CO2 < 23	34%	25%	26%	21%	28%	23%	34%	23%	32%	19%	26%	30%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	58	63	66	67	65	66	70	69	69	69	69	70
# CO2 23 to 27	29	33	40	42	41	43	38	42	41	46	47	44
Pop. Mean	24	25	24	25	24	24	24	24	24	25	24	24
Std. Deviation	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76	3.28
% CO2 23 to 27	50%	52%	61%	63%	63%	65%	54%	61%	59%	67%	68%	63%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	58	63	66	67	65	66	70	69	69	69	69	70
# CO2 > 27	9	14	9	11	6	8	8	11	6	10	4	5
Pop. Mean	24	25	24	25	24	24	24	24	24	25	24	24
Std. Deviation	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76	3.28
% CO2 > 27	16%	22%	14%	16%	9%	12%	11%	16%	9%	14%	6%	7%



Bellevue Kidney Center - Center Hemodialysis


Quality Assurance Reports
Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	58	63	66	67	65	66	70	69	69	69	69	70
# Albumin >= 4.0	33	36	35	34	39	33	32	36	34	38	37	37
Pop. Mean	4.0	4.0	3.9	4.0	4.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation	0.34	0.35	0.39	0.32	0.27	0.30	0.36	0.38	0.34	0.37	0.40	0.36
% Alb >= 4.0	57%	57%	53%	51%	60%	50%	46%	52%	49%	55%	54%	53%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	58	63	66	67	65	66	70	69	69	69	69	70
# PO4 3.5 to 5.5	23	30	19	26	20	28	29	24	24	23	27	21
Pop. Mean	6.0	5.8	6.2	5.9	6.2	6.0	5.9	6.1	6.2	6.0	6.2	6.6
Std. Deviation	1.62	1.48	1.94	1.69	1.79	1.73	1.47	1.93	1.75	1.52	1.76	1.72
% PO4 3.5 to 5.5	40%	48%	29%	39%	31%	42%	41%	35%	35%	33%	39%	30%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	58	63	66	67	65	66	70	69	69	69	69	70
# Calcium <= 8	5	4	6	4	5	6	5	4	7	7	7	7
Pop. Mean	9.0	9.1	9.1	9.1	9.0	9.0	8.9	9.0	9.0	9.1	9.1	9.0
Std. Deviation	0.68	0.76	0.76	0.59	0.65	0.67	0.67	0.68	0.73	0.71	0.82	0.73
% Calcium <= 8	9%	6%	9%	6%	8%	9%	7%	6%	10%	10%	10%	10%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	58	63	66	67	65	66	70	69	69	69	69	70
# Calcium > 10.2	1	1	3	1	1	1	0	0	1	0	3	1
Pop. Mean	9.0	9.1	9.1	9.1	9.0	9.0	8.9	9.0	9.0	9.1	9.1	9.0
Std. Deviation	0.68	0.76	0.76	0.59	0.65	0.67	0.67	0.68	0.73	0.71	0.82	0.73
% Calcium > 10.2	2%	2%	5%	1%	2%	2%	0%	0%	1%	0%	4%	1%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			66			65			68			70
# PTH-I 150 to 600			34			36			37			40
Pop. Mean			471			652			558			571
Std. Deviation			451			768			675			606
% PTH-I 150 to 600			52%			55%			54%			57%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Bellevue Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	58	63	66	67	65	66	70	69	69	69	69	70
# Fistula	40	44	45	48	48	47	51	51	51	53	55	54
% Fistula	69%	70%	68%	72%	74%	71%	73%	74%	74%	77%	80%	77%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	58	63	66	67	65	66	70	69	69	69	69	70
# Graft	8	8	7	8	8	8	8	8	8	6	7	7
% Graft	14%	13%	11%	12%	12%	12%	11%	12%	12%	9%	10%	10%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	58	63	66	67	65	66	70	69	69	69	69	70
# Catheters	10	11	14	11	9	11	11	10	10	10	7	9
% Catheters	17%	17%	21%	16%	14%	17%	16%	14%	14%	14%	10%	13%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	58	63	66	67	65	66	70	69	69	69	69	70
# Catheters	3	3	5	7	7	7	5	6	6	7	5	4
% Catheters	5%	5%	8%	10%	11%	11%	7%	9%	9%	10%	7%	6%

Definition: Catheter in use on last treatment of the month




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	40	44	45	48	48	47	51	51	51	53	55	54
# Fistula > 3 yrs	14	15	14	14	15	13	16	17	17	18	20	21
% Fistula > 3 yrs	35%	34%	31%	29%	31%	28%	31%	33%	33%	34%	36%	39%



V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	50	59	60	52	49	53	62	53	60	59	60	63
# Hgb < 10	12	13	13	10	12	10	17	13	13	14	14	16
Pop. Mean	10.4	10.5	10.6	10.7	10.6	10.4	10.4	10.4	10.6	10.4	10.5	10.5
Std. Deviation	1.4	1.3	1.5	1.3	1.3	1.2	1.6	1.5	1.5	1.3	1.2	1.2
% Hgb < 10	24%	22%	22%	19%	24%	19%	27%	25%	22%	24%	23%	25%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	50	59	60	52	49	53	62	53	60	59	60	63
# Hgb >= 12	2	3	4	4	4	0	3	2	4	1	1	4
Pop. Mean	10.4	10.5	10.6	10.7	10.6	10.4	10.4	10.4	10.6	10.4	10.5	10.5
Std. Deviation	1.4	1.3	1.5	1.3	1.3	1.2	1.6	1.5	1.5	1.3	1.2	1.2
% Hgb >= 12	4%	5%	7%	8%	8%	0%	5%	4%	7%	2%	2%	6%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			66	3		66			69			70
# Ferritin < 800			50	3		51			54			57
Pop. Mean			541	518		579			512			477
Std. Deviation			374	304		471			420			380
% Ferritin < 800			76%	100%		77%			78%			81%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			66	3		66			69			70
# Ferritin 800 to 1200			11			12			13			10
Pop. Mean			541	518		579			512			477
Std. Deviation			374	304		471			420			380
% Ferritin 800 to 1200			17%			18%			19%			14%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			66	3		66			69			70
# Ferritin > 1200			5			3			2			3
Pop. Mean			541	518		579			512			477
Std. Deviation			374	304		471			420			380
% Ferritin > 1200			8%			5%			3%			4%




V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			66	3		66			69			70
# % Sat < 30			44	3		34			43			37
Pop. Mean			27	23		34			29			30
Std. Deviation			12	6		19			16			14
% % Sat < 30			67%	100%		52%			62%			53%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			66	3		66			69			70
# % Sat 30 to 50			21	0		23			19			28
Pop. Mean			27	23		34			29			30
Std. Deviation			12	6		19			16			14
% % Sat 30 to 50			32%	0%		35%			28%			40%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			66	3		66			69			70
# % Sat > 50			1	0		9			7			5
Pop. Mean			27	23		34			29			30
Std. Deviation			12	6		19			16			14
% % Sat > 50			2%	0%		14%			10%			7%



VI. Diabetes


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63	66	67	65	66	70	69	69	69	69	70
# Pneumonia	42	44	44	47	46	44	45	44	43	45	44	47
% Pneumonia	71%	70%	67%	70%	71%	67%	64%	64%	62%	65%	64%	67%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63						69	69	69	69	70
# Influenza	48	50						9	54	54	53	53
% Influenza	81%	79%						13%	78%	78%	77%	76%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63	66	67	65	66	70	69	69	69	69	70
# Hospital Admissions	7	7	6	6	7	7	7	6	9	11	10	9



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63	66	67	65	66	70	69	69	69	69	70
# Individual Deaths	2	0	0	0	0	3	1	0	0	3	0	1



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63	66	67	65	66	70	69	69	69	69	70
# Missed Treatments	48	49	41	68	49	40	51	47	69	60	63	47



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	59	63	66	67	65	66	70	69	69	69	69	70
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

