


Port Angeles Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


1

I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	42	46	46	44	45	45	46	43	46	46	47	46
# spKt/V >= 1.2	42	44	45	42	43	44	45	42	46	46	46	46
Pop. Mean	1.50	1.45	1.49	1.48	1.47	1.49	1.46	1.53	1.52	1.48	1.48	1.53
Std. Deviation	0.22	0.27	0.22	0.27	0.25	0.22	0.23	0.25	0.22	0.20	0.23	0.23
% spKt/V >= 1.2	100%	96%	98%	95%	96%	98%	98%	98%	100%	100%	98%	100%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	40	45	45	42	41	45	45	41	44	44	45	42
# spKt/V >= 1.2 w/3tx/wk	40	44	45	41	40	44	44	40	44	44	45	42
Pop. Mean	1.50	1.47	1.50	1.49	1.49	1.49	1.47	1.53	1.51	1.48	1.49	1.52
Std. Deviation	0.22	0.25	0.19	0.23	0.22	0.22	0.23	0.25	0.22	0.19	0.22	0.19
% >= 1.2 w/3tx/wk	100%	98%	100%	98%	98%	98%	98%	98%	100%	100%	100%	100%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	42	46	46	45	45	46	46	43	46	46	47	46
# URR >= 65	42	44	45	44	44	44	45	42	45	45	45	46
Pop. Mean	73	72	73	72	72	73	72	73	73	73	73	74
Std. Deviation	4.78	7.12	5.32	7.04	5.85	4.77	5.59	5.70	4.79	4.18	4.88	4.17
% URR >= 65	100%	96%	98%	98%	98%	96%	98%	98%	98%	98%	96%	100%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	40	45	45	43	44	46	45	43	46	46	47	45
# URR>=65 w/ 3tx/wk	40	44	45	43	44	44	44	42	45	45	45	45
Pop. Mean	73	72	73	73	73	73	72	73	73	73	73	74
Std. Deviation	4.76	6.40	4.27	4.73	4.25	4.77	5.63	5.70	4.79	4.18	4.88	4.22
% URR>=65 w/ 3tx/wk	100%	98%	100%	100%	100%	96%	98%	98%	98%	98%	96%	100%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	44	47	46	45	46	46	47	43	47	46	47	46
# Pre Sys BP <= 165	37	41	41	43	43	42	41	38	42	40	37	36
Pop. Mean	147	146	143	140	141	141	140	141	139	141	141	144
Std. Deviation	23.2	15.6	17.7	15.9	17.1	19.7	18.7	19.6	20.6	21.2	21.3	20.6
% Pre Sys BP <=165	84%	87%	89%	96%	93%	91%	87%	88%	89%	87%	79%	76%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	44	47	46	45	46	46	47	43	47	46	47	46
# L processed/kg>=0.8	38	41	39	38	38	40	39	40	39	38	41	38
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.2	0.3	0.3	0.3	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.2
% L processed/kg>=0.8	86%	87%	85%	84%	83%	87%	83%	93%	83%	83%	87%	83%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	42	47	46	45	45	46	47	43	46	46	47	46
# CO2 < 23	9	7	8	7	9	9	6	6	4	7	8	14
Pop. Mean	24	25	25	25	25	25	25	25	25	25	25	24
Std. Deviation	2.80	2.78	2.75	2.86	2.47	3.16	2.53	2.68	2.04	2.69	2.94	2.87
% CO2 < 23	21%	15%	17%	16%	20%	20%	13%	14%	9%	15%	17%	30%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	42	47	46	45	45	46	47	43	46	46	47	46
# CO2 23 to 27	29	32	30	27	29	23	31	30	36	31	27	25
Pop. Mean	24	25	25	25	25	25	25	25	25	25	25	24
Std. Deviation	2.80	2.78	2.75	2.86	2.47	3.16	2.53	2.68	2.04	2.69	2.94	2.87
% CO2 23 to 27	69%	68%	65%	60%	64%	50%	66%	70%	78%	67%	57%	54%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	42	47	46	45	45	46	47	43	46	46	47	46
# CO2 > 27	4	8	8	11	7	14	10	7	6	8	12	7
Pop. Mean	24	25	25	25	25	25	25	25	25	25	25	24
Std. Deviation	2.80	2.78	2.75	2.86	2.47	3.16	2.53	2.68	2.04	2.69	2.94	2.87
% CO2 > 27	10%	17%	17%	24%	16%	30%	21%	16%	13%	17%	26%	15%




Port Angeles Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	41	47	45	45	45	46	47	43	46	46	47	46
# Albumin >= 4.0	27	21	21	23	24	21	22	25	27	23	28	26
Pop. Mean	4.0	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.9	3.9
Std. Deviation	0.36	0.51	0.38	0.39	0.43	0.39	0.38	0.38	0.48	0.46	0.47	0.47
% Alb >= 4.0	66%	45%	47%	51%	53%	46%	47%	58%	59%	50%	60%	57%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	42	47	46	45	45	46	47	43	46	46	47	46
# PO4 3.5 to 5.5	23	25	25	19	22	21	20	20	16	19	16	18
Pop. Mean	6.1	5.9	5.9	5.9	5.8	5.6	6.0	6.2	6.3	6.3	6.3	6.6
Std. Deviation	1.84	1.82	2.18	2.07	1.96	1.59	2.07	2.03	2.14	2.27	2.07	2.15
% PO4 3.5 to 5.5	55%	53%	54%	42%	49%	46%	43%	47%	35%	41%	34%	39%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	42	47	46	45	45	46	47	43	46	46	47	46
# Calcium <= 8	3	2	4	2	4	1	3	2	5	2	3	6
Pop. Mean	9.1	9.0	9.1	9.1	9.0	9.0	9.1	9.2	9.1	9.1	9.1	9.0
Std. Deviation	0.79	0.69	0.80	0.61	0.62	0.54	0.84	0.78	0.81	0.71	0.77	0.68
% Calcium <= 8	7%	4%	9%	4%	9%	2%	6%	5%	11%	4%	6%	13%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	42	47	46	45	45	46	47	43	46	46	47	46
# Calcium > 10.2	1	1	1	0	0	0	1	2	1	1	1	0
Pop. Mean	9.1	9.0	9.1	9.1	9.0	9.0	9.1	9.2	9.1	9.1	9.1	9.0
Std. Deviation	0.79	0.69	0.80	0.61	0.62	0.54	0.84	0.78	0.81	0.71	0.77	0.68
% Calcium > 10.2	2%	2%	2%	0%	0%	0%	2%	5%	2%	2%	2%	0%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			44			46			46			46
# PTH-I 150 to 600			27			24			22			23
Pop. Mean			529			544			465			539
Std. Deviation			566			381			307			346
% PTH-I 150 to 600			61%			52%			48%			50%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Port Angeles Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	44	47	46	45	46	46	47	43	47	46	47	46
# Fistula	26	30	29	27	25	27	26	26	27	24	27	26
% Fistula	59%	64%	63%	60%	54%	59%	55%	60%	57%	52%	57%	57%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	44	47	46	45	46	46	47	43	47	46	47	46
# Graft	2	2	3	5	7	7	8	7	6	7	7	6
% Graft	5%	4%	7%	11%	15%	15%	17%	16%	13%	15%	15%	13%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	44	47	46	45	46	46	47	43	47	46	47	46
# Catheters	16	15	14	13	14	12	13	10	14	15	13	14
% Catheters	36%	32%	30%	29%	30%	26%	28%	23%	30%	33%	28%	30%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	44	47	46	45	46	46	47	43	47	46	47	46
# Catheters	12	11	9	9	9	7	9	8	5	7	7	10
% Catheters	27%	23%	20%	20%	20%	15%	19%	19%	11%	15%	15%	22%

Definition: Catheter in use on last treatment of the month



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	26	30	29	27	25	27	26	26	27	24	27	26
# Fistula > 3 yrs	8	8	8	7	7	8	8	8	8	7	8	9
% Fistula > 3 yrs	31%	27%	28%	26%	28%	30%	31%	31%	30%	29%	30%	35%



Port Angeles Kidney Center - Center Hemodialysis


Quality Assurance Reports
Through period ending Jan. 31, 2026

8

V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	32	36	37	34	37	33	40	32	35	38	32	42
# Hgb < 10	5	9	10	10	10	11	14	11	17	13	14	14
Pop. Mean	10.7	10.4	10.4	10.6	10.5	10.2	10.6	10.6	9.7	10.4	10.3	10.5
Std. Deviation	1.2	1.2	1.4	1.3	1.6	1.3	1.7	1.8	1.4	1.7	1.6	1.7
% Hgb < 10	16%	25%	27%	29%	27%	33%	35%	34%	49%	34%	44%	33%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	32	36	37	34	37	33	40	32	35	38	32	42
# Hgb >= 12	3	0	2	2	3	0	4	5	0	5	4	4
Pop. Mean	10.7	10.4	10.4	10.6	10.5	10.2	10.6	10.6	9.7	10.4	10.3	10.5
Std. Deviation	1.2	1.2	1.4	1.3	1.6	1.3	1.7	1.8	1.4	1.7	1.6	1.7
% Hgb >= 12	9%	0%	5%	6%	8%	0%	10%	16%	0%	13%	13%	10%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			46	1		45			46			46
# Ferritin < 800			40	1		43			42			40
Pop. Mean			361	352		349			353			405
Std. Deviation			293	0		293			287			384
% Ferritin < 800			87%	100%		96%			91%			87%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			46	1		45			46			46
# Ferritin 800 to 1200			5			1			3			3
Pop. Mean			361	352		349			353			405
Std. Deviation			293	0		293			287			384
% Ferritin 800 to 1200			11%			2%			7%			7%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			46	1		45			46			46
# Ferritin > 1200			1			1			1			3
Pop. Mean			361	352		349			353			405
Std. Deviation			293	0		293			287			384
% Ferritin > 1200			2%			2%			2%			7%




V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			46	1		45			46			46
# % Sat < 30			34	1		29			28			31
Pop. Mean			26	29		27			27			29
Std. Deviation			16	0		15			15			18
% % Sat < 30			74%	100%		64%			61%			67%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			46	1		45			46			46
# % Sat 30 to 50			9	0		13			16			9
Pop. Mean			26	29		27			27			29
Std. Deviation			16	0		15			15			18
% % Sat 30 to 50			20%	0%		29%			35%			20%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			46	1		45			46			46
# % Sat > 50			3	0		3			2			6
Pop. Mean			26	29		27			27			29
Std. Deviation			16	0		15			15			18
% % Sat > 50			7%	0%		7%			4%			13%



VI. Diabetes

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47	46	45	46	46	47	43	47	46	47	46
# Pneumonia	22	22	22	21	22	22	22	20	19	38	40	38
% Pneumonia	50%	47%	48%	47%	48%	48%	47%	47%	40%	83%	85%	83%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47						43	47	46	47	46
# Influenza	25	25						21	27	27	31	30
% Influenza	57%	53%						49%	57%	59%	66%	65%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47	46	45	46	46	47	43	47	46	47	46
# Hospital Admissions	5	4	3	5	7	8	5	7	6	5	7	6



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47	46	45	46	46	47	43	47	46	47	46
# Individual Deaths	2	1	0	1	1	0	1	2	1	0	0	2



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47	46	45	46	46	47	43	47	46	47	46
# Missed Treatments	34	39	35	23	38	31	29	30	26	31	41	44



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	44	47	46	45	46	46	47	43	47	46	47	46
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

