



I. ADEQUACY OF DIALYSIS

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Kt/V | 116 | 111 | 116 | 114 | 117 | 113 | 111 | 108 | 108 | 109 | 109 | 106 |
| # Kt/V >= 1.4 | 99 | 95 | 102 | 94 | 93 | 94 | 93 | 94 | 92 | 89 | 84 | 84 |
| Pop. Mean | 1.65 | 1.69 | 1.66 | 1.59 | 1.57 | 1.63 | 1.62 | 1.64 | 1.66 | 1.61 | 1.59 | 1.58 |
| Std. Deviation | 0.33 | 0.64 | 0.36 | 0.32 | 0.24 | 0.25 | 0.24 | 0.38 | 0.28 | 0.26 | 0.28 | 0.26 |
| Network Mean '04 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 |
| Natl. Mean '06 | | | | | | | | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 |
| % Kt/V >= 1.4 | 85% | 86% | 88% | 82% | 79% | 83% | 84% | 87% | 85% | 82% | 77% | 79% |
| % Kt/V >= 1.2 | 96% | 93% | 94% | 93% | 93% | 96% | 96% | 93% | 96% | 95% | 94% | 94% |
| Network % >= 1.2 '06 | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 89% | 89% | 89% | 89% | 89% |
| Natl. % >= 1.2 '06 | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 90% | 90% | 90% | 90% | 90% |




Blood Pressure Control (Pre)

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Pre Dia BP | 119 | 113 | 117 | 115 | 118 | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # Pre Dia BP < 90 | 101 | 94 | 94 | 96 | 97 | 96 | 94 | 93 | 92 | 88 | 90 | 83 |
| Pop. Mean | 78 | 79 | 78 | 79 | 78 | 76 | 77 | 76 | 77 | 77 | 78 | 79 |
| Std. Deviation | 11.8 | 14.6 | 14.3 | 12.8 | 11.8 | 11.3 | 12.2 | 12.8 | 12.5 | 13.4 | 12.7 | 13.3 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Pre Dia BP < 90 | 85% | 83% | 80% | 83% | 82% | 85% | 84% | 85% | 84% | 79% | 80% | 78% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Pre Sys BP | 119 | 113 | 117 | 115 | 118 | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # Pre Sys BP < 150 | 72 | 68 | 72 | 64 | 74 | 72 | 68 | 70 | 65 | 70 | 66 | 58 |
| Pop. Mean | 146 | 146 | 144 | 146 | 145 | 143 | 144 | 142 | 144 | 144 | 144 | 146 |
| Std. Deviation | 18.6 | 20.4 | 21.4 | 20.9 | 19.9 | 19.3 | 20.4 | 19.8 | 20.2 | 21.6 | 19.8 | 21.5 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Pre Sys BP < 150 | 61% | 60% | 62% | 56% | 63% | 64% | 61% | 64% | 59% | 63% | 58% | 54% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------------------|-----|-----|-----|-----|-----|------------|------------|------------|------------|------------|------------|------------|
| # L processed/kg | | | | | | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # L processed/kg>0.8 | | | | | | 99 | 95 | 93 | 95 | 91 | 91 | 90 |
| Pop. Mean | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Std. Deviation | | | | | | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % L processed/kg>0.8 | | | | | | 88% | 85% | 85% | 86% | 81% | 81% | 84% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # CO2 | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # CO2 >= 23 | 86 | 98 | 90 | 93 | 94 | 105 | 92 | 95 | 100 | 96 | 97 | 99 |
| Pop. Mean | 24 | 25 | 24 | 25 | 25 | 26 | 25 | 25 | 26 | 25 | 25 | 26 |
| Std. Deviation | 2.99 | 2.72 | 2.69 | 3.10 | 3.01 | 2.56 | 2.71 | 2.66 | 2.80 | 2.70 | 2.88 | 2.60 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % CO2 >= 23 | 74% | 88% | 78% | 81% | 80% | 93% | 82% | 88% | 91% | 86% | 87% | 93% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Albumin | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Albumin >= 4.0 | 66 | 65 | 68 | 74 | 67 | 67 | 76 | 78 | 81 | 81 | 68 | 68 |
| Pop. Mean | 4.0 | 4.0 | 4.0 | 4.1 | 4.0 | 4.0 | 4.0 | 4.1 | 4.1 | 4.1 | 4.0 | 4.0 |
| Std. Deviation | 0.35 | 0.35 | 0.34 | 0.33 | 0.33 | 0.34 | 0.36 | 0.42 | 0.35 | 0.37 | 0.39 | 0.43 |
| Network Mean | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| Natl. Mean | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 |
| % Alb >= 3.5 | 93% | 89% | 95% | 97% | 96% | 96% | 93% | 92% | 96% | 96% | 91% | 91% |
| % Alb >= 3.0 | 98% | 98% | 99% | 98% | 99% | 98% | 99% | 98% | 98% | 98% | 98% | 97% |
| % Alb >= 4.0 | 56% | 58% | 59% | 64% | 57% | 59% | 68% | 72% | 74% | 73% | 61% | 64% |
| Netwk%>=3.5 '06 | 75% | 75% | 75% | 75% | 75% | 75% | 75% | 82% | 82% | 82% | 82% | 82% |
| Netwk%>=4.0 '06 | 25% | 25% | 25% | 25% | 25% | 25% | 25% | 34% | 34% | 34% | 34% | 34% |
| Natl % >= 3.5 '06 | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% |
| Natl. % >= 4.0 '06 | 39% | 39% | 39% | 39% | 39% | 39% | 39% | 34% | 34% | 34% | 34% | 34% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------|-----|-----|-----|-----|-----|------------|------------|------------|------------|------------|------------|------------|
| # SGA | | | | | | 109 | 104 | 104 | 104 | 108 | 104 | 102 |
| # SGA <=9 | | | | | | 90 | 85 | 85 | 86 | 89 | 86 | 82 |
| Pop. Mean | | | | | | 6 | 7 | 7 | 7 | 7 | 7 | 7 |
| Std. Deviation | | | | | | 3.5 | 3.5 | 3.5 | 3.2 | 3.6 | 3.7 | 3.6 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % SGA <= 9 | | | | | | 83% | 82% | 82% | 83% | 82% | 83% | 80% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # PO4 | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # PO4 < 5.5 | 78 | 71 | 66 | 70 | 64 | 67 | 64 | 67 | 70 | 61 | 60 | 67 |
| Pop. Mean | 5.1 | 5.2 | 5.2 | 5.3 | 5.3 | 5.2 | 5.2 | 5.1 | 5.1 | 5.3 | 5.4 | 5.2 |
| Std. Deviation | 1.24 | 1.55 | 1.38 | 1.40 | 1.28 | 1.17 | 1.38 | 1.43 | 1.54 | 1.49 | 1.59 | 1.45 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | 5 | 5 | 5 | 5 | 5 |
| % PO4 < 5.5 | 67% | 63% | 57% | 61% | 55% | 59% | 57% | 62% | 64% | 55% | 54% | 63% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # PO4 | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # PO4 > 3.5 | 105 | 98 | 104 | 105 | 106 | 106 | 100 | 87 | 94 | 98 | 100 | 95 |
| Pop. Mean | 5.1 | 5.2 | 5.2 | 5.3 | 5.3 | 5.2 | 5.2 | 5.1 | 5.1 | 5.3 | 5.4 | 5.2 |
| Std. Deviation | 1.24 | 1.55 | 1.38 | 1.40 | 1.28 | 1.17 | 1.38 | 1.43 | 1.54 | 1.49 | 1.59 | 1.45 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | 5 | 5 | 5 | 5 | 5 |
| % PO4 > 3.5 | 90% | 88% | 90% | 91% | 91% | 94% | 89% | 81% | 85% | 88% | 90% | 89% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # PO4 | | | | | | | | | | 111 | 111 | 107 |
| # PO4 3.5 to 5.5 | | | | | | | | | | 52 | 52 | 58 |
| Pop. Mean | | | | | | | | | | 5.3 | 5.4 | 5.2 |
| Std. Deviation | | | | | | | | | | 1.49 | 1.59 | 1.45 |
| Network Mean | | | | | | | | | | | | |
| % PO4 3.5 to 5.5 | | | | | | | | | | 47% | 47% | 54% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Calcium | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Calcium < 10.2 | 114 | 106 | 109 | 111 | 113 | 107 | 106 | 101 | 106 | 105 | 105 | 102 |
| Pop. Mean | 9.1 | 9.1 | 9.1 | 9.0 | 9.0 | 9.2 | 9.1 | 9.1 | 9.2 | 9.2 | 9.0 | 9.1 |
| Std. Deviation | 0.66 | 0.70 | 0.61 | 0.64 | 0.67 | 0.66 | 0.73 | 0.72 | 0.67 | 0.65 | 0.66 | 0.71 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | 9 | 9 | 9 | 9 | 9 |
| % Ca < 10.2 | 97% | 95% | 94% | 97% | 97% | 95% | 95% | 94% | 96% | 95% | 95% | 95% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Calcium | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Calcium > 8.4 | 100 | 96 | 100 | 95 | 97 | 102 | 97 | 92 | 93 | 96 | 91 | 90 |
| Pop. Mean | 9.1 | 9.1 | 9.1 | 9.0 | 9.0 | 9.2 | 9.1 | 9.1 | 9.2 | 9.2 | 9.0 | 9.1 |
| Std. Deviation | 0.66 | 0.70 | 0.61 | 0.64 | 0.67 | 0.66 | 0.73 | 0.72 | 0.67 | 0.65 | 0.66 | 0.71 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| % Calcium > 8.4 | 85% | 86% | 86% | 83% | 83% | 90% | 87% | 85% | 85% | 86% | 82% | 84% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|-----|------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|
| # PTH-I | 116 | | 26 | 104 | | | 112 | | | 105 | | |
| # PTH-I > 150 | 99 | | 20 | 86 | | | 88 | | | 79 | | |
| Pop. Mean | 397 | | 261 | 403 | | | 407 | | | 403 | | |
| Std. Deviation | 352 | | 173 | 307 | | | 393 | | | 375 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I > 150 | 85% | | 77% | 83% | | | 79% | | | 75% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|-----|------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|
| # PTH-I | 116 | | 26 | 104 | | | 112 | | | 105 | | |
| # PTH-I < 300 | 55 | | 17 | 46 | | | 51 | | | 55 | | |
| Pop. Mean | 397 | | 261 | 403 | | | 407 | | | 403 | | |
| Std. Deviation | 352 | | 173 | 307 | | | 393 | | | 375 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I < 300 | 47% | | 65% | 44% | | | 46% | | | 52% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------------|------------|-----|------------|------------|-----|-----|------------|-----|-----|------------|------------|-----|
| # PTH-I | 116 | | 26 | 104 | | | 112 | | | 105 | 50 | |
| # PTH-I 150 to 300 | 38 | | 12 | 28 | | | 27 | | | 29 | 18 | |
| Pop. Mean | 397 | | 261 | 403 | | | 407 | | | 403 | 394 | |
| Std. Deviation | 352 | | 173 | 307 | | | 393 | | | 375 | 403 | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I 150 to 300 | 33% | | 46% | 27% | | | 24% | | | 28% | 36% | |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Ca x PO4 | 117 | 112 | 116 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Ca x PO4 < 55 | 93 | 83 | 83 | 86 | 85 | | | | | | | |
| # Ca x PO4 < 65 | | | | | | 108 | 103 | 101 | 102 | 102 | 97 | 102 |
| Pop. Mean | 46.3 | 47.4 | 47.5 | 48.0 | 47.9 | 47.4 | 47.6 | 46.1 | 46.9 | 48.3 | 48.4 | 47.2 |
| Std. Deviation | 11.6 | 15.4 | 13.0 | 12.3 | 11.7 | 11.0 | 12.3 | 12.0 | 13.0 | 13.2 | 14.1 | 12.8 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % CaxPO4 < 65 | 79% | 74% | 72% | 75% | 73% | 96% | 92% | 94% | 93% | 92% | 87% | 95% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 119 | 112 | 117 | 115 | 118 | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # Fistula | 73 | 69 | 70 | 69 | 71 | 70 | 70 | 65 | 68 | 70 | 70 | 66 |
| Network % '06 | 58% | 58% | 58% | 58% | 58% | 58% | 58% | 61% | 61% | 61% | 61% | 61% |
| Natl. % '06 | 39% | 39% | 39% | 39% | 39% | 39% | 39% | 45% | 45% | 45% | 45% | 45% |
| % Fistula | 61% | 62% | 60% | 60% | 60% | 62% | 63% | 60% | 62% | 63% | 62% | 62% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 119 | 112 | 117 | 115 | 118 | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # Graft | 26 | 25 | 24 | 23 | 22 | 20 | 21 | 20 | 20 | 23 | 21 | 18 |
| Network % | | | | | | | | | | | | |
| Natl. % | | | | | | | | | | | | |
| % Graft | 22% | 22% | 21% | 20% | 19% | 18% | 19% | 18% | 18% | 21% | 19% | 17% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 119 | 112 | 117 | 115 | 118 | 113 | 112 | 109 | 110 | 112 | 113 | 107 |
| # Catheters | 20 | 18 | 23 | 23 | 25 | 23 | 21 | 24 | 22 | 19 | 22 | 23 |
| Network % '06 | | | | | | | | 22% | 22% | 22% | 22% | 22% |
| Natl. % '06 | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 29% | 29% | 29% | 29% | 29% |
| % Catheters | 17% | 16% | 20% | 20% | 21% | 20% | 19% | 22% | 20% | 17% | 19% | 21% |



Cuffed Catheters > 90 days


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | | | | | | | | | | 112 | 113 | 107 |
| # Cuffed Catheters | | | | | | | | | | 15 | 15 | 16 |
| Network % '06 | | | | | | | | | | 22% | 22% | 22% |
| Natl. % '06 | | | | | | | | | | 29% | 29% | 29% |
| % Cuffed Catheters | | | | | | | | | | 15% | 15% | 16% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Hgb | 117 | 112 | 117 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Hgb >= 11.0 | 95 | 79 | 93 | 94 | 102 | 98 | 96 | 85 | 90 | 98 | 92 | 86 |
| Pop. Mean | 11.8 | 11.6 | 11.9 | 12.1 | 12.1 | 12.0 | 12.0 | 11.9 | 12.0 | 12.1 | 12.2 | 12.1 |
| Std. Deviation | 1.3 | 1.2 | 1.2 | 1.3 | 1.2 | 1.2 | 1.2 | 1.1 | 1.2 | 1.1 | 1.3 | 1.3 |
| Network Mean | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean '06 | | | | | | | | 12 | 12 | 12 | 12 | 12 |
| % Hgb >= 11.0 | 81% | 71% | 79% | 82% | 87% | 87% | 86% | 79% | 82% | 88% | 83% | 80% |
| % Hgb <= 11.0 | 20% | 32% | 21% | 20% | 16% | 13% | 17% | 23% | 20% | 13% | 18% | 20% |
| % Netwk >= 11 '06 | 80% | 80% | 80% | 80% | 80% | 80% | 80% | 87% | 87% | 87% | 87% | 87% |
| % Natl. >= 11 '06 | 80% | 80% | 80% | 80% | 80% | 80% | 80% | 84% | 84% | 84% | 84% | 84% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|-----|-----|-----|-----|-----|------------|------------|------------|------------|------------|------------|------------|
| # Hgb | | | | | | 113 | 112 | 108 | 110 | 111 | 111 | 107 |
| # Hgb 11 to 12 | | | | | | 41 | 36 | 34 | 39 | 41 | 31 | 27 |
| Pop. Mean | | | | | | 12.0 | 12.0 | 11.9 | 12.0 | 12.1 | 12.2 | 12.1 |
| Std. Deviation | | | | | | 1.2 | 1.2 | 1.1 | 1.2 | 1.1 | 1.3 | 1.3 |
| Network Mean | | | | | | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean '06 | | | | | | | | 12 | 12 | 12 | 12 | 12 |
| % Hgb 11 to 12 | | | | | | 36% | 32% | 31% | 35% | 37% | 28% | 25% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # Hgb | | | | | | | | | | 111 | 111 | 107 |
| # Hgb < 13 | | | | | | | | | | 87 | 85 | 81 |
| Pop. Mean | | | | | | | | | | 12.1 | 12.2 | 12.1 |
| Std. Deviation | | | | | | | | | | 1.1 | 1.3 | 1.3 |
| Network Mean | | | | | | | | | | 11.8 | 11.8 | 11.8 |
| % Hgb < 13 | | | | | | | | | | 78% | 77% | 76% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # Hgb | | | | | | | | | | 111 | 111 | 107 |
| # Hgb 10 to 12 | | | | | | | | | | 49 | 46 | 40 |
| Pop. Mean | | | | | | | | | | 12.1 | 12.2 | 12.1 |
| Std. Deviation | | | | | | | | | | 1.1 | 1.3 | 1.3 |
| Network Mean | | | | | | | | | | 11.8 | 11.8 | 11.8 |
| % Hgb 10 to 12 | | | | | | | | | | 44% | 41% | 37% |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hct | 117 | 112 | 117 | 115 | 117 | 113 | 112 | 108 | 110 | 111 | 112 | 107 |
| # Hct >= 33.0 | 87 | 74 | 82 | 88 | 94 | 88 | 86 | 84 | 84 | 90 | 85 | 82 |
| Pop. Mean | 35 | 34 | 35 | 36 | 36 | 35 | 35 | 36 | 36 | 36 | 36 | 36 |
| Std. Deviation | 3.79 | 3.59 | 3.62 | 3.78 | 3.58 | 3.44 | 3.38 | 3.51 | 3.76 | 3.53 | 4.03 | 3.98 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Hct >= 33.0 | 74% | 66% | 70% | 77% | 80% | 78% | 77% | 78% | 76% | 81% | 76% | 77% |
| % Netwk >= 33 '05 | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% |
| % Natl. >= 33 '05 | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% |




Iron Profile


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 117 | | | 115 | | | 112 | | | 111 | | |
| # Ferritin >= 100 | 113 | | | 113 | | | | | | | | |
| # Ferritin > 200 | | | | | | | 100 | | | 101 | | |
| Pop. Mean | 667 | | | 545 | | | 603 | | | 574 | | |
| Std. Deviation | 509 | | | 242 | | | 360 | | | 288 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | | | | | |
| % Ferritin > 200 | 91% | | | 91% | | | 89% | | | 91% | | |
| % Netwk >= 100 '06 | 92% | | | 92% | | | 93% | | | 93% | | |
| % Natl. >=100 '06 | 94% | | | 94% | | | 95% | | | 95% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 117 | | | 115 | | | 112 | | | 111 | | |
| # Ferritin < 800 | 87 | | | 100 | | | 87 | | | 93 | | |
| Pop. Mean | 667 | | | 545 | | | 603 | | | 574 | | |
| Std. Deviation | 509 | | | 242 | | | 360 | | | 288 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | | | | | |
| % Ferritin < 800 | 74% | | | 87% | | | 78% | | | 84% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | | | | | | | | | | 111 | | |
| # Ferritin < 500 | | | | | | | | | | 44 | | |
| Pop. Mean | | | | | | | | | | 574 | | |
| Std. Deviation | | | | | | | | | | 288 | | |
| Network Mean | | | | | | | | | | | | |
| % Ferritin < 500 | | | | | | | | | | 40% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 117 | | | 115 | | | 111 | | | 111 | | |
| # % Sat > 20 | 69 | | | 67 | | | 80 | | | 74 | | |
| Pop. Mean | 25 | | | 25 | | | 28 | | | 27 | | |
| Std. Deviation | 13 | | | 11 | | | 12 | | | 13 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 28 | | | 28 | | | 28 | | | 28 | | |
| % Sat% > 20 | 59% | | | 58% | | | 72% | | | 67% | | |
| % Netwk >= 20 '06 | 74% | | | 74% | | | 74% | | | 74% | | |
| % Natl. >=20 '06 | 79% | | | 79% | | | 79% | | | 79% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 117 | | | 115 | | | 111 | | | 111 | | |
| # % Sat < 50 | 112 | | | 112 | | | 104 | | | 100 | | |
| Pop. Mean | 25 | | | 25 | | | 28 | | | 27 | | |
| Std. Deviation | 13 | | | 11 | | | 12 | | | 13 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | | | | | | | | | | 28 | | |
| % Sat% < 50 | 96% | | | 97% | | | 94% | | | 90% | | |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|------------|-----|-----|
| # HgA1c | 69 | | | 66 | | | 68 | | | 66 | | |
| # HgA1c < 7 | 41 | | | 52 | | | 46 | | | 43 | | |
| Pop. Mean | 6.9 | | | 6.4 | | | 6.7 | | | 6.8 | | |
| Std. Deviation | 1.61 | | | 1.17 | | | 1.38 | | | 1.54 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % HgA1c < 7 | 59% | | | 79% | | | 68% | | | 65% | | |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # Patient | | | | | | | | | | 112 | 112 | 106 |
| # HBsAb >= 1.0 | | | | | | | | | | 75 | 73 | 66 |
| % HBsAb >= 1.0 | | | | | | | | | | 67% | 65% | 62% |




Pneumonia vaccination within the past five years at NKC

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # Patient | | | | | | | | | | 112 | 112 | 106 |
| # Pneumonia | | | | | | | | | | 77 | 76 | 73 |
| % Pneumonia | | | | | | | | | | 69% | 68% | 69% |



Influenza vaccination since August at NKC

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|------------|------------|------------|
| # Patient | | | | | | | | 114 | 114 | 112 | 112 | 106 |
| # Influenza since 08/08 | | | | | | | | | | 91 | 89 | 85 |
| % Influenza | | | | | | | | | | 81% | 79% | 80% |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.