

# Lake Washington Kidney Center - Center Hemodialysis


1

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004


## I. ADEQUACY OF DIALYSIS

|                      | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |
|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Kt/V               | 61   | 63   | 60   | 60   | 59   | 56   | 59   | 60   | 59   | 64   | 64   | 65   |
| # Kt/V >= 1.4        | 41   | 43   | 49   | 49   | 49   | 46   | 44   | 51   | 47   | 52   | 54   | 58   |
| Pop. Mean =          | 1.49 | 1.52 | 1.59 | 1.61 | 1.61 | 1.59 | 1.58 | 1.65 | 1.57 | 1.62 | 1.71 | 1.73 |
| Std. Deviation =     | 0.27 | 0.25 | 0.27 | 0.29 | 0.29 | 0.26 | 0.3  | 0.43 | 0.3  | 0.31 | 0.69 | 0.31 |
| Network Mean =       | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 |
| Natl. Mean =         |      |      |      |      |      |      |      |      |      |      |      |      |
| % Kt/V >= 1.4        | 67%  | 68%  | 82%  | 82%  | 83%  | 82%  | 75%  | 85%  | 80%  | 81%  | 84%  | 89%  |
| ** % Kt/V >= 1.2     | 89%  | 87%  | 95%  | 93%  | 93%  | 93%  | 90%  | 88%  | 88%  | 92%  | 94%  | 98%  |
| Network >= 1.2 '02   | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  | 92%  |
| Natl. % > 1.2 - 2002 | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  |
| ** As of Apr. '04    |      |      |      |      |      |      |      |      |      |      |      |      |




## Blood Pressure Control (Pre)

|                   |      |      |      |      |      |      |      |      |      |      |      |      |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Pre Dia BP      | 62   | 64   | 61   | 62   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65   |
| # Pre Dia BP < 90 | 58   | 56   | 53   | 54   | 56   | 52   | 53   | 53   | 52   | 62   | 59   | 61   |
| Pop. Mean =       | 77   | 78   | 77   | 78   | 75   | 75   | 74   | 75   | 76   | 73   | 73   | 72   |
| Std. Deviation =  | 10.6 | 13.4 | 14.7 | 16.5 | 10.6 | 11.2 | 12.5 | 12.1 | 12.4 | 14.3 | 22.4 | 12.3 |
| Network Mean =    |      |      |      |      |      |      |      |      |      |      |      |      |
| Natl. Mean =      |      |      |      |      |      |      |      |      |      |      |      |      |
| % Pre Dia BP < 90 | 94%  | 88%  | 87%  | 87%  | 93%  | 91%  | 90%  | 88%  | 87%  | 95%  | 92%  | 94%  |



|                    |      |      |      |      |      |      |      |      |      |      |      |     |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|-----|
| # Pre Sys BP       | 62   | 64   | 61   | 62   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65  |
| # Pre Sys BP < 150 | 46   | 46   | 39   | 42   | 38   | 40   | 43   | 44   | 44   | 45   | 47   | 43  |
| Pop. Mean =        | 143  | 143  | 143  | 140  | 141  | 141  | 139  | 140  | 139  | 140  | 138  | 139 |
| Std. Deviation =   | 16.7 | 19.4 | 20.2 | 20.2 | 19.3 | 21.1 | 20.2 | 20.1 | 19.2 | 20.1 | 18.6 | 21  |
| Network Mean =     |      |      |      |      |      |      |      |      |      |      |      |     |
| Natl. Mean =       |      |      |      |      |      |      |      |      |      |      |      |     |
| %Pre Sys BP <150   | 74%  | 72%  | 64%  | 68%  | 63%  | 70%  | 73%  | 73%  | 73%  | 69%  | 73%  | 66% |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

## Lake Washington Kidney Center - Center Hemodialysis


2

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

### I. ADEQUACY OF DIALYSIS - CONT.

|                 | J   | F   | M   | A   | M   | J   | J   | A   | S   | O   | N   | D   |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Post/Dwt      | 62  | 64  | 61  | 62  | 60  | 57  | 59  | 60  | 60  | 65  | 64  | 65  |
| # +/- 1% of Dwt | 43  | 46  | 42  | 40  | 45  | 43  | 38  | 40  | 34  | 38  | 40  | 36  |
| % +/- 1% of Dwt | 69% | 72% | 69% | 65% | 75% | 75% | 64% | 67% | 57% | 58% | 63% | 55% |



|                  |      |      |      |      |      |      |      |      |      |      |      |      |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # CO2            | 62   | 64   | 60   | 61   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65   |
| # CO2 >= 23      | 55   | 57   | 15   | 25   | 54   | 45   | 51   | 44   | 48   | 51   | 54   | 56   |
| Pop. Mean =      | 25   | 26   | 20   | 22   | 26   | 24   | 27   | 25   | 25   | 25   | 26   | 26   |
| Std. Deviation = | 2.40 | 2.83 | 4.06 | 4.06 | 2.66 | 2.65 | 2.93 | 3.88 | 3.41 | 3.40 | 3.48 | 3.41 |
| Network Mean =   |      |      |      |      |      |      |      |      |      |      |      |      |
| Natl. Mean =     |      |      |      |      |      |      |      |      |      |      |      |      |
| % CO2 >= 23      | 89%  | 89%  | 25%  | 41%  | 90%  | 79%  | 86%  | 73%  | 80%  | 78%  | 84%  | 86%  |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis

3

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

**\*Albumin values use BCG method - as of July 2001**

## II. NUTRITION

|                  | J    | F    | M    | A   | M    | J    | J    | A    | S    | O    | N    | D    |
|------------------|------|------|------|-----|------|------|------|------|------|------|------|------|
| # Albumin        | 62   | 64   | 61   | 61  | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65   |
| # Albumin >= 3.5 | 46   | 45   | 46   | 49  | 46   | 52   | 44   | 52   | 55   | 60   | 61   | 58   |
| Pop. Mean =      | 3.7  | 3.7  | 3.7  | 3.8 | 3.7  | 3.9  | 3.7  | 3.8  | 3.9  | 3.9  | 3.9  | 3.9  |
| Std. Deviation = | 0.38 | 0.38 | 0.34 | 0.4 | 0.38 | 0.34 | 0.35 | 0.27 | 0.33 | 0.36 | 0.29 | 0.32 |
| *Network Mean =  | 3.4  | 3.4  | 3.4  | 3.4 | 3.4  | 3.4  | 3.4  | 3.4  | 3.4  | 3.4  | 3.4  | 3.4  |
| Natl. Mean =     | 3.8  | 3.8  | 3.8  | 3.8 | 3.8  | 3.8  | 3.8  | 3.8  | 3.8  | 3.8  | 3.8  | 3.8  |
| % Alb >= 3.5     | 74%  | 70%  | 75%  | 80% | 77%  | 91%  | 75%  | 87%  | 92%  | 92%  | 95%  | 89%  |

LWKC % >= 4.0 23% 28% 28% 34% 20% 46% 15% 35% 45% 43% 42% 52%

\*Natl % >= 3.5-BCG 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81%


\*Natl. % >= 4.0-BCC 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39%

\*Figures for 2004

\*Netwk%>=3.5 BCC 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75%

\*Netwk%>=4.0 BCC 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25%

\*Figures for 2002



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis

4


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

### III. OSTEODYSTROPHY


|                | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D   |
|----------------|------|------|------|------|------|------|------|------|------|------|------|-----|
| # PO4          | 62   | 64   | 61   | 61   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65  |
| # PO4 < 5.5    | 38   | 42   | 35   | 45   | 45   | 43   | 41   | 31   | 41   | 45   | 42   | 44  |
| Pop. Mean =    | 4.8  | 4.7  | 5.2  | 4.9  | 4.6  | 4.7  | 4.8  | 5.4  | 5.0  | 4.9  | 5.0  | 4.9 |
| Std. Deviation | 1.38 | 1.24 | 1.48 | 1.39 | 1.49 | 1.38 | 1.31 | 1.39 | 1.47 | 1.28 | 1.27 | 1.4 |
| Network Mean = |      |      |      |      |      |      |      |      |      |      |      |     |
| Natl. Mean =   |      |      |      |      |      |      |      |      |      |      |      |     |
| % PO4 < 5.5    | 61%  | 66%  | 57%  | 74%  | 75%  | 75%  | 69%  | 52%  | 68%  | 69%  | 66%  | 68% |

% PO4 < 5.5




|                | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D   |
|----------------|------|------|------|------|------|------|------|------|------|------|------|-----|
| # PO4          | 62   | 64   | 61   | 61   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65  |
| # PO4 > 3.5    | 51   | 53   | 55   | 53   | 45   | 45   | 49   | 54   | 51   | 55   | 57   | 56  |
| Pop. Mean =    | 4.8  | 4.7  | 5.2  | 4.9  | 4.6  | 4.7  | 4.8  | 5.4  | 5.0  | 4.9  | 5.0  | 4.9 |
| Std. Deviation | 1.38 | 1.24 | 1.48 | 1.39 | 1.49 | 1.38 | 1.31 | 1.39 | 1.47 | 1.28 | 1.27 | 1.4 |
| Network Mean = |      |      |      |      |      |      |      |      |      |      |      |     |
| Natl. Mean =   |      |      |      |      |      |      |      |      |      |      |      |     |
| % PO4 > 3.5    | 82%  | 83%  | 90%  | 87%  | 75%  | 79%  | 83%  | 90%  | 85%  | 85%  | 89%  | 86% |

% PO4 > 3.5



|                  | J    | F   | M    | A    | M    | J    | J    | A    | S   | O    | N    | D    |
|------------------|------|-----|------|------|------|------|------|------|-----|------|------|------|
| # Calcium        | 62   | 64  | 61   | 61   | 60   | 57   | 59   | 60   | 60  | 65   | 64   | 65   |
| # Calcium < 10.2 | 53   | 55  | 54   | 56   | 56   | 53   | 52   | 53   | 54  | 61   | 56   | 57   |
| Pop. Mean =      | 9.4  | 9.3 | 9.2  | 9.2  | 9.1  | 9.1  | 9.2  | 9.2  | 9.1 | 9.1  | 9.4  | 9.4  |
| Std. Deviation   | 0.76 | 0.8 | 0.71 | 0.82 | 0.73 | 0.71 | 0.74 | 0.83 | 1   | 0.81 | 0.75 | 0.77 |
| Network Mean =   |      |     |      |      |      |      |      |      |     |      |      |      |
| Natl. Mean =     |      |     |      |      |      |      |      |      |     |      |      |      |
| % Ca < 10.2      | 85%  | 86% | 89%  | 92%  | 93%  | 93%  | 88%  | 88%  | 90% | 94%  | 88%  | 88%  |

% Ca. < 10.2



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis


5

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

### III. OSTEODYSTROPHY - CONT.


|                  | J    | F   | M    | A    | M    | J    | J    | A    | S   | O    | N    | D    |
|------------------|------|-----|------|------|------|------|------|------|-----|------|------|------|
| # Calcium        | 62   | 64  | 61   | 61   | 60   | 57   | 59   | 60   | 60  | 65   | 64   | 65   |
| # Calcium > 8.5  | 55   | 55  | 52   | 51   | 51   | 45   | 50   | 48   | 49  | 54   | 57   | 58   |
| Pop. Mean =      | 9.4  | 9.3 | 9.2  | 9.2  | 9.1  | 9.1  | 9.2  | 9.2  | 9.1 | 9.1  | 9.4  | 9.4  |
| Std. Deviation = | 0.76 | 0.8 | 0.71 | 0.82 | 0.73 | 0.71 | 0.74 | 0.83 | 1   | 0.81 | 0.75 | 0.77 |
| Network Mean =   |      |     |      |      |      |      |      |      |     |      |      |      |
| Natl. Mean =     |      |     |      |      |      |      |      |      |     |      |      |      |
| % Calcium > 8.5  | 89%  | 86% | 85%  | 84%  | 85%  | 79%  | 85%  | 80%  | 82% | 83%  | 89%  | 89%  |



|                  |     |     |     |     |     |     |
|------------------|-----|-----|-----|-----|-----|-----|
| # PTH-I          | 62  | 43  | 42  | 58  | 44  | 46  |
| # PTH-I > 100    | 56  | 41  | 38  | 53  | 38  | 44  |
| Pop. Mean =      | 325 | 289 | 207 | 333 | 207 | 238 |
| Std. Deviation = | 212 | 325 | 229 | 232 | 202 | 215 |
| Network Mean =   |     |     |     |     |     |     |
| Natl. Mean =     |     |     |     |     |     |     |
| % PTH-I > 100    | 90% | 95% | 90% | 91% | 86% | 96% |



|                  |     |     |     |     |     |     |
|------------------|-----|-----|-----|-----|-----|-----|
| # PTH-I          | 62  | 43  | 42  | 58  | 44  | 46  |
| # PTH-I < 300    | 31  | 17  | 30  | 34  | 30  | 20  |
| Pop. Mean =      | 325 | 289 | 207 | 333 | 207 | 238 |
| Std. Deviation = | 212 | 325 | 229 | 232 | 202 | 215 |
| Network Mean =   |     |     |     |     |     |     |
| Natl. Mean =     |     |     |     |     |     |     |
| % PTH-I < 300    | 50% | 40% | 71% | 59% | 68% | 43% |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis


6

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

## III. OSTEODYSTROPHY - CONT.

|                  | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Ca x PO4       | 62   | 64   | 61   | 61   | 60   | 57   | 59   | 60   | 60   | 65   | 64   | 65   |
| # Ca x PO4 < 55  | 43   | 48   | 43   | 48   | 50   | 46   | 47   | 41   | 47   | 51   | 49   | 50   |
| Pop. Mean =      | 45.2 | 43.7 | 47.9 | 45.3 | 42.0 | 42.9 | 44.4 | 49.4 | 45.5 | 44.4 | 47.0 | 46.3 |
| Std. Deviation = | 14.2 | 12.7 | 14.2 | 13.2 | 14.7 | 13.1 | 12.5 | 13.6 | 13.9 | 12.5 | 12.2 | 13.7 |
| Network Mean =   |      |      |      |      |      |      |      |      |      |      |      |      |
| Natl. Mean =     |      |      |      |      |      |      |      |      |      |      |      |      |
| CaxPO4 < 55      | 69%  | 75%  | 70%  | 79%  | 83%  | 81%  | 80%  | 68%  | 78%  | 78%  | 77%  | 77%  |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

## Lake Washington Kidney Center - Center Hemodialysis


7

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

### IV. ACCESS


|                  | J   | F   | M   | A   | M   | J   | J   | A   | S   | O   | N   | D   |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access         | 62  | 64  | 61  | 62  | 60  | 57  | 59  | 60  | 60  | 65  | 64  | 65  |
| # Fistula        | 37  | 39  | 37  | 38  | 35  | 33  | 36  | 34  | 35  | 34  | 33  | 35  |
| Network % - 2004 | 55% | 55% | 55% | 55% | 55% | 55% | 55% | 55% | 55% | 55% | 55% | 55% |
| Natl. % - 2004   | 35% | 35% | 35% | 35% | 35% | 35% | 35% | 35% | 35% | 35% | 35% | 35% |
| % Fistula        | 60% | 61% | 61% | 61% | 58% | 58% | 61% | 57% | 58% | 52% | 52% | 54% |



|                  |     |     |     |     |     |     |     |     |     |     |     |     |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access         | 62  | 64  | 61  | 62  | 60  | 57  | 59  | 60  | 60  | 65  | 64  | 65  |
| # Graft          | 16  | 17  | 16  | 16  | 16  | 14  | 13  | 14  | 14  | 15  | 16  | 16  |
| <b>Network %</b> |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Natl. %</b>   |     |     |     |     |     |     |     |     |     |     |     |     |
| % Graft          | 26% | 27% | 26% | 26% | 27% | 25% | 22% | 23% | 23% | 23% | 25% | 25% |



|                       |     |     |     |     |     |     |     |     |     |     |     |     |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access              | 62  | 64  | 61  | 62  | 60  | 57  | 59  | 60  | 60  | 65  | 64  | 65  |
| # Catheters           | 9   | 8   | 8   | 8   | 9   | 10  | 10  | 12  | 11  | 16  | 15  | 14  |
| <b>Network %</b>      |     |     |     |     |     |     |     |     |     |     |     |     |
| <b>Natl. % - 2004</b> |     |     |     |     |     |     |     |     |     |     |     |     |
| % Catheter            | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis

8


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

## V. ANEMIA

|                  | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb            | 62   | 64   | 61   | 61   | 60   | 57   | 58   | 60   | 60   | 65   | 64   | 65   |
| # Hgb > 10.0     | 59   | 62   | 60   | 53   | 56   | 54   | 56   | 50   | 55   | 56   | 61   | 60   |
| Pop. Mean =      | 11.7 | 11.8 | 12.1 | 11.6 | 11.9 | 11.7 | 11.8 | 11.6 | 11.9 | 11.7 | 11.8 | 11.8 |
| Std. Deviation = | 1    | 1    | 0.99 | 1.32 | 1.21 | 1.23 | 1.22 | 1.35 | 1.25 | 1.4  | 1.1  | 1.12 |
| Network Mean =   | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean =     |      |      |      |      |      |      |      |      |      |      |      |      |
| % Hgb > 10.0     | 95%  | 97%  | 98%  | 87%  | 93%  | 95%  | 97%  | 83%  | 92%  | 86%  | 95%  | 92%  |
| *% Network >= 10 | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  | 93%  |


\*Figures for 2000



|                  | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb            | 62   | 64   | 61   | 61   | 60   | 57   | 58   | 60   | 60   | 65   | 64   | 65   |
| # Hgb >= 11.0    | 47   | 52   | 52   | 46   | 51   | 46   | 44   | 41   | 52   | 46   | 50   | 54   |
| Pop. Mean =      | 11.7 | 11.8 | 12.1 | 11.6 | 11.9 | 11.7 | 11.8 | 11.6 | 11.9 | 11.7 | 11.8 | 11.8 |
| Std. Deviation = | 1    | 1    | 0.99 | 1.32 | 1.21 | 1.23 | 1.22 | 1.35 | 1.25 | 1.4  | 1.1  | 1.12 |
| *Network Mean =  | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean =     |      |      |      |      |      |      |      |      |      |      |      |      |
| % Hgb >= 11.0    | 76%  | 81%  | 85%  | 75%  | 85%  | 81%  | 76%  | 68%  | 87%  | 71%  | 78%  | 83%  |
| *% Network >= 11 | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  | 80%  |


\*Figures for 2003

% Natl. >= 11 2004 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80%



|                  | J    | F    | M    | A    | M    | J    | J    | A    | S    | O    | N    | D    |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hct            | 62   | 64   | 61   | 61   | 60   | 57   | 58   | 60   | 60   | 65   | 64   | 65   |
| # Hct >= 33.0    | 50   | 52   | 56   | 50   | 48   | 48   | 49   | 42   | 52   | 47   | 53   | 57   |
| Pop. Mean =      | 35.5 | 35   | 37.1 | 36.2 | 35.7 | 36.3 | 36.4 | 35.6 | 36.6 | 35.4 | 35.7 | 36.1 |
| Std. Deviation = | 3.21 | 2.98 | 3.03 | 4.39 | 4.05 | 4    | 3.94 | 4.44 | 4.09 | 4.24 | 3.26 | 3.16 |
| *Network Mean =  |      |      |      |      |      |      |      |      |      |      |      |      |
| Natl. Mean =     |      |      |      |      |      |      |      |      |      |      |      |      |
| % Hct >= 33.0    | 81%  | 81%  | 92%  | 82%  | 80%  | 84%  | 84%  | 70%  | 87%  | 72%  | 83%  | 88%  |
| *% Network >= 11 | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  | 91%  |
| *% Natl. >= 11   | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  | 89%  |

\*Figures for 2003



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Lake Washington Kidney Center - Center Hemodialysis


9

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

## V. ANEMIA - CONT.


|                     | J   | F | M   | A | M   | J | J | A   | S | O | N | D |
|---------------------|-----|---|-----|---|-----|---|---|-----|---|---|---|---|
| <b>Iron Profile</b> |     |   |     |   |     |   |   |     |   |   |   |   |
| # Ferritin          | 62  |   | 61  |   | 58  |   |   | 63  |   |   |   |   |
| # Ferritin > 100    | 56  |   |     |   |     |   |   |     |   |   |   |   |
| # Ferritin >= 100   |     |   | 52  |   | 46  |   |   | 50  |   |   |   |   |
| Pop. Mean =         | 459 |   | 389 |   | 314 |   |   | 310 |   |   |   |   |
| Std. Deviation =    | 428 |   | 306 |   | 225 |   |   | 251 |   |   |   |   |
| *Network Mean =     | 449 |   | 449 |   | 449 |   |   | 449 |   |   |   |   |
| Natl. Mean =        |     |   |     |   |     |   |   |     |   |   |   |   |
| % Ferritin >= 100   | 90% |   | 85% |   | 79% |   |   | 79% |   |   |   |   |
| **% Network >= 100  | 92% |   | 92% |   | 92% |   |   | 92% |   |   |   |   |
| *Figures for 2002   |     |   |     |   |     |   |   |     |   |   |   |   |
| % Natl >= 100 2004  | 94% |   | 94% |   | 94% |   |   | 94% |   |   |   |   |




|                   | J   | F | M   | A | M    | J | J | A   | S | O | N | D |
|-------------------|-----|---|-----|---|------|---|---|-----|---|---|---|---|
| <b># Ferritin</b> |     |   |     |   |      |   |   |     |   |   |   |   |
| # Ferritin        | 62  |   | 61  |   | 58   |   |   | 63  |   |   |   |   |
| # Ferritin < 800  | 54  |   | 53  |   | 58   |   |   | 61  |   |   |   |   |
| Pop. Mean =       | 459 |   | 389 |   | 314  |   |   | 310 |   |   |   |   |
| Std. Deviation =  | 428 |   | 306 |   | 225  |   |   | 251 |   |   |   |   |
| *Network Mean =   | 449 |   | 449 |   | 449  |   |   | 449 |   |   |   |   |
| Natl. Mean =      |     |   |     |   |      |   |   |     |   |   |   |   |
| % Ferritin < 800  | 87% |   | 87% |   | #### |   |   | 97% |   |   |   |   |
| *Figures for 2002 |     |   |     |   |      |   |   |     |   |   |   |   |



|                   | J    | F | M    | A | M    | J | J | A    | S | O | N | D |
|-------------------|------|---|------|---|------|---|---|------|---|---|---|---|
| <b># % Sat</b>    |      |   |      |   |      |   |   |      |   |   |   |   |
| # % Sat           | 62   |   | 61   |   | 58   |   |   | 63   |   |   |   |   |
| # % Sat > 20      | 48   |   |      |   |      |   |   |      |   |   |   |   |
| # % Sat >= 20     |      |   | 48   |   | 48   |   |   | 42   |   |   |   |   |
| Pop. Mean =       | 30.5 |   | 31.2 |   | 27.8 |   |   | 24.7 |   |   |   |   |
| Std. Deviation =  | 11.7 |   | 14.7 |   | 9.95 |   |   | 11.9 |   |   |   |   |
| *Network Mean =   | 25   |   | 25   |   | 25   |   |   | 25   |   |   |   |   |
| Natl. Mean =      |      |   |      |   |      |   |   |      |   |   |   |   |
| % Sat% > 20       | 77%  |   | 79%  |   | 83%  |   |   | 67%  |   |   |   |   |
| **% Network >= 20 | 73%  |   | 73%  |   | 73%  |   |   | 73%  |   |   |   |   |
| *Figures for 2002 |      |   |      |   |      |   |   |      |   |   |   |   |
| % Natl >= 20 2004 | 81%  |   | 81%  |   | 81%  |   |   | 81%  |   |   |   |   |



|                   | J    | F | M    | A | M    | J | J | A    | S | O | N | D |
|-------------------|------|---|------|---|------|---|---|------|---|---|---|---|
| <b># % Sat</b>    |      |   |      |   |      |   |   |      |   |   |   |   |
| # % Sat           | 62   |   | 61   |   | 58   |   |   | 63   |   |   |   |   |
| # % Sat < 50      | 61   |   | 54   |   | 57   |   |   | 59   |   |   |   |   |
| Pop. Mean =       | 30.5 |   | 31.2 |   | 27.8 |   |   | 24.7 |   |   |   |   |
| Std. Deviation =  | 11.7 |   | 14.7 |   | 9.95 |   |   | 11.9 |   |   |   |   |
| *Network Mean =   | 25   |   | 25   |   | 25   |   |   | 25   |   |   |   |   |
| Natl. Mean =      |      |   |      |   |      |   |   |      |   |   |   |   |
| % Sat% < 50       | 98%  |   | 89%  |   | 98%  |   |   | 94%  |   |   |   |   |
| *Figures for 2002 |      |   |      |   |      |   |   |      |   |   |   |   |



\*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.