

Mt. Rainier Kidney Center - Center Hemodialysis

1


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

I. ADEQUACY OF DIALYSIS

	J	F	M	A	M	J	J	A	S	O	N	D
# Kt/V	117	117	120	112	118	115	120	117	117	112	113	117
# Kt/V >= 1.4	86	90	93	88	93	87	102	95	90	89	92	98
Pop. Mean =	1.58	1.61	1.58	1.63	1.61	1.62	1.69	1.68	1.56	1.61	1.65	1.65
Std. Deviation =	0.44	0.36	0.34	0.45	0.29	0.32	0.41	0.33	0.3	0.3	0.32	0.29
Network Mean =	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean =												
% Kt/V >= 1.4	74%	77%	78%	79%	79%	76%	85%	81%	77%	79%	81%	84%
** % Kt/V >= 1.2	88%	91%	88%	92%	92%	90%	90%	91%	86%	90%	88%	93%
Network >= 1.2 '02	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%
Natl. % > 1.2 - 2002	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
** As of Apr. '04												


% Kt/V >= 1.4



Blood Pressure Control (Pre)

# Pre Dia BP	117	121	122	118	121	118	123	119	118	115	114	118
# Pre Dia BP < 90	93	94	94	91	96	92	92	95	88	87	87	91
Pop. Mean =	79	81	81	79	81	80	80	80	82	82	81	80
Std. Deviation =	14.1	11.7	13	11.9	12.8	12.9	13.8	13.6	13.2	14.9	11.7	12.4
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	79%	78%	77%	77%	79%	78%	75%	80%	75%	76%	76%	77%


% Pre Dia BP < 90



Pre-Systolic Blood Pressure

# Pre Sys BP	117	121	122	118	121	118	123	119	118	115	114	118
# Pre Sys BP < 150	79	75	73	79	83	76	82	77	71	68	60	72
Pop. Mean =	142	144	144	142	141	142	142	143	145	145	145	145
Std. Deviation =	22.8	18.5	19	19.5	20.2	18.9	19.6	19.9	19.7	20.4	18	17.8
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	68%	62%	60%	67%	69%	64%	67%	65%	60%	59%	53%	61%

% Pre Sys BP < 150



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis

2

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

I. ADEQUACY OF DIALYSIS - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
--	---	---	---	---	---	---	---	---	---	---	---	---

# Post/Dwt	116	119	119	117	121	118	123	119	116	114	114	118
# +/- 1% of Dwt	83	84	82	80	77	88	86	85	81	80	85	91

% +/- 1% of Dwt	72%	71%	69%	68%	64%	75%	70%	71%	70%	70%	75%	77%
-----------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



# CO2	117	120	121	117	121	118	123	118	118	115	114	118
# CO2 >= 23	93	107	33	59	110	99	109	95	102	100	101	106
Pop. Mean =	25	26	20	22	26	25	27	25	25	26	26	26
Std. Deviation =	4.06	3.98	3.61	3.47	3.07	3.11	3.28	3.72	2.65	3.02	2.88	3.7
Network Mean =												
Natl. Mean =												
% CO2 >= 23	79%	89%	27%	50%	91%	84%	89%	81%	86%	87%	89%	90%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis

3

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	J	F	M	A	M	J	J	A	S	O	N	D
# Albumin	117	120	121	117	121	118	123	118	118	115	114	118
# Albumin >= 3.5	88	90	83	90	93	93	91	107	107	109	106	107
Pop. Mean =	3.7	3.7	3.6	3.7	3.7	3.7	3.7	3.9	3.9	3.9	3.9	3.9
Std. Deviation =	0.39	0.4	0.35	0.38	0.35	0.35	0.35	0.34	0.33	0.32	0.31	0.33
*Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	75%	75%	69%	77%	77%	79%	74%	91%	91%	95%	93%	91%

MRKC % >= 4.0 25% 27% 20% 21% 21% 22% 21% 41% 45% 45% 39% 41%

*Natl % >= 3.5-BCG 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81% 81%


*Natl. % >= 4.0-BCC 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39% 39%

*Figures for 2004

*Netwk%>=3.5 BCC 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75% 75%

*Netwk%>=4.0 BCC 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25% 25%

*Figures for 2002



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis

4


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

III. OSTEODYSTROPHY


	J	F	M	A	M	J	J	A	S	O	N	D
# PO4	117	121	122	118	121	118	123	118	118	115	114	118
# PO4 < 5.5	75	72	63	64	66	59	69	61	68	70	72	68
Pop. Mean =	5.2	5.1	5.6	5.5	5.3	5.4	5.5	5.4	5.1	5.1	5.1	5.2
Std. Deviation	1.39	1.26	1.49	1.58	1.43	1.51	1.54	1.5	1.4	1.41	1.43	1.41
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	64%	60%	52%	54%	55%	50%	56%	52%	58%	61%	63%	58%

% PO4 < 5.5




# PO4	117	121	122	118	121	118	123	118	118	115	114	118
# PO4 > 3.5	109	106	117	112	110	109	110	104	107	101	93	102
Pop. Mean =	5.2	5.1	5.6	5.5	5.3	5.4	5.5	5.4	5.1	5.1	5.1	5.2
Std. Deviation	1.39	1.26	1.49	1.58	1.43	1.51	1.54	1.5	1.4	1.41	1.43	1.41
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	93%	88%	96%	95%	91%	92%	89%	88%	91%	88%	82%	86%

% PO4 > 3.5



# Calcium	117	121	122	118	121	118	123	118	118	115	114	118
# Calcium < 10.2	114	116	118	113	119	116	121	115	113	111	111	113
Pop. Mean =	9.1	9.1	9.1	8.9	9.1	9.0	9.0	9.0	9.2	9.2	9.2	9.2
Std. Deviation	0.59	0.6	0.57	0.7	0.66	0.61	0.6	0.68	0.64	0.69	0.62	0.63
Network Mean =												
Natl. Mean =												
% Ca < 10.2	97%	96%	97%	96%	98%	98%	98%	97%	96%	97%	97%	96%

% Ca. < 10.2



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis


5

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

III. OSTEODYSTROPHY - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
# Calcium	117	121	122	118	121	118	123	118	118	115	114	118
# Calcium > 8.5	100	100	103	84	99	97	101	93	99	96	101	100
Pop. Mean =	9.1	9.1	9.1	8.9	9.1	9.0	9.0	9.0	9.2	9.2	9.2	9.2
Std. Deviation =	0.59	0.6	0.57	0.7	0.66	0.61	0.6	0.68	0.64	0.69	0.62	0.63
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	85%	83%	84%	71%	82%	82%	82%	79%	84%	83%	89%	85%



# PTH-I	116	102	31	123	98	99
# PTH-I > 100	99	94	23	110	89	84
Pop. Mean =	347	333	65.1	412	307	301
Std. Deviation =	272	314	161	323	332	321
Network Mean =						
Natl. Mean =						
% PTH-I > 100	85%	92%	74%	89%	91%	85%



# PTH-I	116	102	31	123	98	99
# PTH-I < 300	63	49	21	52	56	54
Pop. Mean =	347	333	65.1	412	307	301
Std. Deviation =	272	314	161	323	332	321
Network Mean =						
Natl. Mean =						
% PTH-I < 300	54%	48%	68%	42%	57%	55%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis


6

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

III. OSTEODYSTROPHY - CONT.

	J	F	M	A	M	J	J	A	S	O	N	D
# Ca x PO4	117	121	122	118	121	118	123	118	118	115	114	118
# Ca x PO4 < 55	91	94	77	79	86	85	86	76	85	85	83	82
Pop. Mean =	47.3	46.3	51.0	49.0	48.3	48.3	49.0	48.6	47.4	47.1	46.9	47.8
Std. Deviation =	12.0	11.7	13.0	13.6	13.1	13.1	13.5	13.3	12.7	13.3	13.4	13.1
Network Mean =												
Natl. Mean =												
CaxPO4 < 55	78%	78%	63%	67%	71%	72%	70%	64%	72%	74%	73%	69%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis


7

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)


Through period ending Dec. 31, 2004

IV. ACCESS


	J	F	M	A	M	J	J	A	S	O	N	D
# Access	117	121	122	118	121	118	123	119	118	115	114	118
# Fistula	61	64	63	60	60	62	65	68	64	63	65	69
Network % - 2004	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%
Natl. % - 2004	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%
% Fistula	52%	53%	52%	51%	50%	53%	53%	57%	54%	55%	57%	58%



# Access	117	121	122	118	121	118	123	119	118	115	114	118
# Graft	38	40	38	37	35	33	36	32	33	28	24	24
Network %												
Natl. %												
% Graft	32%	33%	31%	31%	29%	28%	29%	27%	28%	24%	21%	20%



# Access	117	121	122	118	121	118	123	119	118	115	114	118
# Catheters	18	17	21	21	26	23	22	19	21	24	25	25
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheter	15%	14%	17%	18%	21%	19%	18%	16%	18%	21%	22%	21%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


Mt. Rainier Kidney Center - Center Hemodialysis

Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)
Through period ending Dec. 31, 2004

V. ANEMIA

	J	F	M	A	M	J	J	A	S	O	N	D
# Hgb	117	120	120	117	121	118	123	118	118	115	114	118
# Hgb > 10.0	108	113	114	110	112	105	111	111	115	109	105	113
Pop. Mean =	11.9	12.1	12.1	11.8	12.1	11.7	11.8	12.1	12.3	12.1	11.9	12.0
Std. Deviation =	1.3	1.27	1.37	1.29	1.44	1.42	1.35	1.3	1.31	1.4	1.39	1.21
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	92%	94%	95%	94%	93%	89%	90%	94%	97%	95%	92%	96%
*% Network >= 10	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%	93%


*Figures for 2000



# Hgb	117	120	120	117	121	118	123	118	118	115	114	118
# Hgb >= 11.0	98	101	98	91	98	86	96	103	105	100	86	99
Pop. Mean =	11.9	12.1	12.1	11.8	12.1	11.7	11.8	12.1	12.3	12.1	11.9	12.0
Std. Deviation =	1.3	1.27	1.37	1.29	1.44	1.42	1.35	1.3	1.31	1.4	1.39	1.21
*Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	84%	84%	82%	78%	81%	73%	78%	87%	89%	87%	75%	84%
*% Network >= 11	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%


*Figures for 2003

% Natl. >= 11 2004 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80% 80%



# Hct	117	120	120	117	121	118	123	118	118	115	114	118
# Hct >= 33.0	98	95	104	102	96	92	100	103	102	98	89	105
Pop. Mean =	36	35.6	37.8	37	36.4	36.3	36.7	37.4	37.4	36.8	36	36.8
Std. Deviation =	3.97	3.95	4.37	4.07	4.56	4.54	4.37	4.3	4.14	4	3.9	3.27
*Network Mean =	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7	11.7
Natl. Mean =												
% Hct >= 33.0	84%	79%	87%	87%	79%	78%	81%	87%	86%	85%	78%	89%
*% Network >= 11	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%	91%
*% Natl. >= 11	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%

*Figures for 2003



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mt. Rainier Kidney Center - Center Hemodialysis

9


Quality Assurance Reports (Excludes patients in first 3 months of treatment - as of Dec. 31, 2002)

Through period ending Dec. 31, 2004

V. ANEMIA - CONT.


	J	F	M	A	M	J	J	A	S	O	N	D
Iron Profile												
# Ferritin	116		117		123			115				
# Ferritin > 100	105											
# Ferritin >= 100			105		110			107				
Pop. Mean =	396		368		377			409				
Std. Deviation =	247		232		224			292				
*Network Mean =	449		449		449			449				
Natl. Mean =												
% Ferritin >= 100	91%		90%		89%			93%				
**% Network >= 100	92%		92%		92%			92%				
*Figures for 2002												
% Natl >= 100 2004	94%		94%		94%			94%				

% Ferritin > 100 or >= 100 (As of Apr. '04)




	J	F	M	A	M	J	J	A	S	O	N	D
# Ferritin												
# Ferritin	116		117		123			115				
# Ferritin < 800	104		110		116			107				
Pop. Mean =	396		368		377			409				
Std. Deviation =	247		232		224			292				
*Network Mean =	449		449		449			449				
Natl. Mean =												
% Ferritin < 800	90%		94%		94%			93%				

% Ferritin < 800




	J	F	M	A	M	J	J	A	S	O	N	D
# % Sat												
# % Sat	116		117		123			115				
# % Sat > 20	51											
# % Sat >= 20			76		86			73				
Pop. Mean =	21		24		25			26				
Std. Deviation =	10		9		10			14				
*Network Mean =	25		25		25			25				
Natl. Mean =												
% Sat% > 20	44%		65%		70%			63%				
**% Network >= 20	73%		73%		73%			73%				

% Sat > 20 or >= 20 (As of Apr. '04)



	J	F	M	A	M	J	J	A	S	O	N	D
# % Sat												
# % Sat	116		117		123			115				
# % Sat < 50	114		115		121			108				
Pop. Mean =	21		24		25			26				
Std. Deviation =	10		9		10			14				
*Network Mean =	25		25		25			25				
Natl. Mean =												
% Sat% < 50	98%		98%		98%			94%				

% Sat < 50



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.