


I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	65	67	69	70	72	73	77	83	85	79	81	83
# Kt/V >= 1.4	56	57	58	56	61	61	59	56	66	67	57	71
Pop. Mean =	1.81	1.80	1.65	1.61	1.60	1.60	1.60	1.61	1.67	1.72	1.64	1.68
Std. Deviation =	0.60	0.61	0.30	0.38	0.25	0.27	0.37	0.52	0.38	0.43	0.61	0.33
Network Mean =	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean =												
% Kt/V >= 1.4	86%	85%	84%	80%	85%	84%	77%	67%	78%	85%	70%	86%
**% Kt/V >= 1.2	95%	93%	96%	91%	94%	93%	86%	90%	92%	95%	86%	94%

** As of Apr. '04




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	66	69	69	71	73	73	84	83	86	80	83	83
# Pre Dia BP < 90	61	61	65	69	68	69	79	80	82	73	79	78
Pop. Mean =	73	73	72	70	71	70	70	68	70	71	70	71
Std. Deviation =	13.5	11.7	15.0	11.5	14.1	12.6	18.9	10.6	12.6	16.0	12.5	11.2
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	92%	88%	94%	97%	93%	95%	94%	96%	95%	91%	95%	94%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	66	69	69	71	73	73	84	83	86	80	83	83
# Pre Sys BP < 150	47	50	43	51	56	49	63	60	63	63	60	62
Pop. Mean =	140	141	140	138	138	140	136	138	139	138	139	139
Std. Deviation =	19.9	19.6	19.0	20.3	21.2	20.3	21.2	19.0	20.8	20.2	20.5	18.4
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	71%	72%	62%	72%	77%	67%	75%	72%	73%	79%	72%	75%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Post/Dwt	66	69	69	71	73	73	85	83	87	81	83	83
# +/- 1% of Dwt	39	53	45	50	50	46	58	65	71	68	70	68
% +/- 1 % of Dwt	59%	77%	65%	70%	68%	63%	68%	78%	82%	84%	84%	82%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	66	69	69	71	73	73	84	83	85	80	83	83
# CO2 >= 23	53	58	57	59	65	58	66	61	69	65	71	76
Pop. Mean =	25	25	25	25	26	25	25	24	25	25	25	26
Std. Deviation =	3.52	2.81	2.42	2.72	3.16	3.22	3.52	3.42	3.44	3.49	3.12	2.48
Network Mean =												
Natl. Mean =												
% CO2 >= 23	80%	84%	83%	83%	89%	79%	79%	73%	81%	81%	86%	92%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

*Albumin values use BCG method - as of July 2001


II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	66	69	69	71	73	73	84	83	85	80	83	83
# Albumin >= 3.5	58	58	57	57	58	60	80	76	78	71	76	73
Pop. Mean =	3.8	3.8	3.7	3.8	3.8	3.8	3.9	4.0	4.0	4.0	4.0	4.0
Std. Deviation =	0.40	0.49	0.45	0.43	0.44	0.37	0.36	0.35	0.39	0.39	0.38	0.39
Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	88%	84%	83%	80%	79%	82%	95%	92%	92%	89%	92%	88%
% Alb >= 4.0	44%	48%	35%	41%	44%	38%	51%	53%	65%	68%	61%	65%
*Natl % >= 3.5-BCG	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
*Natl. % >= 4.0-BCG	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%

*Figures for 2004




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c							11		2			3
# HgA1c < 7							6		1			3
Pop. Mean =							6.9		7.0			5.7
Std. Deviation =							1.65		2.33			0.26
Network Mean =												
Natl. Mean =												
% HgA1c < 7							55%		50%			100%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	66	69	69	71	73	73	84	83	85	80	83	83
# PO4 < 5.5	35	49	41	45	45	47	48	55	57	55	51	54
Pop. Mean =	5.1	4.7	4.9	5.0	5.1	5.1	5.2	5.2	5.1	4.9	5.1	5.0
Std. Deviation =	1.45	1.43	1.42	1.43	1.55	1.48	1.71	1.72	1.56	1.27	1.55	1.68
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	53%	71%	59%	63%	62%	64%	57%	66%	67%	69%	61%	65%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	66	69	69	71	73	73	84	83	85	80	83	83
# PO4 > 3.5	56	54	53	56	62	67	71	70	73	69	73	65
Pop. Mean =	5.1	4.7	4.9	5.0	5.1	5.1	5.2	5.2	5.1	4.9	5.1	5.0
Std. Deviation =	1.45	1.43	1.42	1.43	1.55	1.48	1.71	1.72	1.56	1.27	1.55	1.68
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	85%	78%	77%	79%	85%	92%	85%	84%	86%	86%	88%	78%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	66	69	69	71	73	73	84	83	85	80	83	83
# Calcium < 10.2	62	65	66	63	65	66	76	77	76	71	75	78
Pop. Mean =	9.2	9.1	9.2	9.3	9.3	9.3	9.2	9.2	9.2	9.3	9.2	9.1
Std. Deviation =	0.77	0.75	0.64	0.72	0.77	0.66	0.76	0.72	0.73	0.67	0.71	0.69
Network Mean =												
Natl. Mean =												
% Ca < 10.2	94%	94%	96%	89%	89%	90%	90%	93%	89%	89%	90%	94%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	66	69	69	71	73	73	84	83	85	80	83	83
# Calcium > 8.5	56	59	62	59	63	65	67	66	71	70	73	67
Pop. Mean =	9.2	9.1	9.2	9.3	9.3	9.3	9.2	9.2	9.2	9.3	9.2	9.1
Std. Deviation =	0.77	0.75	0.64	0.72	0.77	0.66	0.76	0.72	0.73	0.67	0.71	0.69
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	85%	86%	90%	83%	86%	89%	80%	80%	84%	88%	88%	81%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	66		51		56		82		63		58	
# PTH-I > 100	57		48									
# PTH-I > 150					47		62		52		46	
Pop. Mean =	430		314		341		375		421		386	
Std. Deviation =	503		359		366		334		310		343	
Network Mean =												
Natl. Mean =												
% PTH-I > 100 or > 150 (As of May '05)	86%		94%		84%		76%		83%		79%	



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	66		51		56		82		63		58	
# PTH-I < 300	33		19		23		48		29		31	
Pop. Mean =	430		314		341		375		421		386	
Std. Deviation =	503		359		366		334		310		343	
Network Mean =												
Natl. Mean =												
% PTH-I < 300	50%		37%		41%		59%		46%		53%	




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I							82		63		58	
# PTH-I > 150 & < 300							28		18		19	
Pop. Mean =							375		421		386	
Std. Deviation =							334		310		343	
Network Mean =												
Natl. Mean =												
% PTH-I > 100 & < 300							34%		29%		33%	



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	66	69	69	71	73	73	84	83	85	80	83	83
# Ca x PO4 < 55	46	55	49	53	50	55	61	60	56	61	61	60
Pop. Mean =	47.2	43.4	45.4	46.6	47.4	47.2	47.8	48.0	49.3	47.5	48.5	46.2
Std. Deviation =	14.1	13.5	13.6	14.0	14.6	14.2	17.1	16.3	16.5	13.8	16.3	17.0
Network Mean =												
Natl. Mean =												
% CaxPO4 < 55	70%	80%	71%	75%	68%	75%	73%	72%	66%	76%	73%	72%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	66	69	69	71	73	73	67	52	85	80	82	60
# Fistula	34	36	38	40	42	43	37	31	51	47	48	37
Network % - 2004	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%
Natl. % - 2004	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%
% Fistula	52%	52%	55%	56%	58%	59%	55%	60%	60%	59%	59%	62%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	66	69	69	71	73	73	67	52	85	80	82	60
# Graft	17	18	17	15	17	18	16	11	18	18	18	10
Network %												
Natl. %												
% Graft	26%	26%	25%	21%	23%	25%	24%	21%	21%	23%	22%	17%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	66	69	69	71	73	73	67	52	85	80	82	60
# Catheters	15	15	14	16	14	12	14	10	16	15	16	13
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheters	23%	22%	20%	23%	19%	16%	21%	19%	19%	19%	20%	22%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	66	69	69	71	73	73	84	83	85	80	83	83
# Hgb > 10.0	60	63	64	65	68	71	75	77	78	77	80	76
Pop. Mean =	11.6	11.8	11.9	11.9	12.0	12.4	11.8	11.8	11.9	12.1	12.2	11.8
Std. Deviation =	1.2	1.2	1.4	1.4	1.4	1.4	1.6	1.3	1.4	1.2	1.3	1.4
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	91%	91%	93%	92%	93%	97%	89%	93%	92%	96%	96%	92%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	66	69	69	71	73	73	84	83	85	80	83	83
# Hgb >= 11.0	54	54	54	58	60	64	59	68	68	68	70	64
Pop. Mean =	11.6	11.8	11.9	11.9	12.0	12.4	11.8	11.8	11.9	12.1	12.2	11.8
Std. Deviation =	1.2	1.2	1.4	1.4	1.4	1.4	1.6	1.3	1.4	1.2	1.3	1.4
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	82%	78%	78%	82%	82%	88%	70%	82%	80%	85%	84%	77%
% Natl. >= 11 2004	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	66	69	69	71	73	73	84	83	85	80	84	83
# Hct >= 33.0	55	57	54	54	56	64	60	65	63	65	67	64
Pop. Mean =	36	36	35	36	36	38	36	36	36	37	37	36
Std. Deviation =	3.28	3.70	4.09	4.25	4.55	4.44	4.87	4.11	4.52	3.92	4.34	4.42
Network Mean =												
Natl. Mean =												
% Hct >= 33.0	83%	83%	78%	76%	77%	88%	71%	78%	74%	81%	80%	77%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	65			68			78			79		
# Ferritin >= 100	55			57			70			71		
Pop. Mean =	384			402			426			393		
Std. Deviation =	291			316			368			229		
Network Mean =												
Natl. Mean =												
% Ferritin >= 100	85%			84%			90%			90%		
%Natl. >=100 2004	94%			94%			94%			94%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	65			68			78			79		
# Ferritin < 800	62			63			69			75		
Pop. Mean =	384			402			426			393		
Std. Deviation =	291			316			368			229		
Network Mean =												
Natl. Mean =												
% Ferritin < 800	95%			93%			88%			95%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	65			68			78			79		
# % Sat >= 20	42			39			49			43		
Pop. Mean =	26			24			28			24		
Std. Deviation =	13			13			17			14		
Network Mean =												
Natl. Mean =												
% Sat% >= 20	65%			57%			63%			54%		
%Natl. >=20 2004	81%			81%			81%			81%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	65			68			78			79		
# % Sat < 50	61			64			70			74		
Pop. Mean =	26			24			28			24		
Std. Deviation =	13			13			17			14		
Network Mean =												
Natl. Mean =												
% Sat% < 50	94%			94%			90%			94%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.