


I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	65	64	56	57	55	53	59	59	62	64	61	61
# Kt/V >= 1.4	53	52	43	52	44	47	48	45	48	46	46	41
Pop. Mean =	1.67	1.67	1.57	1.69	1.71	1.71	1.61	1.63	1.59	1.61	1.59	1.57
Std. Deviation =	0.33	0.30	0.29	0.29	0.44	0.30	0.27	0.36	0.29	0.33	0.34	0.31
Network Mean =	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean =												
% Kt/V >= 1.4	82%	81%	77%	91%	80%	89%	81%	76%	77%	72%	75%	67%
**% Kt/V >= 1.2	92%	95%	93%	96%	91%	98%	97%	93%	94%	94%	90%	95%

** As of Apr. '04




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	69	65	58	57	55	53	60	59	62	66	63	63
# Pre Dia BP < 90	60	56	49	46	44	45	52	50	53	57	52	53
Pop. Mean =	76	75	75	75	76	76	76	78	77	77	78	78
Std. Deviation =	16.1	12.9	15.0	14.7	17.3	15.2	13.4	14.5	14.7	14.6	15.7	16.3
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	87%	86%	84%	81%	80%	85%	87%	85%	85%	86%	83%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	69	65	58	57	55	53	60	59	62	66	63	63
# Pre Sys BP < 150	43	33	32	33	29	29	31	30	30	30	30	36
Pop. Mean =	144	145	144	144	144	145	145	146	148	149	148	149
Std. Deviation =	22.6	20.6	22.6	22.8	21.5	23.5	22.2	23.8	24.2	26.7	24.2	24.9
Network Mean =												
Natl. Mean =												
% Pre Sys BP < 150	62%	51%	55%	58%	53%	55%	52%	51%	48%	45%	48%	57%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Post/Dwt	69	65	58	57	55	53	60	59	62	66	63	63
# +/- 1% of Dwt	57	54	53	49	47	44	53	48	53	52	52	49
% +/- 1 % of Dwt	83%	83%	91%	86%	85%	83%	88%	81%	85%	79%	83%	78%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	69	64	55	57	55	53	60	59	62	65	61	62
# CO2 >= 23	43	47	38	42	41	41	39	43	51	55	55	53
Pop. Mean =	24	25	24	24	24	24	24	24	25	25	25	25
Std. Deviation =	3.40	3.20	2.79	3.16	3.16	2.42	3.26	2.27	2.94	2.67	2.66	2.97
Network Mean =												
Natl. Mean =												
% CO2 >= 23	62%	73%	69%	74%	75%	77%	65%	73%	82%	85%	90%	85%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

*Albumin values use BCG method - as of July 2001


II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	69	64	56	57	55	53	60	59	62	65	61	62
# Albumin >= 3.5	67	62	55	56	53	51	55	55	57	57	58	58
Pop. Mean =	4.1	4.2	4.1	4.1	4.1	4.1	4.0	4.0	3.9	3.9	4.0	4.1
Std. Deviation =	0.35	0.35	0.30	0.31	0.33	0.34	0.35	0.34	0.36	0.35	0.35	0.36
Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	97%	97%	98%	98%	96%	96%	92%	93%	92%	88%	95%	94%
% Alb >= 4.0	72%	75%	68%	77%	65%	72%	62%	47%	44%	45%	61%	65%
*Natl % >= 3.5-BCG	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
*Natl. % >= 4.0-BCG	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%

*Figures for 2004




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	23			24			25			30		
# HgA1c < 7	15			17			20			21		
Pop. Mean =	6.8			6.4			6.1			6.3		
Std. Deviation =	1.62			1.00			0.96			1.25		
Network Mean =												
Natl. Mean =												
% HgA1c < 7	65%			71%			80%			70%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	69	65	57	57	55	53	60	59	62	66	61	62
# PO4 < 5.5	45	44	35	35	31	27	34	33	35	44	32	26
Pop. Mean =	5.0	5.0	5.3	5.2	5.4	5.5	5.3	5.6	5.5	5.0	5.5	5.8
Std. Deviation =	1.31	1.40	1.30	1.33	1.32	1.38	1.17	1.35	1.36	1.33	1.45	1.43
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	65%	68%	61%	61%	56%	51%	57%	56%	56%	67%	52%	42%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	69	65	57	57	55	53	60	59	62	66	61	62
# PO4 > 3.5	61	57	54	54	51	49	58	57	59	58	56	59
Pop. Mean =	5.0	5.0	5.3	5.2	5.4	5.5	5.3	5.6	5.5	5.0	5.5	5.8
Std. Deviation =	1.31	1.40	1.30	1.33	1.32	1.38	1.17	1.35	1.36	1.33	1.45	1.43
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	88%	88%	95%	95%	93%	92%	97%	97%	95%	88%	92%	95%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	69	65	57	57	55	53	60	59	62	66	61	62
# Calcium < 10.2	66	60	56	54	51	50	58	58	62	63	58	59
Pop. Mean =	9.2	9.2	9.1	9.1	9.0	9.1	9.0	9.0	9.0	9.0	9.1	9.0
Std. Deviation =	0.59	0.64	0.58	0.65	0.73	0.61	0.61	0.60	0.64	0.64	0.67	0.63
Network Mean =												
Natl. Mean =												
% Ca < 10.2	96%	92%	98%	95%	93%	94%	97%	98%	100%	95%	95%	95%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	69	65	57	57	55	53	60	59	62	66	61	62
# Calcium > 8.5	58	54	46	47	44	47	49	45	48	54	48	50
Pop. Mean =	9.2	9.2	9.1	9.1	9.0	9.1	9.0	9.0	9.0	9.0	9.1	9.0
Std. Deviation =	0.59	0.64	0.58	0.65	0.73	0.61	0.61	0.60	0.64	0.64	0.67	0.63
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	84%	83%	81%	82%	80%	89%	82%	76%	77%	82%	79%	81%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	68		45		46		58		46		48	
# PTH-I > 150	56		43		38		49		43		44	
Pop. Mean =	503		547		441		427		471		411	
Std. Deviation =	542		365		354		325		369		314	
Network Mean =												
Natl. Mean =												
% PTH-I > 150	82%		96%		83%		84%		93%		92%	



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	68		45		46		58		46		48	
# PTH-I < 300	26		14		18		24		18		24	
Pop. Mean =	503		547		441		427		471		411	
Std. Deviation =	542		365		354		325		369		314	
Network Mean =												
Natl. Mean =												
% PTH-I < 300	38%		31%		39%		41%		39%		50%	




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	68		45		46		58		46		48	
# PTH-I > 150 & < 300	14		12		10		15		15		20	
Pop. Mean =	503		547		441		427		471		411	
Std. Deviation =	542		365		354		325		369		314	
Network Mean =												
Natl. Mean =												
% PTH-I > 150 & < 300	21%		27%		22%		26%		33%		42%	



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	69	64	56	57	55	53	60	59	62	65	60	62
# Ca x PO4 < 55	49	49	37	42	37	34	45	43	47	53	40	37
Pop. Mean =	47.0	47.6	49.6	49.6	49.9	52.1	48.2	49.6	48.6	45.2	51.3	54.5
Std. Deviation =	14.7	13.7	13.3	15.3	14.4	13.6	10.7	12.2	12.9	12.8	16.1	14.6
Network Mean =												
Natl. Mean =												
% CaxPO4 < 55	71%	77%	66%	74%	67%	64%	75%	73%	76%	82%	67%	60%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	69	65	58	57	55	53	60	59	62	66	63	63
# Fistula	54	50	47	44	42	41	44	45	47	46	46	41
Network % - 2004	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%
Natl. % - 2004	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%
% Fistula	78%	77%	81%	77%	76%	77%	73%	76%	76%	70%	73%	65%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	69	65	58	57	55	53	60	59	62	66	63	63
# Graft	8	9	8	9	8	9	10	8	8	9	8	10
Network %												
Natl. %												
% Graft	12%	14%	14%	16%	15%	17%	17%	14%	13%	14%	13%	16%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	69	65	58	57	55	53	60	59	62	66	63	63
# Catheters	7	6	3	4	5	3	6	6	7	11	9	12
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheters	10%	9%	5%	7%	9%	6%	10%	10%	11%	17%	14%	19%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	69	64	57	57	55	54	60	59	62	65	62	62
# Hgb > 10.0	62	61	56	55	50	53	58	59	60	58	59	62
Pop. Mean =	11.9	12.1	12.1	11.8	11.8	12.6	12.8	13.2	13.3	12.7	12.6	12.7
Std. Deviation =	1.4	1.1	1.1	1.2	1.2	1.3	1.2	1.2	1.5	1.8	1.4	1.3
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	90%	95%	98%	96%	91%	98%	97%	100%	97%	89%	95%	100%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	69	64	57	57	55	54	60	59	62	65	62	62
# Hgb >= 11.0	53	55	49	45	43	49	57	56	57	54	54	58
Pop. Mean =	11.9	12.1	12.1	11.8	11.8	12.6	12.8	13.2	13.3	12.7	12.6	12.7
Std. Deviation =	1.4	1.1	1.1	1.2	1.2	1.3	1.2	1.2	1.5	1.8	1.4	1.3
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	77%	86%	86%	79%	78%	91%	95%	95%	92%	83%	87%	94%
% Natl. >= 11 2004	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	69	64	57	57	55	53	60	59	62	65	62	62
# Hct >= 33.0	55	51	45	45	43	46	57	56	58	55	53	54
Pop. Mean =	36	36	36	36	35	38	38	40	40	38	38	38
Std. Deviation =	4.00	3.67	3.30	3.59	3.39	4.03	3.67	3.74	4.60	5.43	4.31	4.42
Network Mean =												
Natl. Mean =												
% Hct >= 33.0	80%	80%	79%	79%	78%	87%	95%	95%	94%	85%	85%	87%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	69			56			59			65		
# Ferritin >= 100	64			55			58			64		
Pop. Mean =	518			511			424			560		
Std. Deviation =	328			257			256			359		
Network Mean =												
Natl. Mean =												
% Ferritin >= 100	93%			98%			98%			98%		
%Natl. >=100 2004	94%			94%			94%			94%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	69			56			59			65		
# Ferritin < 800	58			50			56			52		
Pop. Mean =	518			511			424			560		
Std. Deviation =	328			257			256			359		
Network Mean =												
Natl. Mean =												
% Ferritin < 800	84%			89%			95%			80%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	69			55			59			65		
# % Sat >= 20	31			32			34			47		
Pop. Mean =	23			23			23			30		
Std. Deviation =	12			12			9			16		
Network Mean =												
Natl. Mean =												
% Sat% >= 20	45%			58%			58%			72%		
%Natl. >=20 2004	81%			81%			81%			81%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	69			55			59			65		
# % Sat < 50	67			54			59			57		
Pop. Mean =	23			23			23			30		
Std. Deviation =	12			12			9			16		
Network Mean =												
Natl. Mean =												
% Sat% < 50	97%			98%			100%			88%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.