



I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	138	143	144	143	141	146	150	153	155	150	155	150
# spKt/V >= 1.2	137	142	142	142	138	142	144	150	153	149	152	147
Pop. Mean	1.59	1.58	1.57	1.56	1.53	1.54	1.57	1.56	1.60	1.57	1.58	1.59
Std. Deviation	0.28	0.28	0.27	0.28	0.27	0.27	0.32	0.26	0.29	0.24	0.28	0.30
% spKt/V >= 1.2	99%	99%	99%	99%	98%	97%	96%	98%	99%	99%	98%	98%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	138	143	144	140	139	144	149	152	153	148	151	147
# spKt/V >= 1.2 w/3tx/wk	137	142	142	139	136	140	144	149	151	147	148	145
Pop. Mean	1.59	1.58	1.57	1.56	1.53	1.54	1.57	1.56	1.59	1.56	1.58	1.59
Std. Deviation	0.28	0.28	0.27	0.27	0.27	0.27	0.32	0.26	0.28	0.24	0.28	0.28
% >= 1.2 w/3tx/wk	99%	99%	99%	99%	98%	97%	97%	98%	99%	99%	98%	99%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	144	149	152	149	146	150	155	157	157	151	158	153
# URR >= 65	141	147	148	146	141	145	147	155	155	150	153	148
Pop. Mean	74	74	74	74	73	73	74	74	75	74	74	74
Std. Deviation	5.72	5.76	6.38	5.99	6.52	5.61	6.49	5.58	5.58	4.82	6.54	6.46
% URR >= 65	98%	99%	97%	98%	97%	97%	95%	99%	99%	99%	97%	97%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	142	146	149	144	142	146	150	153	155	149	154	150
# URR>=65 w/ 3tx/wk	139	145	146	142	138	143	144	151	153	148	149	146
Pop. Mean	74	74	74	74	73	74	74	74	74	74	74	74
Std. Deviation	5.76	5.41	5.70	5.71	6.24	5.31	6.33	5.52	5.51	4.75	6.50	6.17
% URR>=65 w/ 3tx/wk	98%	99%	98%	99%	97%	98%	96%	99%	99%	99%	97%	97%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	147	149	152	150	146	151	155	158	157	153	158	156
# Pre Sys BP <= 165	120	122	128	124	126	134	140	133	132	130	133	132
Pop. Mean	148	149	147	147	146	143	143	145	145	152	147	147
Std. Deviation	21.2	19.6	20.6	18.8	18.9	18.9	19.1	18.7	20.1	104.6	19.2	19.4
%Pre Sys BP <=165	80%	81%	79%	81%	86%	88%	89%	82%	83%	84%	84%	84%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	147	149	152	150	146	151	155	158	157	152	158	156
# L processed/kg>=0.8	120	120	119	118	116	121	128	130	126	129	133	133
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>=0.8	82%	81%	78%	79%	79%	80%	83%	82%	80%	85%	84%	85%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	146	149	151	150	146	151	155	158	157	153	158	156
# CO2 < 23	33	29	48	29	29	37	41	25	23	32	21	43
Pop. Mean	24	25	24	25	25	24	25	25	25	25	25	24
Std. Deviation	3.18	3.02	3.13	2.85	2.95	2.92	3.41	2.92	2.74	3.20	3.28	3.23
% CO2 < 23	23%	19%	32%	19%	20%	25%	26%	16%	15%	21%	13%	28%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	146	149	151	150	146	151	155	158	157	153	158	156
# CO2 23 to 27	92	85	83	100	86	92	84	101	117	87	93	85
Pop. Mean	24	25	24	25	25	24	25	25	25	25	25	24
Std. Deviation	3.18	3.02	3.13	2.85	2.95	2.92	3.41	2.92	2.74	3.20	3.28	3.23
% CO2 23 to 27	63%	57%	55%	67%	59%	61%	54%	64%	75%	57%	59%	54%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	146	149	151	150	146	151	155	158	157	153	158	156
# CO2 > 27	21	35	20	21	31	22	30	32	17	34	44	28
Pop. Mean	24	25	24	25	25	24	25	25	25	25	25	24
Std. Deviation	3.18	3.02	3.13	2.85	2.95	2.92	3.41	2.92	2.74	3.20	3.28	3.23
% CO2 > 27	14%	23%	13%	14%	21%	15%	19%	20%	11%	22%	28%	18%




SeaTac Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	146	149	152	150	146	151	155	158	157	153	158	156
# Albumin >= 4.0	69	90	84	77	79	63	69	71	67	70	79	83
Pop. Mean	3.9	4.0	4.0	4.0	4.0	3.9	3.8	3.9	3.9	3.9	3.9	3.9
Std. Deviation	0.38	0.38	0.37	0.40	0.37	0.41	0.43	0.41	0.37	0.41	0.44	0.44
% Alb >= 4.0	47%	60%	55%	51%	54%	42%	45%	45%	43%	46%	50%	53%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	146	149	151	150	146	151	155	158	157	153	158	156
# PO4 3.5 to 5.5	58	58	56	52	58	62	68	63	66	57	58	57
Pop. Mean	6.2	6.0	6.0	5.9	6.0	6.0	5.8	5.9	5.8	6.0	6.0	6.1
Std. Deviation	2.21	1.98	2.03	1.82	1.89	1.98	2.02	1.81	1.77	1.91	1.75	1.69
% PO4 3.5 to 5.5	40%	39%	37%	35%	40%	41%	44%	40%	42%	37%	37%	37%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	146	149	152	150	146	151	155	158	157	153	158	156
# Calcium <= 8	13	12	16	21	16	22	14	14	13	15	18	21
Pop. Mean	9.0	9.0	8.9	8.9	8.9	8.8	8.9	8.9	8.9	8.9	8.9	8.9
Std. Deviation	0.64	0.66	0.67	0.70	0.71	0.68	0.68	0.69	0.62	0.68	0.74	0.79
% Calcium <= 8	9%	8%	11%	14%	11%	15%	9%	9%	8%	10%	11%	13%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	146	149	152	150	146	151	155	158	157	153	158	156
# Calcium > 10.2	1	0	0	1	0	0	1	0	0	1	1	3
Pop. Mean	9.0	9.0	8.9	8.9	8.9	8.8	8.9	8.9	8.9	8.9	8.9	8.9
Std. Deviation	0.64	0.66	0.67	0.70	0.71	0.68	0.68	0.69	0.62	0.68	0.74	0.79
% Calcium > 10.2	1%	0%	0%	1%	0%	0%	1%	0%	0%	1%	1%	2%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			150			151			154			156
# PTH-I 150 to 600			85			81			95			88
Pop. Mean			525			545			527			546
Std. Deviation			442			440			430			527
% PTH-I 150 to 600			57%			54%			62%			56%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

SeaTac Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	147	149	152	150	146	151	155	158	157	152	158	156
# Fistula	96	94	102	103	100	97	100	103	104	100	102	104
% Fistula	65%	63%	67%	69%	68%	64%	65%	65%	66%	66%	65%	67%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	147	149	152	150	146	151	155	158	157	152	158	156
# Graft	12	15	16	17	16	16	17	17	17	16	17	17
% Graft	8%	10%	11%	11%	11%	11%	11%	11%	11%	11%	11%	11%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	147	149	152	150	146	151	155	158	157	152	158	156
# Catheters	39	40	34	30	30	38	38	38	36	36	39	35
% Catheters	27%	27%	22%	20%	21%	25%	25%	24%	23%	24%	25%	22%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	147	149	152	150	146	151	155	158	157	152	158	156
# Catheters	24	23	22	22	23	25	24	20	19	20	19	21
% Catheters	16%	15%	14%	15%	16%	17%	15%	13%	12%	13%	12%	13%

Definition: Catheter in use on last treatment of the month




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	96	94	102	103	100	97	100	103	104	100	102	104
# Fistula > 3 yrs	44	44	44	45	42	43	43	44	44	43	45	46
% Fistula > 3 yrs	46%	47%	43%	44%	42%	44%	43%	43%	42%	43%	44%	44%



V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	122	113	116	123	115	114	127	131	133	130	126	132
# Hgb < 10	27	23	32	30	29	36	36	44	44	40	35	51
Pop. Mean	10.5	10.6	10.5	10.6	10.5	10.3	10.5	10.3	10.3	10.4	10.5	10.3
Std. Deviation	1.4	1.3	1.1	1.2	1.3	1.3	1.5	1.3	1.3	1.4	1.2	1.5
% Hgb < 10	22%	20%	28%	24%	25%	32%	28%	34%	33%	31%	28%	39%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	122	113	116	123	115	114	127	131	133	130	126	132
# Hgb >= 12	6	7	6	11	9	3	11	5	3	5	6	8
Pop. Mean	10.5	10.6	10.5	10.6	10.5	10.3	10.5	10.3	10.3	10.4	10.5	10.3
Std. Deviation	1.4	1.3	1.1	1.2	1.3	1.3	1.5	1.3	1.3	1.4	1.2	1.5
% Hgb >= 12	5%	6%	5%	9%	8%	3%	9%	4%	2%	4%	5%	6%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			152	16		151			156			156
# Ferritin < 800			123	9		129			137			134
Pop. Mean			462	682		461			441			470
Std. Deviation			336	343		355			320			624
% Ferritin < 800			81%	56%		85%			88%			86%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			152	16		151			156			156
# Ferritin 800 to 1200			24	7		15			12			18
Pop. Mean			462	682		461			441			470
Std. Deviation			336	343		355			320			624
% Ferritin 800 to 1200			16%	44%		10%			8%			12%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			152	16		151			156			156
# Ferritin > 1200			5			7			7			4
Pop. Mean			462	682		461			441			470
Std. Deviation			336	343		355			320			624
% Ferritin > 1200			3%			5%			4%			3%




V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			152	15		151			156			156
# % Sat < 30			103	10		102			99			92
Pop. Mean			27	27		27			28			30
Std. Deviation			13	12		14			14			15
% % Sat < 30			68%	67%		68%			63%			59%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			152	15		151			156			156
# % Sat 30 to 50			39	4		39			50			50
Pop. Mean			27	27		27			28			30
Std. Deviation			13	12		14			14			15
% % Sat 30 to 50			26%	27%		26%			32%			32%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			152	15		151			156			156
# % Sat > 50			10	1		10			7			14
Pop. Mean			27	27		27			28			30
Std. Deviation			13	12		14			14			15
% % Sat > 50			7%	7%		7%			4%			9%



VI. Diabetes


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149	152	150	146	151	155	158	157	153	158	157
# Pneumonia	102	109	109	107	102	101	101	108	104	102	104	107
% Pneumonia	69%	73%	72%	71%	70%	67%	65%	68%	66%	67%	66%	68%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149						158	157	153	158	157
# Influenza	102	101						61	102	97	99	98
% Influenza	69%	68%						39%	65%	63%	63%	62%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149	152	150	146	151	155	158	157	153	158	157
# Hospital Admissions	23	15	27	14	19	15	15	14	19	16	14	24



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149	152	150	146	151	155	158	157	153	158	157
# Individual Deaths	4	3	2	4	3	0	1	3	2	4	2	1



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149	152	150	146	151	155	158	157	153	158	157
# Missed Treatments	182	147	195	210	179	192	174	174	185	178	208	243



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	148	149	152	150	146	151	155	158	157	153	158	157
# Transplants	0	0	0	0	1	0	0	0	0	0	0	0

