
#### **Cascade Kidney Center - Center Hemodialysis**

Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2008

#### I. ADEQUACY OF DIALYSIS

Jan Feb Mar Apr May Jun Jul Sep Oct Nov Dec # Kt/V # Kt/V >= 1.4 Pop. Mean Std. Deviation **Network Mean '04** Natl. Mean '06 % Kt/V >= 1.4 % Kt/V >= 1.2 Network % >= 1.2 '06 Natl. % >= 1.2 '06



**Blood Pressure Control (Pre)** 

# Pre Dia BP

Pop. Mean

Natl. Mean


Std. Deviation

**Network Mean** 


% Pre Dia BP < 90

# Pre Dia BP < 90


Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec





# Pre Sys BP 
# Pre Sys BP < 150
Pop. Mean
Std. Deviation
Network Mean
Natl. Mean
%Pre Sys BP <150




<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.








\*Albumin values use BCG method - as of July 2001




20% 10% 0%


J F M A M J J A S O N D




<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.



<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.







10% 0%

MAMJJASOND


<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.



<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.




<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.



30% 20% 10%

F M A M J J A S O N D

% Sat% < 50




Nov



# HBsAb >= 1.0

% HBsAb >= 1.0




Pneumonia vaccination within the past five years at NKC

Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec

# Patient

# Pneumonia

% Pneumonia




Influenza vaccination since August at NKC

Jan Feb Mar Apr May Jun Jul Aug Sep Oct Nov Dec

# Patient

# Influenza since 08/08

% Influenza



<sup>\*</sup>Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.