


I. ADEQUACY OF DIALYSIS


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Kt/V | 65 | 65 | 64 | 64 | 65 | 64 | 61 | 61 | 63 | 65 | | |
| # Kt/V >= 1.4 | 52 | 53 | 51 | 55 | 56 | 54 | 55 | 54 | 54 | 53 | | |
| Pop. Mean = | 1.64 | 1.66 | 1.58 | 1.68 | 1.67 | 1.66 | 1.69 | 1.73 | 1.66 | 1.65 | | |
| Std. Deviation = | 0.35 | 0.40 | 0.26 | 0.29 | 0.35 | 0.24 | 0.26 | 0.35 | 0.25 | 0.29 | | |
| Network Mean = | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Kt/V >= 1.4 | 80% | 82% | 80% | 86% | 86% | 84% | 90% | 89% | 86% | 82% | | |
| **% Kt/V >= 1.2 | 94% | 86% | 95% | 98% | 97% | 98% | 98% | 97% | 97% | 94% | | |

** As of Apr. '04




Blood Pressure Control (Pre)

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Pre Dia BP | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # Pre Dia BP < 90 | 55 | 54 | 58 | 54 | 60 | 59 | 55 | 56 | 53 | 58 | | |
| Pop. Mean = | 77 | 76 | 75 | 75 | 73 | 74 | 73 | 75 | 76 | 76 | | |
| Std. Deviation = | 13.9 | 13.5 | 13.2 | 13.3 | 12.3 | 13.5 | 13.8 | 13.7 | 14.3 | 12.9 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Pre Dia BP < 90 | 85% | 83% | 88% | 84% | 91% | 89% | 89% | 89% | 84% | 88% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Pre Sys BP | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # Pre Sys BP < 150 | 32 | 30 | 37 | 32 | 36 | 39 | 38 | 40 | 37 | 41 | | |
| Pop. Mean = | 151 | 150 | 147 | 150 | 145 | 145 | 145 | 146 | 149 | 149 | | |
| Std. Deviation = | 20.5 | 21.6 | 21.7 | 22.7 | 20.5 | 21.2 | 21.9 | 22.9 | 22.6 | 21.9 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Pre Sys BP < 150 | 49% | 46% | 56% | 50% | 55% | 59% | 61% | 63% | 59% | 62% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Post/Dwt | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # +/- 1% of Dwt | 50 | 53 | 51 | 49 | 50 | 56 | 50 | 49 | 48 | 42 | | |
| % +/- 1 % of Dwt | 77% | 82% | 77% | 77% | 76% | 85% | 81% | 78% | 76% | 64% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # CO2 | 65 | 65 | 65 | 64 | 65 | 64 | 61 | 61 | 63 | 65 | | |
| # CO2 >= 23 | 45 | 56 | 49 | 53 | 59 | 55 | 53 | 56 | 50 | 54 | | |
| Pop. Mean = | 25 | 26 | 25 | 26 | 26 | 25 | 26 | 26 | 25 | 26 | | |
| Std. Deviation = | 4.06 | 3.74 | 3.79 | 4.11 | 3.45 | 3.33 | 3.92 | 3.77 | 3.55 | 3.81 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % CO2 >= 23 | 69% | 86% | 75% | 83% | 91% | 86% | 87% | 92% | 79% | 83% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

*Albumin values use BCG method - as of July 2001


II. NUTRITION

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Albumin | 65 | 65 | 65 | 64 | 65 | 64 | 61 | 61 | 63 | 65 | | |
| # Albumin >= 3.5 | 63 | 60 | 60 | 58 | 58 | 56 | 55 | 54 | 57 | 59 | | |
| Pop. Mean = | 4.1 | 4.0 | 4.0 | 3.9 | 4.0 | 4.0 | 3.9 | 3.9 | 3.9 | 3.9 | | |
| Std. Deviation = | 0.32 | 0.33 | 0.35 | 0.34 | 0.40 | 0.35 | 0.32 | 0.35 | 0.31 | 0.42 | | |
| Network Mean = | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | | |
| Natl. Mean = | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | | |
| % Alb >= 3.5 | 97% | 92% | 92% | 91% | 89% | 88% | 90% | 89% | 90% | 91% | | |
| % Alb >= 3.0 | | | | | | 100% | 100% | 100% | 100% | 98% | | |
| % Alb >= 4.0 | 65% | 54% | 60% | 48% | 63% | 52% | 48% | 57% | 41% | 57% | | |
| *Natl % >= 3.5-BCG | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | | |
| *Natl. % >= 4.0-BCG | 39% | 39% | 39% | 39% | 39% | 39% | 39% | 39% | 39% | 39% | | |



*Figures for 2004


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|------------|-----|-----|
| # HgA1c | 26 | | | 28 | | | 24 | | | 29 | | |
| # HgA1c < 7 | 19 | | | 19 | | | 15 | | | 20 | | |
| Pop. Mean = | 6.6 | | | 6.6 | | | 6.7 | | | 6.9 | | |
| Std. Deviation = | 1.19 | | | 1.49 | | | 1.57 | | | 1.97 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % HgA1c < 7 | 73% | | | 68% | | | 63% | | | 69% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # PO4 | 65 | 65 | 65 | 64 | 66 | 64 | 62 | 61 | 63 | 65 | | |
| # PO4 < 5.5 | 33 | 34 | 35 | 38 | 39 | 40 | 30 | 39 | 34 | 37 | | |
| Pop. Mean = | 5.8 | 5.4 | 5.6 | 5.4 | 5.6 | 5.4 | 5.4 | 5.3 | 5.2 | 5.3 | | |
| Std. Deviation = | 1.95 | 1.54 | 1.76 | 1.66 | 1.42 | 1.54 | 1.81 | 1.47 | 1.43 | 1.59 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % PO4 < 5.5 | 51% | 52% | 54% | 59% | 59% | 63% | 48% | 64% | 54% | 57% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # PO4 | 65 | 65 | 65 | 64 | 66 | 64 | 62 | 61 | 63 | 65 | | |
| # PO4 > 3.5 | 58 | 58 | 57 | 57 | 61 | 57 | 56 | 57 | 57 | 57 | | |
| Pop. Mean = | 5.8 | 5.4 | 5.6 | 5.4 | 5.6 | 5.4 | 5.4 | 5.3 | 5.2 | 5.3 | | |
| Std. Deviation = | 1.95 | 1.54 | 1.76 | 1.66 | 1.42 | 1.54 | 1.81 | 1.47 | 1.43 | 1.59 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % PO4 > 3.5 | 89% | 89% | 88% | 89% | 92% | 89% | 90% | 93% | 90% | 88% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Calcium | 65 | 65 | 65 | 64 | 66 | 64 | 62 | 61 | 63 | 66 | | |
| # Calcium < 10.2 | 63 | 64 | 61 | 63 | 63 | 61 | 61 | 59 | 61 | 64 | | |
| Pop. Mean = | 9.0 | 9.0 | 9.1 | 9.1 | 9.0 | 9.0 | 8.9 | 9.0 | 9.0 | 8.9 | | |
| Std. Deviation = | 0.76 | 0.67 | 0.71 | 0.60 | 0.74 | 0.79 | 0.79 | 0.78 | 0.66 | 0.93 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Ca < 10.2 | 97% | 98% | 94% | 98% | 95% | 95% | 98% | 97% | 97% | 97% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Calcium | 65 | 65 | 65 | 64 | 66 | 64 | 62 | 61 | 63 | 66 | | |
| # Calcium > 8.5 | 48 | 48 | 51 | 50 | 50 | 46 | 44 | 45 | 50 | 48 | | |
| Pop. Mean = | 9.0 | 9.0 | 9.1 | 9.1 | 9.0 | 9.0 | 8.9 | 9.0 | 9.0 | 8.9 | | |
| Std. Deviation = | 0.76 | 0.67 | 0.71 | 0.60 | 0.74 | 0.79 | 0.79 | 0.78 | 0.66 | 0.93 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Calcium > 8.5 | 74% | 74% | 78% | 78% | 76% | 72% | 71% | 74% | 79% | 73% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|-----|------------|-----|------------|-----|------------|-----|------------|-----|-----|-----|
| # PTH-I | 65 | | 57 | | 55 | | 61 | | 50 | | | |
| # PTH-I > 150 | 53 | | 51 | | 47 | | 48 | | 41 | | | |
| Pop. Mean = | 505 | | 574 | | 480 | | 588 | | 548 | | | |
| Std. Deviation = | 559 | | 550 | | 384 | | 767 | | 519 | | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % PTH-I > 150 | 82% | | 89% | | 85% | | 79% | | 82% | | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|-----|------------|-----|------------|-----|------------|-----|------------|-----|-----|-----|
| # PTH-I | 65 | | 57 | | 55 | | 61 | | 50 | | | |
| # PTH-I < 300 | 26 | | 22 | | 19 | | 29 | | 17 | | | |
| Pop. Mean = | 505 | | 574 | | 480 | | 588 | | 548 | | | |
| Std. Deviation = | 559 | | 550 | | 384 | | 767 | | 519 | | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % PTH-I < 300 | 40% | | 39% | | 35% | | 48% | | 34% | | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--|------------|-----|------------|-----|------------|-----|------------|-----|------------|-----|-----|-----|
| # PTH-I | 65 | | 57 | | 55 | | 61 | | 50 | | | |
| # PTH-I > 150 & < 300 | 14 | | 16 | | 11 | | 16 | | 8 | | | |
| Pop. Mean = | 505 | | 574 | | 480 | | 588 | | 548 | | | |
| Std. Deviation = | 559 | | 550 | | 384 | | 767 | | 519 | | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % PTH-I > 150 & < 300 | 22% | | 28% | | 20% | | 26% | | 16% | | | |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Ca x PO4 | 65 | 65 | 65 | 64 | 66 | 64 | 62 | 61 | 63 | 65 | | |
| # Ca x PO4 < 55 | 42 | 45 | 40 | 44 | 48 | 47 | 42 | 48 | 47 | 45 | | |
| Pop. Mean = | 51.9 | 48.7 | 50.4 | 49.0 | 49.7 | 48.3 | 47.9 | 47.5 | 47.2 | 47.4 | | |
| Std. Deviation = | 16.5 | 13.8 | 15.6 | 14.9 | 11.7 | 13.7 | 14.7 | 13.4 | 13.6 | 14.2 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % CaxPO4 < 55 | 65% | 69% | 62% | 69% | 73% | 73% | 68% | 79% | 75% | 69% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Access | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # Fistula | 48 | 46 | 49 | 47 | 47 | 49 | 46 | 48 | 48 | 49 | | |
| Network % - 2004 | 55% | 55% | 55% | | | | | | | | | |
| Natl. % - 2004 | 35% | 35% | 35% | | | | | | | | | |
| Network % - 2005 | | | | 58% | 58% | 58% | 58% | 58% | 58% | 58% | | |
| Natl. % - 2005 | | | | 39% | 39% | 39% | 39% | 39% | 39% | 39% | | |
| % Fistula | 74% | 71% | 74% | 73% | 71% | 74% | 74% | 76% | 76% | 74% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----|-----|
| # Access | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # Graft | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 6 | 5 | 3 | | |
| Network % | | | | | | | | | | | | |
| Natl. % | | | | | | | | | | | | |
| % Graft | 11% | 11% | 11% | 11% | 11% | 11% | 11% | 10% | 8% | 5% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Access | 65 | 65 | 66 | 64 | 66 | 66 | 62 | 63 | 63 | 66 | | |
| # Catheters | 10 | 12 | 10 | 10 | 12 | 10 | 9 | 9 | 10 | 14 | | |
| Network % | | | | | | | | | | | | |
| Natl. % - 2004 | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | 27% | | |
| % Catheters | 15% | 18% | 15% | 16% | 18% | 15% | 15% | 14% | 16% | 21% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Hgb | 65 | 65 | 66 | 64 | 65 | 65 | 61 | 61 | 63 | 65 | | |
| # Hgb > 10.0 | 65 | 60 | 63 | 62 | 63 | 61 | 54 | 58 | 61 | 64 | | |
| Pop. Mean = | 12.4 | 12.4 | 12.3 | 12.3 | 12.2 | 12.0 | 12.0 | 12.3 | 12.2 | 12.6 | | |
| Std. Deviation = | 1.3 | 1.4 | 1.2 | 1.1 | 1.2 | 1.4 | 1.4 | 1.2 | 1.2 | 3.7 | | |
| Network Mean = | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Hgb > 10.0 | 100% | 92% | 95% | 97% | 97% | 94% | 89% | 95% | 97% | 98% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----|-----|
| # Hgb | 65 | 65 | 66 | 64 | 65 | 65 | 61 | 61 | 63 | 65 | | |
| # Hgb >= 11.0 | 56 | 56 | 59 | 59 | 54 | 49 | 49 | 54 | 59 | 56 | | |
| Pop. Mean = | 12.4 | 12.4 | 12.3 | 12.3 | 12.2 | 12.0 | 12.0 | 12.3 | 12.2 | 12.6 | | |
| Std. Deviation = | 1.3 | 1.4 | 1.2 | 1.1 | 1.2 | 1.4 | 1.4 | 1.2 | 1.2 | 3.7 | | |
| Network Mean = | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Hgb >= 11.0 | 86% | 86% | 89% | 92% | 83% | 75% | 80% | 89% | 94% | 86% | | |
| % Hgb <= 11.0 | | | | | | 25% | 20% | 11% | 8% | 17% | | |
| % Natl. >= 11 2004 | 80% | 80% | 80% | 80% | 80% | 80% | 80% | 80% | 80% | 80% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| # Hct | 65 | 65 | 66 | 64 | 65 | 65 | 61 | 61 | 63 | 65 | | |
| # Hct >= 33.0 | 56 | 54 | 58 | 57 | 53 | 51 | 50 | 54 | 56 | 54 | | |
| Pop. Mean = | 37 | 37 | 37 | 36 | 36 | 36 | 36 | 37 | 37 | 36 | | |
| Std. Deviation = | 4.18 | 4.42 | 3.50 | 3.03 | 3.62 | 4.01 | 4.15 | 3.54 | 3.48 | 3.67 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Hct >= 33.0 | 86% | 83% | 88% | 89% | 82% | 78% | 82% | 89% | 89% | 83% | | |
| *% Network >= 33 | 91% | 91% | 91% | | | | | | | | | |
| *% Natl. >= 33 | 89% | 89% | 89% | | | | | | | | | |
| *Figures for 2004 | | | | | | | | | | | | |
| **% Network >= 33 | | | | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% |
| **% Natl. >= 33 | | | | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% |




****Figures for 2005**

*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

Iron Profile


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 65 | | | 64 | | | 61 | | | 65 | | |
| # Ferritin >= 100 | 65 | | | 60 | | | 57 | | | 61 | | |
| Pop. Mean = | 506 | | | 531 | | | 527 | | | 460 | | |
| Std. Deviation = | 393 | | | 296 | | | 281 | | | 231 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Ferritin >= 100 | 100% | | | 94% | | | 93% | | | 94% | | |
| %Natl. >=100 2004 | 94% | | | 94% | | | 94% | | | 94% | | |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 65 | | | 64 | | | 61 | | | 65 | | |
| # Ferritin < 800 | 58 | | | 53 | | | 51 | | | 60 | | |
| Pop. Mean = | 506 | | | 531 | | | 527 | | | 460 | | |
| Std. Deviation = | 393 | | | 296 | | | 281 | | | 231 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Ferritin < 800 | 89% | | | 83% | | | 84% | | | 92% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 65 | | | 64 | | | 61 | | | 65 | | |
| # % Sat >= 20 | 45 | | | 41 | | | 40 | | | 48 | | |
| Pop. Mean = | 27 | | | 25 | | | 29 | | | 26 | | |
| Std. Deviation = | 12 | | | 12 | | | 16 | | | 10 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Sat% >= 20 | 69% | | | 64% | | | 66% | | | 74% | | |
| %Natl. >=20 2004 | 81% | | | 81% | | | 81% | | | 81% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 65 | | | 64 | | | 61 | | | 65 | | |
| # % Sat < 50 | 61 | | | 61 | | | 54 | | | 63 | | |
| Pop. Mean = | 27 | | | 25 | | | 29 | | | 26 | | |
| Std. Deviation = | 12 | | | 12 | | | 16 | | | 10 | | |
| Network Mean = | | | | | | | | | | | | |
| Natl. Mean = | | | | | | | | | | | | |
| % Sat% < 50 | 94% | | | 95% | | | 89% | | | 97% | | |



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.