Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

1

I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	110	114	118	121	122	122	121	112	112	116	116	117
# Kt/V >= 1.4	88	89	93	93	99	100	93	92	91	94	92	97
Pop. Mean =	1.60	1.61	1.67	1.61	1.61	1.60	1.60	1.62	1.63	1.69	1.56	1.63
Std. Deviation =	0.27	0.34	0.50	0.32	0.27	0.30	0.52	0.27	0.30	0.43	0.29	0.30
Network Mean =	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean =												
% Kt/V >= 1.4	80%	78%	79%	77%	81%	82%	77%	82%	81%	81%	79%	83%
**% Kt/V >= 1.2	94%	93%	92%	91%	93%	93%	93%	92%	93%	95%	89%	92%

** As of Apr. '04

Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	114	116	119	122	123	123	123	116	114	118	116	118
# Pre Dia BP < 90	98	101	107	110	113	108	105	100	92	95	100	100
Pop. Mean =	77	75	75	75	74	75	75	77	77	79	77	77
Std. Deviation =	16.5	13.2	12.3	12.2	12.8	12.4	13.2	12.5	13.7	12.7	11.1	11.8
Network Mean =												
Natl. Mean =												
% Pre Dia BP < 90	86%	87%	90%	90%	92%	88%	85%	86%	81%	81%	86%	85%

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	114	116	119	122	123	123	123	116	114	118	116	118
# Pre Sys BP < 150	72	78	87	85	84	78	79	77	72	72	76	70
Pop. Mean =	142	140	139	141	140	142	141	143	144	146	143	144
Std. Deviation =	23.2	21.1	21.0	21.8	22.8	22.3	22.6	21.1	22.1	20.8	19.0	19.7
Network Mean =												
Natl. Mean =												
%Pre Sys BP <150	63%	67%	73%	70%	68%	63%	64%	66%	63%	61%	66%	59%

*Methodology: a) Monthly values based on patient's monty average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

2

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Post/Dwt	115	116	119	122	123	123	123	116	114	118	116	118
# +/- 1% of Dwt	93	97	103	102	102	108	106	102	95	91	90	102
% +/-1 % of Dwt	81%	84%	87%	84%	83%	88%	86%	88%	83%	77%	78%	86%

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	114	114	119	121	123	122	122	113	113	117	116	117
# CO2 >= 23	92	98	95	98	108	110	111	102	91	103	94	93
Pop. Mean =	24	25	24	25	25	25	26	26	25	25	25	24
Std. Deviation =	2.68	2.69	2.63	2.78	2.41	2.22	2.38	2.38	2.52	2.72	2.50	2.55
Network Mean =												
Natl. Mean =												
% CO2 >= 23	81%	86%	80%	81%	88%	90%	91%	90%	81%	88%	81%	79%

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

3

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	114	114	119	121	123	122	122	113	113	117	116	117
# Albumin >= 3.5	109	102	109	115	114	114	115	105	105	105	110	107
Pop. Mean =	4.0	3.9	4.0	4.0	4.0	4.0	4.0	3.9	3.9	3.9	4.0	3.9
Std. Deviation =	0.34	0.35	0.35	0.34	0.33	0.34	0.33	0.32	0.33	0.35	0.36	0.32
Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	96%	89%	92%	95%	93%	93%	94%	93%	93%	90%	95%	91%
% Alb >= 3.0						99%	99%	100%	98%	98%	97%	99%
% Alb >= 4.0	58%	54%	58%	55%	55%	53%	53%	46%	56%	54%	65%	52%
*Natl % >= 3.5-BCG	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
*Natl. % >= 4.0-BCG	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%

*Figures for 2004

% Albs >= 3.5

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	61			63			70			66		
# HgA1c < 7	43			41			45			44		
Pop. Mean =	6.6			6.6			6.5			6.6		
Std. Deviation =	1.35			1.48			1.50			1.36		
Network Mean =												
Natl. Mean =												
% HgA1c < 7	70%			65%			64%			67%		

% HgA1c < 7

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

4

III. OSTEODYSTROPHY

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	114	114	119	122	123	122	122	114	113	117	116	117
# PO4 < 5.5	67	75	73	86	85	81	84	77	74	77	68	70
Pop. Mean =	5.3	5.1	5.1	5.0	4.9	5.0	5.1	5.0	5.1	5.1	5.2	5.1
Std. Deviation =	1.40	1.44	1.38	1.19	1.21	1.20	1.31	1.22	1.28	1.41	1.39	1.38
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	59%	66%	61%	70%	69%	66%	69%	68%	65%	66%	59%	60%

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	114	114	119	122	123	122	122	114	113	117	116	117
# PO4 > 3.5	102	98	105	108	110	110	110	100	104	105	103	100
Pop. Mean =	5.3	5.1	5.1	5.0	4.9	5.0	5.1	5.0	5.1	5.1	5.2	5.1
Std. Deviation =	1.40	1.44	1.38	1.19	1.21	1.20	1.31	1.22	1.28	1.41	1.39	1.38
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	89%	86%	88%	89%	89%	90%	90%	88%	92%	90%	89%	85%

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	114	114	119	122	123	122	122	114	113	117	116	117
# Calcium < 10.2	107	109	113	119	120	119	117	112	108	113	112	111
Pop. Mean =	9.1	9.0	9.0	9.1	9.0	9.1	9.1	9.1	9.1	9.0	9.1	9.2
Std. Deviation =	0.70	0.67	0.66	0.60	0.64	0.61	0.63	0.58	0.67	0.70	0.65	0.64
Network Mean =												
Natl. Mean =												
% Ca < 10.2	94%	96%	95%	98%	98%	98%	96%	98%	96%	97%	97%	95%

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

# Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

5

III. OSTEODYSTROPHY - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	114	114	119	122	123	122	122	114	113	117	116	117
# Calcium > 8.5	90	93	99	99	100	100	101	92	88	88	90	96
Pop. Mean =	9.1	9.0	9.0	9.1	9.0	9.1	9.1	9.1	9.1	9.0	9.1	9.2
Std. Deviation =	0.70	0.67	0.66	0.60	0.64	0.61	0.63	0.58	0.67	0.70	0.65	0.64
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	79%	82%	83%	81%	81%	82%	83%	81%	78%	75%	78%	82%

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114		111		112		122		97		16	
# PTH-I > 150	83		77		89		90		73		13	
Pop. Mean =	361		385		393		402		371		458	
Std. Deviation =	303		369		305		347		286		373	
Network Mean =												
Natl. Mean =												
% PTH-I > 150	73%		69%		79%		74%		75%		81%	

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114		111		112		122		97		16	
# PTH-I < 300	56		57		53		63		48		6	
Pop. Mean =	361		385		393		402		371		458	
Std. Deviation =	303		369		305		347		286		373	
Network Mean =												
Natl. Mean =												
% PTH-I < 300	49%		51%		47%		52%		49%		38%	

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114		111		112		122		97		16	
# PTH-I>150 & <300	25		23		30		31		24		3	
Pop. Mean =	361		385		393		402		371		458	
Std. Deviation =	303		369		305		347		286		373	
Network Mean =												
Natl. Mean =												
% PTH-I >150 & <300	22%		21%		27%		25%		25%		19%	

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
**Quality Assurance Reports (Excludes patients in first 3 months of treatment)**
Through period ending Dec. 31, 2007

6

III. OSTEODYSTROPHY - CONT.

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	114	114	119	122	123	122	122	114	113	117	116	117
# Ca x PO4 < 55	87	85	95	102	103	101	101	94	87	91	83	81
Pop. Mean =	47.6	46.0	45.7	44.9	44.1	45.2	46.2	45.0	46.2	46.2	47.5	47.1
Std. Deviation =	12.9	12.7	12.5	10.9	10.8	10.4	11.7	10.9	11.4	12.9	12.8	12.8
Network Mean =												
Natl. Mean =												
% CaxPO4 < 55	76%	75%	80%	84%	84%	83%	83%	82%	77%	78%	72%	69%

%CaxPO4 < 55

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

7

IV. ACCESS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	114	116	119	122	123	123	123	116	114	118	116	118
# Fistula	72	71	74	74	71	72	72	72	72	75	72	72
Network % - 2004	55%	55%	55%									
Natl. % - 2004	35%	35%	35%									
Network % - 2005				58%	58%	58%	58%	58%	58%	58%	58%	58%
Natl. % - 2005				39%	39%	39%	39%	39%	39%	39%	39%	39%
% Fistula	63%	61%	62%	61%	58%	59%	59%	62%	63%	64%	62%	61%

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	114	116	119	122	123	123	123	116	114	118	116	118
# Graft	23	25	24	24	24	26	27	25	29	26	26	25
Network %												
Natl. %												
% Graft	20%	22%	20%	20%	20%	21%	22%	22%	25%	22%	22%	21%

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	114	116	119	122	123	123	123	116	114	118	116	118
# Catheters	19	20	21	24	28	25	24	19	13	17	18	21
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheters	17%	17%	18%	20%	23%	20%	20%	16%	11%	14%	16%	18%

*Methodology: a) Monthly values based on patient's monty average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

8

V. ANEMIA

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	115	119	121	123	123	122	113	114	117	116	117
# Hgb > 10.0	108	110	115	116	116	121	120	111	110	111	112	114
Pop. Mean =	12.6	12.5	12.6	12.3	12.2	12.2	12.4	12.3	12.4	12.1	12.2	12.1
Std. Deviation =	1.4	1.4	1.2	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	95%	96%	97%	96%	94%	98%	98%	98%	96%	95%	97%	97%

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	115	119	121	123	123	122	113	114	117	116	117
# Hgb >= 11.0	101	103	110	103	104	103	109	99	102	101	98	96
Pop. Mean =	12.6	12.5	12.6	12.3	12.2	12.2	12.4	12.3	12.4	12.1	12.2	12.1
Std. Deviation =	1.4	1.4	1.2	1.3	1.3	1.2	1.2	1.2	1.2	1.2	1.2	1.2
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	89%	90%	92%	85%	85%	84%	89%	88%	89%	86%	84%	82%
% Hgb <= 11.0						17%	11%	15%	13%	15%	16%	19%
% Natl. >= 11 2004	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%

|	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	114	115	119	121	123	123	122	113	114	117	116	117
# Hct >= 33.0	101	101	107	99	95	101	107	95	98	97	95	92
Pop. Mean =	38	37	37	36	36	36	37	36	37	36	36	36
Std. Deviation =	4.64	4.47	3.59	3.70	3.92	3.63	3.61	3.61	3.83	3.67	3.55	3.58
Network Mean =												
Natl. Mean =												
% Hct >= 33.0	89%	88%	90%	82%	77%	82%	88%	84%	86%	83%	82%	79%
*% Network >= 33	91%	91%	91%									
*% Natl. >= 33	89%	89%	89%									
*Figures for 2004												
**% Network >= 33				94%	94%	94%	94%	94%	94%	94%	94%	94%
**% Natl. >= 33				92%	92%	92%	92%	92%	92%	92%	92%	92%
**Figures for 2005												

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Mount Rainier Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2007

9

V. ANEMIA - CONT.

Iron Profile

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	113			121			122			117		
# Ferritin >= 100	109			115			116			116		
Pop. Mean =	523			517			516			582		
Std. Deviation =	390			318			303			542		
Network Mean =												
Natl. Mean =												
% Ferritin >= 100	96%			95%			95%			99%		
%Natl. >=100 2004	94%			94%			94%			94%		

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	113			121			122			117		
# Ferritin < 800	100			106			102			99		
Pop. Mean =	523			517			516			582		
Std. Deviation =	390			318			303			542		
Network Mean =												
Natl. Mean =												
% Ferritin < 800	88%			88%			84%			85%		

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	112			121			122			117		
# % Sat >= 20	71			79			75			73		
Pop. Mean =	26			27			27			25		
Std. Deviation =	13			14			15			11		
Network Mean =												
Natl. Mean =												
% Sat% >= 20	63%			65%			61%			62%		
%Natl. >=20 2004	81%			81%			81%			81%		

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	112			121			122			117		
# % Sat < 50	105			114			112			113		
Pop. Mean =	26			27			27			25		
Std. Deviation =	13			14			15			11		
Network Mean =												
Natl. Mean =												
% Sat% < 50	94%			94%			92%			97%		

*Methodology: a) Monthly values based on patient's montly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.