


I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V			11			22			21			23
# Kt/V >= 1.4			1			7			7			4
Pop. Mean =			1.15			1.37			1.34			1.21
Std. Deviation =			0.21			0.40			0.34			0.25
Network Mean =			1.59			1.59			1.59			1.59
Natl. Mean =												
% Kt/V >= 1.4			9%			32%			33%			17%
**% Kt/V >= 1.2			18%			50%			71%			48%
** As of Apr. '04												




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

*Albumin values use BCG method - as of July 2001


II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	14	15	17	15	23	23	22	20	21	20	22	20
# Albumin >= 3.5	13	13	14	14	22	22	19	17	20	19	20	19
Pop. Mean =	4.1	4.1	3.9	4.0	4.1	4.1	4.0	4.0	4.0	4.1	4.0	4.1
Std. Deviation =	0.47	0.45	0.45	0.32	0.31	0.37	0.47	0.44	0.26	0.30	0.34	0.35
Network Mean =	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean =	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	93%	87%	82%	93%	96%	96%	86%	85%	95%	95%	91%	95%
% Alb >= 4.0	71%	67%	53%	53%	78%	74%	59%	65%	71%	70%	64%	65%
*Natl % >= 3.5-BCG	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
*Natl. % >= 4.0-BCG	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%	39%

*Figures for 2004




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	2			2			4			3		
# HgA1c < 7	1			2			3			2		
Pop. Mean =	6.5			5.5			6.9			6.5		
Std. Deviation =	1.06			0.42			1.00			0.96		
Network Mean =												
Natl. Mean =												
% HgA1c < 7	50%			100%			75%			67%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	15	15	17	15	23	23	22	20	21	20	22	20
# PO4 < 5.5	10	11	11	8	15	15	12	12	10	15	13	13
Pop. Mean =	4.7	4.4	4.6	5.1	5.0	5.2	5.3	5.5	5.4	4.8	5.3	5.2
Std. Deviation =	1.98	1.63	1.44	1.40	1.55	1.34	1.62	1.82	1.33	1.30	1.88	1.82
Network Mean =												
Natl. Mean =												
% PO4 < 5.5	67%	73%	65%	53%	65%	65%	55%	60%	48%	75%	59%	65%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	15	15	17	15	23	23	22	20	21	20	22	20
# PO4 > 3.5	10	12	14	13	20	21	18	18	19	18	18	17
Pop. Mean =	4.7	4.4	4.6	5.1	5.0	5.2	5.3	5.5	5.4	4.8	5.3	5.2
Std. Deviation =	1.98	1.63	1.44	1.40	1.55	1.34	1.62	1.82	1.33	1.30	1.88	1.82
Network Mean =												
Natl. Mean =												
% PO4 > 3.5	67%	80%	82%	87%	87%	91%	82%	90%	90%	90%	82%	85%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	14	15	17	15	23	23	22	20	21	21	22	20
# Calcium < 10.2	13	13	16	15	21	21	22	19	20	20	21	19
Pop. Mean =	9.3	9.3	9.1	9.0	9.0	9.1	9.0	8.9	8.9	9.0	9.1	9.0
Std. Deviation =	0.58	0.64	0.68	0.61	0.77	0.75	0.49	0.78	0.66	0.67	0.55	0.88
Network Mean =												
Natl. Mean =												
% Ca < 10.2	93%	87%	94%	100%	91%	91%	100%	95%	95%	95%	95%	95%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	14	15	17	15	23	23	22	20	21	21	22	20
# Calcium > 8.5	13	13	12	10	15	18	16	12	16	15	19	14
Pop. Mean =	9.3	9.3	9.1	9.0	9.0	9.1	9.0	8.9	8.9	9.0	9.1	9.0
Std. Deviation =	0.58	0.64	0.68	0.61	0.77	0.75	0.49	0.78	0.66	0.67	0.55	0.88
Network Mean =												
Natl. Mean =												
% Calcium > 8.5	93%	87%	71%	67%	65%	78%	73%	60%	76%	71%	86%	70%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	14	15	17	15	23	23	22	20	21	20	22	20
# Ca x PO4 < 55	11	13	13	12	17	20	14	13	16	16	14	14
Pop. Mean =	44.6	41.4	42.5	45.8	44.9	47.0	47.5	48.5	47.9	43.1	48.8	47.6
Std. Deviation =	18.0	15.1	13.9	13.6	14.6	12.1	15.2	16.6	12.2	12.4	18.6	20.3
Network Mean =												
Natl. Mean =												
% CaxPO4 < 55	79%	87%	76%	80%	74%	87%	64%	65%	76%	80%	64%	70%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	15	15	17	15	23	23	23	22	24	22	23	24
# Fistula	11	10	12	10	16	15	18	16	19	18	19	19
Network % - 2004	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%	55%
Natl. % - 2004	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%	35%
% Fistula	73%	67%	71%	67%	70%	65%	78%	73%	79%	82%	83%	79%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	15	15	17	15	23	23	23	22	24	22	23	24
# Graft	2	3	3	3	4	4	3	3	3	3	3	3
Network %												
Natl. %												
% Graft	13%	20%	18%	20%	17%	17%	13%	14%	13%	14%	13%	13%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	15	15	17	15	23	23	23	22	24	22	23	24
# Catheters	2	2	2	2	2	4	2	3	2	1	1	2
Network %												
Natl. % - 2004	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%	27%
% Catheters	13%	13%	12%	13%	9%	17%	9%	14%	8%	5%	4%	8%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	14	15	17	15	23	23	22	20	21	19	22	20
# Hgb > 10.0	13	12	12	10	22	22	19	18	20	18	21	18
Pop. Mean =	12.0	11.3	11.1	11.1	11.9	11.9	12.0	12.1	12.3	12.2	12.1	12.2
Std. Deviation =	1.2	1.6	1.7	1.5	1.2	1.4	1.5	1.3	1.1	1.3	1.5	1.4
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb > 10.0	93%	80%	71%	67%	96%	96%	86%	90%	95%	95%	95%	90%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	14	15	17	15	23	23	22	20	21	19	22	20
# Hgb >= 11.0	11	8	8	7	17	15	17	16	18	16	19	18
Pop. Mean =	12.0	11.3	11.1	11.1	11.9	11.9	12.0	12.1	12.3	12.2	12.1	12.2
Std. Deviation =	1.2	1.6	1.7	1.5	1.2	1.4	1.5	1.3	1.1	1.3	1.5	1.4
Network Mean =	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean =												
% Hgb >= 11.0	79%	53%	47%	47%	74%	65%	77%	80%	86%	84%	86%	90%
% Natl. >= 11 2004	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%	80%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	13			14			21			19		
# Ferritin >= 100	11			12			18			18		
Pop. Mean =	476			412			441			429		
Std. Deviation =	251			282			264			231		
Network Mean =												
Natl. Mean =												
% Ferritin >= 100	85%			86%			86%			95%		
%Natl. >=100 2004	94%			94%			94%			94%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	13			14			21			19		
# Ferritin < 800	11			12			18			17		
Pop. Mean =	476			412			441			429		
Std. Deviation =	251			282			264			231		
Network Mean =												
Natl. Mean =												
% Ferritin < 800	85%			86%			86%			89%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	13			13			21			19		
# % Sat >= 20	3			3			7			10		
Pop. Mean =	18			15			18			21		
Std. Deviation =	16			10			8			11		
Network Mean =												
Natl. Mean =												
% Sat% >= 20	23%			23%			33%			53%		
%Natl. >=20 2004	81%			81%			81%			81%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	13			13			21			19		
# % Sat < 50	12			13			21			18		
Pop. Mean =	18			15			18			21		
Std. Deviation =	16			10			8			11		
Network Mean =												
Natl. Mean =												
% Sat% < 50	92%			100%			100%			95%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.