



I. ADEQUACY OF DIALYSIS

	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# spKt/V	55	48	44	46	44	0	0	0	0	0	0	0
# spKt/V >= 1.2	54	46	43	44	44	0	0	0	0	0	0	0
Pop. Mean	1.63	1.56	1.55	1.59	1.61	0	0	0	0	0	0	0
Std. Deviation	0.29	0.35	0.29	0.31	0.27	0	0	0	0	0	0	0
% spKt/V >= 1.2	98%	96%	98%	96%	100%	0%	0%	0%	0%	0%	0%	0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# spKt/V w/ 3tx/wk	42	39	37	39	38	0	0	0	0	0	0	0
# spKt/V >= 1.2 w/3tx/wk	42	38	37	38	38	0	0	0	0	0	0	0
Pop. Mean	1.65	1.58	1.58	1.61	1.60	0	0	0	0	0	0	0
Std. Deviation	0.31	0.37	0.27	0.29	0.28	0	0	0	0	0	0	0
% >= 1.2 w/3tx/wk	100%	97%	100%	97%	100%	0%	0%	0%	0%	0%	0%	0%




I. ADEQUACY OF DIALYSIS - CONT.


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# URR	55	51	46	48	46	0	0	0	0	0	0	0
# URR >= 65	54	48	43	46	45	0	0	0	0	0	0	0
Pop. Mean	75	73	73	74	75	0	0	0	0	0	0	0
Std. Deviation	5.17	5.94	6.67	6.55	5.55	0	0	0	0	0	0	0
% URR >= 65	98%	94%	93%	96%	98%	0%	0%	0%	0%	0%	0%	0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# URR w/ 3tx/wk	42	39	37	39	38	0	0	0	0	0	0	0
# URR>=65 w/ 3tx/wk	42	38	36	38	37	0	0	0	0	0	0	0
Pop. Mean	75	74	74	75	75	0	0	0	0	0	0	0
Std. Deviation	5.17	5.84	5.24	5.76	5.35	0	0	0	0	0	0	0
% URR>=65 w/ 3tx/wk	100%	97%	97%	97%	97%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Pre Sys BP	55	51	48	50	46	0	0	0	0	0	0	0
# Pre Sys BP <= 165	46	46	40	44	40	0	0	0	0	0	0	0
Pop. Mean	143	142	141	141	143	0	0	0	0	0	0	0
Std. Deviation	19.3	19.5	20.2	22.1	21.1	0	0	0	0	0	0	0
% Pre Sys BP <=165	84%	88%	83%	84%	87%	0%	0%	0%	0%	0%	0%	0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# L processed/kg	55	51	48	50	46	0	0	0	0	0	0	0
# L processed/kg>=0.8	50	44	40	41	36	0	0	0	0	0	0	0
Pop. Mean	1	1	1	1	1	0	0	0	0	0	0	0
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0	0	0	0	0	0	0
% L processed/kg>=0.8	91%	86%	83%	82%	78%	0%	0%	0%	0%	0%	0%	0%




I. ADEQUACY OF DIALYSIS - CONT.


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# CO2	55	51	48	49	46	0	0	0	0	0	0	0
# CO2 < 23	11	7	7	10	13	0	0	0	0	0	0	0
Pop. Mean	24	24	25	24	24	0	0	0	0	0	0	0
Std. Deviation	2.83	2.41	3.13	2.73	2.40	0	0	0	0	0	0	0
% CO2 < 23	20%	14%	15%	20%	28%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# CO2	55	51	48	49	46	0	0	0	0	0	0	0
# CO2 23 to 27	35	40	36	33	30	0	0	0	0	0	0	0
Pop. Mean	24	24	25	24	24	0	0	0	0	0	0	0
Std. Deviation	2.83	2.41	3.13	2.73	2.40	0	0	0	0	0	0	0
% CO2 23 to 27	64%	78%	75%	67%	65%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# CO2	55	51	48	49	46	0	0	0	0	0	0	0
# CO2 > 27	9	4	5	6	3	0	0	0	0	0	0	0
Pop. Mean	24	24	25	24	24	0	0	0	0	0	0	0
Std. Deviation	2.83	2.41	3.13	2.73	2.40	0	0	0	0	0	0	0
% CO2 > 27	16%	8%	10%	12%	7%	0%	0%	0%	0%	0%	0%	0%




Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Apr. 30, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Albumin	55	51	48	49	46	0	0	0	0	0	0	0
# Albumin >= 4.0	31	25	16	16	17	0	0	0	0	0	0	0
Pop. Mean	4.0	3.8	3.9	3.7	3.7	0	0	0	0	0	0	0
Std. Deviation	0.35	0.40	0.44	0.51	0.44	0	0	0	0	0	0	0
% Alb >= 4.0	56%	49%	33%	33%	37%	0%	0%	0%	0%	0%	0%	0%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# PO4	55	50	48	49	46	0	0	0	0	0	0	0
# PO4 3.5 to 5.5	25	19	19	19	16	0	0	0	0	0	0	0
Pop. Mean	5.7	6.0	6.1	6.2	5.6	0	0	0	0	0	0	0
Std. Deviation	2.01	2.06	1.94	2.21	1.75	0	0	0	0	0	0	0
% PO4 3.5 to 5.5	45%	38%	40%	39%	35%	0%	0%	0%	0%	0%	0%	0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Calcium	55	51	48	49	46	0	0	0	0	0	0	0
# Calcium <= 8	7	8	9	10	9	0	0	0	0	0	0	0
Pop. Mean	9.0	8.8	8.7	8.7	8.7	0	0	0	0	0	0	0
Std. Deviation	0.74	0.81	0.67	0.75	0.75	0	0	0	0	0	0	0
% Calcium <= 8	13%	16%	19%	20%	20%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Calcium	55	51	48	49	46	0	0	0	0	0	0	0
# Calcium > 10.2	0	0	0	0	0	0	0	0	0	0	0	0
Pop. Mean	9.0	8.8	8.7	8.7	8.7	0	0	0	0	0	0	0
Std. Deviation	0.74	0.81	0.67	0.75	0.75	0	0	0	0	0	0	0
% Calcium > 10.2	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# PTH-I			48			0			0			0
# PTH-I 150 to 600			29			0			0			0
Pop. Mean			548			0			0			0
Std. Deviation			369			0			0			0
% PTH-I 150 to 600			60%			0%			0%			0%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Apr. 30, 2025


6

IV. ACCESS


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Access	55	51	48	50	46	0	0	0	0	0	0	0
# Fistula	39	36	34	35	33	0	0	0	0	0	0	0
% Fistula	71%	71%	71%	70%	72%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Access	55	51	48	50	46	0	0	0	0	0	0	0
# Graft	7	6	5	6	5	0	0	0	0	0	0	0
% Graft	13%	12%	10%	12%	11%	0%	0%	0%	0%	0%	0%	0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Access	55	51	48	50	46	0	0	0	0	0	0	0
# Catheters	9	9	9	9	8	0	0	0	0	0	0	0
% Catheters	16%	18%	19%	18%	17%	0%	0%	0%	0%	0%	0%	0%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Access	55	51	48	50	46	0	0	0	0	0	0	0
# Catheters	6	4	6	6	5	0	0	0	0	0	0	0
% Catheters	11%	8%	13%	12%	11%	0%	0%	0%	0%	0%	0%	0%

Definition: Catheter in use on last treatment of the month




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Fistula	39	36	34	35	33	0	0	0	0	0	0	0
# Fistula > 3 yrs	18	17	16	19	20	0	0	0	0	0	0	0
% Fistula > 3 yrs	46%	47%	47%	54%	61%	0%	0%	0%	0%	0%	0%	0%



V. ANEMIA


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Hgb	48	44	42	44	37	0	0	0	0	0	0	0
# Hgb < 10	6	15	14	12	9	0	0	0	0	0	0	0
Pop. Mean	10.7	10.3	10.3	10.3	10.4	0	0	0	0	0	0	0
Std. Deviation	1.0	1.1	1.3	1.6	1.2	0	0	0	0	0	0	0
% Hgb < 10	13%	34%	33%	27%	24%	0%	0%	0%	0%	0%	0%	0%

Note: Excludes patients who received no ESA in month.




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Hgb	48	44	42	44	37	0	0	0	0	0	0	0
# Hgb >= 12	3	1	2	3	0	0	0	0	0	0	0	0
Pop. Mean	10.7	10.3	10.3	10.3	10.4	0	0	0	0	0	0	0
Std. Deviation	1.0	1.1	1.3	1.6	1.2	0	0	0	0	0	0	0
% Hgb >= 12	6%	2%	5%	7%	0%	0%	0%	0%	0%	0%	0%	0%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Ferritin	1		48									
# Ferritin < 800	1		44									
Pop. Mean	499		446									
Std. Deviation	0		319									
% Ferritin < 800	100%		92%									



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Ferritin	1		48									
# Ferritin 800 to 1200			3									
Pop. Mean	499		446									
Std. Deviation	0		319									
% Ferritin 800 to 1200			6%									




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Ferritin	1		48									
# Ferritin > 1200			1									
Pop. Mean	499		446									
Std. Deviation	0		319									
% Ferritin > 1200			2%									




V. ANEMIA - CONT.


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# % Sat	3		48			0			0			0
# % Sat < 30	3		31			0			0			0
Pop. Mean	18		25			0			0			0
Std. Deviation	4		8			0			0			0
% % Sat < 30	100%		65%			0%			0%			0%



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# % Sat	3		48			0			0			0
# % Sat 30 to 50	0		17			0			0			0
Pop. Mean	18		25			0			0			0
Std. Deviation	4		8			0			0			0
% % Sat 30 to 50	0%		35%			0%			0%			0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# % Sat	3		48			0			0			0
# % Sat > 50	0		0			0			0			0
Pop. Mean	18		25			0			0			0
Std. Deviation	4		8			0			0			0
% % Sat > 50	0%		0%			0%			0%			0%



VI. Diabetes


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient	55	51	48	50	46	0	1	0	0	0	0	0
# Pneumonia	49	45	43	44	42	0	0	0	0	0	0	0
% Pneumonia	89%	88%	90%	88%	91%	0%	0%	0%	0%	0%	0%	0%




	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient					46	0	1	0	0	0	0	
# Influenza					1	0	0	0	0	0	0	
% Influenza					2%	0%	0%	0%	0%	0%	0%	




VIII. Outcome measures


	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient	55	51	48	50	46	0	1	0	0	0	0	0
# Hospital Admissions	7	4	10	8	6	0	0	0	0	0	0	0



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient	55	51	48	50	46	0	1	0	0	0	0	0
# Individual Deaths	0	0	1	1	2	1	0	0	0	0	0	0



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient	55	51	48	50	46	0	1	0	0	0	0	0
# Missed Treatments	82	70	92	77	71	0	0	0	0	0	0	0



	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr
# Patient	55	51	48	50	46	0	1	0	0	0	0	0
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

