


Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


1

I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	39	43	1	0	44	40	41	40	42	41	43	43
# spKt/V >= 1.4	28	27	0	0	29	25	25	29	29	28	34	33
Pop. Mean	1.63	1.54	1.17	0	1.49	1.57	1.43	1.54	1.58	1.54	1.59	1.61
Std. Deviation	0.58	0.57	0	0	0.37	0.70	0.41	0.39	0.39	0.31	0.31	0.33
% spKt/V >= 1.4	72%	63%	0%	0%	66%	63%	61%	73%	69%	68%	79%	77%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	38	40	1	0	42	39	39	37	39	38	39	38
# spKt/V >= 1.4 w/ 3tx/wk	27	24	0	0	29	25	25	27	28	26	31	30
Pop. Mean	1.64	1.53	1.17	0	1.51	1.58	1.44	1.56	1.59	1.54	1.61	1.64
Std. Deviation	0.59	0.59	0	0	0.37	0.71	0.42	0.39	0.40	0.31	0.31	0.33
% >= 1.4 w/ 3tx/wk	71%	60%	0%	0%	69%	64%	64%	73%	72%	68%	79%	79%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	39	43	1	0	44	40	41	40	42	41	43	43
# spKt/V >= 1.2	32	35	0	0	36	32	29	34	36	37	41	39
Pop. Mean	1.63	1.54	1.17	0	1.49	1.57	1.43	1.54	1.58	1.54	1.59	1.61
Std. Deviation	0.58	0.57	0	0	0.37	0.70	0.41	0.39	0.39	0.31	0.31	0.33
% spKt/V >= 1.2	82%	81%	0%	0%	82%	80%	71%	85%	86%	90%	95%	91%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


2

I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	39	43	1	0	44	40	41	40	43	41	43	43
# URR >= 65	31	32	1	0	34	30	30	34	37	37	41	39
Pop. Mean	73	71	67	0	71	71	69	72	73	73	74	74
Std. Deviation	8.60	9.67	0	0	9.49	10.70	13.08	9.77	8.02	7.74	6.02	7.13
% URR >= 65	79%	74%	100%	0%	77%	75%	73%	85%	86%	90%	95%	91%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	38	40	1	0	42	39	39	37	40	38	39	38
# URR>=65 w/ 3tx/wk	31	30	1	0	33	30	30	32	35	35	38	36
Pop. Mean	73	71	67	0	71	71	69	72	73	73	74	75
Std. Deviation	8.62	9.85	0	0	9.56	10.76	13.38	9.86	8.14	7.76	5.83	7.05
% URR>=65 w/ 3tx/wk	82%	75%	100%	0%	79%	77%	77%	86%	88%	92%	97%	95%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis

Quality Assurance Reports


Through period ending Dec. 31, 2011

3


I. ADEQUACY OF DIALYSIS - CONT.

Blood Pressure Control (Pre)


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	40	45	1	0	44	41	42	41	46	44	44	44
# Pre Dia BP < 90	32	34	0	0	32	29	30	33	39	32	35	34
Pop. Mean	78	81	90	0	80	81	82	78	76	80	79	79
Std. Deviation	13.0	13.7	0	0	13.1	13.4	15.3	13.2	14.3	13.8	14.0	13.4
% Pre Dia BP < 90	80%	76%	0%	0%	73%	71%	71%	80%	85%	73%	80%	77%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	40	45	1	0	44	41	42	41	46	44	44	44
# Pre Sys BP < 150	20	22	1	0	23	22	23	23	27	26	32	30
Pop. Mean	146	149	132	0	146	146	148	145	144	149	145	145
Std. Deviation	17.9	16.9	0	0	17.3	17.7	18.7	19.0	18.4	21.7	19.0	19.3
%Pre Sys BP <150	50%	49%	100%	0%	52%	54%	55%	56%	59%	59%	73%	68%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	40	45	1	0	44	41	42	41	46	44	44	44
# L processed/kg>0.8	34	37	1	0	36	35	30	32	36	36	36	35
Pop. Mean	1	1	1	0	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0	0	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3
% L processed/kg>0.8	85%	82%	100%	0%	82%	85%	71%	78%	78%	82%	82%	80%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


4

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	40	45	1	0	44	40	41	41	44	43	44	43
# CO2 < 23	8	12	1	0	6	3	9	6	10	12	7	14
Pop. Mean	26	25	15	0	27	28	25	25	25	25	25	23
Std. Deviation	4.00	3.82	0	0	3.41	2.94	4.05	3.49	3.22	3.74	4.13	2.99
% CO2 < 23	20%	27%	100%	0%	14%	8%	22%	15%	23%	28%	16%	33%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	40	45	1	0	44	40	41	41	44	43	44	43
# CO2 23 to 27	18	21	0	0	15	11	21	27	25	19	26	26
Pop. Mean	26	25	15	0	27	28	25	25	25	25	25	23
Std. Deviation	4.00	3.82	0	0	3.41	2.94	4.05	3.49	3.22	3.74	4.13	2.99
% CO2 23 to 27	45%	47%	0%	0%	34%	28%	51%	66%	57%	44%	59%	60%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	40	45	1	0	44	40	41	41	44	43	44	43
# CO2 > 27	14	12	0	0	23	26	11	8	9	12	11	3
Pop. Mean	26	25	15	0	27	28	25	25	25	25	25	23
Std. Deviation	4.00	3.82	0	0	3.41	2.94	4.05	3.49	3.22	3.74	4.13	2.99
% CO2 > 27	35%	27%	0%	0%	52%	65%	27%	20%	20%	28%	25%	7%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011

5


*Albumin values use BCG method - as of July 2001

II. NUTRITION


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	40	45	1	0	44	40	41	41	44	43	44	43
# Albumin >= 4.0	16	19	0	0	18	15	16	16	21	22	22	21
Pop. Mean	3.8	3.8	3.0	0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation	0.33	0.40	0	0	0.40	0.32	0.33	0.37	0.36	0.38	0.36	0.35
% Alb >= 3.5	93%	82%	0%	0%	89%	88%	95%	90%	93%	88%	95%	91%
% Alb >= 3.0	100%	98%	100%	0%	98%	100%	98%	98%	98%	98%	98%	98%
% Alb >= 4.0	40%	42%	0%	0%	41%	38%	39%	39%	48%	51%	50%	49%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	40	45	1	0	44	40	41	41	45	43	44	44
# BMI < 19	3	4	1	0	1	2	2	0	1	4	4	3
Pop. Mean	26	26	18	0	27	27	28	27	28	28	27	28
Std. Deviation	6.4	6.4	0	0	6.9	6.6	7.5	6.7	6.9	8.1	8.3	8.4
% BMI < 19	8%	9%	100%	0%	2%	5%	5%	0%	2%	9%	9%	7%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	40	45	1	0	44	40	41	41	45	43	44	44
# BMI 19 to 30	28	31	0	0	29	25	26	29	33	29	30	30
Pop. Mean	26	26	18	0	27	27	28	27	28	28	27	28
Std. Deviation	6.4	6.4	0	0	6.9	6.6	7.5	6.7	6.9	8.1	8.3	8.4
% BMI 19 to 30	70%	69%	0%	0%	66%	63%	63%	71%	73%	67%	68%	68%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	40	45	1	0	44	40	41	41	45	43	44	44
# BMI > 30	9	10	0	0	14	13	13	12	11	10	10	11
Pop. Mean	26	26	18	0	27	27	28	27	28	28	27	28
Std. Deviation	6.4	6.4	0	0	6.9	6.6	7.5	6.7	6.9	8.1	8.3	8.4
% BMI > 30	23%	22%	0%	0%	32%	33%	32%	29%	24%	23%	23%	25%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


6

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	40	45	1	0	44	40	41	41	45	43	44	43
# PO4 < 3.5	2	8	1	0	2	5	6	4	6	6	3	5
Pop. Mean	5.6	5.5	2.9	0	5.9	5.3	5.6	5.5	5.7	5.3	5.5	5.3
Std. Deviation	2.01	1.96	0	0	1.86	1.83	2.22	1.82	2.21	1.87	1.53	1.60
% PO4 < 3.5	5%	18%	100%	0%	5%	13%	15%	10%	13%	14%	7%	12%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	40	45	1	0	44	40	41	41	45	43	44	43
# PO4 3.5 to 5.5	20	18	0	0	21	19	18	21	15	17	21	20
Pop. Mean	5.6	5.5	2.9	0	5.9	5.3	5.6	5.5	5.7	5.3	5.5	5.3
Std. Deviation	2.01	1.96	0	0	1.86	1.83	2.22	1.82	2.21	1.87	1.53	1.60
% PO4 3.5 to 5.5	50%	40%	0%	0%	48%	48%	44%	51%	33%	40%	48%	47%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	40	45	1	0	44	40	41	41	45	43	44	43
# PO4 > 5.5	18	19	0	0	21	16	17	16	24	20	20	18
Pop. Mean	5.6	5.5	2.9	0	5.9	5.3	5.6	5.5	5.7	5.3	5.5	5.3
Std. Deviation	2.01	1.96	0	0	1.86	1.83	2.22	1.82	2.21	1.87	1.53	1.60
% PO4 > 5.5	45%	42%	0%	0%	48%	40%	41%	39%	53%	47%	45%	42%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


7

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	40	45	1	0	44	40	41	41	45	43	44	43
# Calcium < 8.5	9	12	0	0	8	8	9	10	10	8	11	7
Pop. Mean	9.0	9.1	9.1	0	9.3	9.1	9.2	9.0	9.1	9.3	9.0	9.1
Std. Deviation	0.80	0.77	0	0	1.02	1.09	1.07	1.07	1.22	0.92	0.84	0.66
% Calcium < 8.5	23%	27%	0%	0%	18%	20%	22%	24%	22%	19%	25%	16%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	40	45	1	0	44	40	41	41	45	43	44	43
# Calcium 8.5 to 10.2	28	30	1	0	29	28	28	28	29	30	31	34
Pop. Mean	9.0	9.1	9.1	0	9.3	9.1	9.2	9.0	9.1	9.3	9.0	9.1
Std. Deviation	0.80	0.77	0	0	1.02	1.09	1.07	1.07	1.22	0.92	0.84	0.66
% Calcium 8.5 to 10.2	70%	67%	100%	0%	66%	70%	68%	68%	64%	70%	70%	79%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	40	45	1	0	44	40	41	41	45	43	44	43
# Calcium > 10.2	3	3	0	0	7	4	4	3	6	5	2	2
Pop. Mean	9.0	9.1	9.1	0	9.3	9.1	9.2	9.0	9.1	9.3	9.0	9.1
Std. Deviation	0.80	0.77	0	0	1.02	1.09	1.07	1.07	1.22	0.92	0.84	0.66
% Calcium > 10.2	8%	7%	0%	0%	16%	10%	10%	7%	13%	12%	5%	5%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


8

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	40			0			41			40		
# PTH-I < 150	4			0			15			11		
Pop. Mean	727			0			498			435		
Std. Deviation	701			0			751			732		
% PTH-I < 150	10%			0%			37%			28%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	40			0			41			40		
# PTH-I > 400	20			0			15			12		
Pop. Mean	727			0			498			435		
Std. Deviation	701			0			751			732		
% PTH-I > 400	50%			0%			37%			30%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	40			0			41			40		
# PTH-I 150 to 400	16			0			11			17		
Pop. Mean	727			0			498			435		
Std. Deviation	701			0			751			732		
% PTH-I 150 to 400	40%			0%			27%			43%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	40			0			41			40		
# PTH-I 150 to 300	11			0			7			12		
Pop. Mean	727			0			498			435		
Std. Deviation	701			0			751			732		
% PTH-I 150 to 300	28%			0%			17%			30%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011

9

III. OSTEODYSTROPHY - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	40	45	1	0	44	40	41	41	45	43	44	43
# Ca x PO4 < 65	34	38	1	0	34	33	30	35	35	35	40	37
Pop. Mean	50.7	50.2	26.4	0	54.7	47.7	49.9	49.6	50.8	49.1	49.1	48.4
Std. Deviation	17.7	18.9	0	0	19.0	18.1	16.6	17.1	18.7	16.9	11.8	14.5
% CaxPO4 < 65	85%	84%	100%	0%	77%	83%	73%	85%	78%	81%	91%	86%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis


Quality Assurance Reports

Through period ending Dec. 31, 2011


10

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	40	45	1	0	44	41	42	41	46	44	44	44
# Fistula	26	28	0	0	24	24	27	27	30	28	28	28
% Fistula	65%	62%	0%	0%	55%	59%	64%	66%	65%	64%	64%	64%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	40	45	1	0	44	41	42	41	46	44	44	44
# Graft	6	6	0	0	7	8	6	5	8	8	8	9
% Graft	15%	13%	0%	0%	16%	20%	14%	12%	17%	18%	18%	20%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	40	45	1	0	44	41	42	41	46	44	44	44
# Catheters	8	11	1	0	13	9	9	9	8	8	8	7
% Catheters	20%	24%	100%	0%	30%	22%	21%	22%	17%	18%	18%	16%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis

Quality Assurance Reports


Through period ending Dec. 31, 2011

11


IV. ACCESS - CONT.

Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	40	45	1	0	44	41	42	41	46	44	44	44
# Cuffed Catheters	3	5	0	0	9	7	5	6	5	5	6	5
% Cuffed Catheters	8%	11%	0%	0%	20%	17%	12%	15%	11%	11%	14%	11%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	26	28	0	0	24	24	27	27	30	28	28	28
# Fistula > 3 yrs	9	9	0	0	7	6	7	7	7	7	8	7
% Fistula > 3 yrs	35%	32%	0%	0%	29%	25%	26%	26%	23%	25%	29%	25%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Graft	6	6	0	0	7	8	6	5	8	8	8	9
# Graft > 2 yrs	1	2	0	0	2	1	0	0	0	0	0	0
% Graft > 2 yrs	17%	33%	0%	0%	29%	13%	0%	0%	0%	0%	0%	0%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011

12

IV. ACCESS - CONT.


Infection per use-life of access fistula

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Infex per use-life	0											



Infection per use-life of access graft

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Infex per use-life	0	0										



Thrombosis Episode - access fistula

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Current Month												
Rolling Year-to-date					0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00

Thrombosis Episode - access graft

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Current Month										0.16		
Rolling Year-to-date										0.02	0.02	0.01

Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis


Quality Assurance Reports

Through period ending Dec. 31, 2011


13

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	40	45	1	0	44	41	42	41	45	44	44	44
# Hgb < 10	8	10	0	0	7	7	12	11	9	10	6	9
Pop. Mean	11.0	11.1	10.2	0	11.4	11.1	10.7	10.8	10.9	11.0	11.1	11.2
Std. Deviation	1.6	1.4	0	0	1.3	1.6	1.4	1.5	1.5	1.3	1.3	1.4
% Hgb < 10	20%	22%	0%	0%	16%	17%	29%	27%	20%	23%	14%	20%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	40	45	1	0	44	41	42	41	45	44	44	44
# Hgb 10 to 12	23	23	1	0	22	23	23	22	26	25	31	30
Pop. Mean	11.0	11.1	10.2	0	11.4	11.1	10.7	10.8	10.9	11.0	11.1	11.2
Std. Deviation	1.6	1.4	0	0	1.3	1.6	1.4	1.5	1.5	1.3	1.3	1.4
% Hgb 10 to 12	58%	51%	100%	0%	50%	56%	55%	54%	58%	57%	70%	68%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	40	45	1	0	44	41	42	41	45	44	44	44
# Hgb > 12	9	12	0	0	15	11	7	8	10	9	7	5
Pop. Mean	11.0	11.1	10.2	0	11.4	11.1	10.7	10.8	10.9	11.0	11.1	11.2
Std. Deviation	1.6	1.4	0	0	1.3	1.6	1.4	1.5	1.5	1.3	1.3	1.4
% Hgb > 12	23%	27%	0%	0%	34%	27%	17%	20%	22%	20%	16%	11%



Average EPO Dose per Week per Kilogram

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average EPO	216.5	258.3	232.1	0	137.2	115.4	100.4	111.4	99.7	98.1	102.7	90.5



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis

Quality Assurance Reports


Through period ending Dec. 31, 2011

14


V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	40			0			39			42		
# Ferritin < 500	31			0			12			16		
Pop. Mean	430			0			764			767		
Std. Deviation	215			0			395			446		
% Ferritin < 500	78%			0%			31%			38%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	40			0			39			42		
# Ferritin 500 to 1200	9			0			21			19		
Pop. Mean	430			0			764			767		
Std. Deviation	215			0			395			446		
% Ferritin 500 to 1200	23%			0%			54%			45%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	40			0			39			42		
# Ferritin > 1200	0			0			6			7		
Pop. Mean	430			0			764			767		
Std. Deviation	215			0			395			446		
% Ferritin > 1200	0%			0%			15%			17%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011


15

V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	40			0			39			42		
# % Sat < 30	31			0			16			22		
Pop. Mean	23			0			36			32		
Std. Deviation	10			0			19			15		
% % Sat < 30	78%			0%			41%			52%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	40			0			39			42		
# % Sat 30 to 50	8			0			17			15		
Pop. Mean	23			0			36			32		
Std. Deviation	10			0			19			15		
% % Sat 30 to 50	20%			0%			44%			36%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	40			0			39			42		
# % Sat > 50	1			0			6			5		
Pop. Mean	23			0			36			32		
Std. Deviation	10			0			19			15		
% % Sat > 50	3%			0%			15%			12%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Blood Transfusion	1	1	0	0	0	1	2	1	1	2	2	0




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2011

16

VI. Diabetes

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	17			0			19			13		
# HgA1c < 7	8			0			9			8		
Pop. Mean	7.6			0			7.4			6.8		
Std. Deviation	1.87			0			1.70			2.13		
% HgA1c < 7	47%			0%			47%			62%		



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Broadway Kidney Center - Center Hemodialysis

Quality Assurance Reports


Through period ending Dec. 31, 2011

17


VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	42	45	1	1	44	42	42	42	45	44	45	45
# Pneumonia	35	42	1	1	35	35	36	36	38	40	42	41
% Pneumonia	83%	93%	100%	100%	80%	83%	86%	86%	84%	91%	93%	91%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	41	44	1						45	44	45	45
# Influenza	29	31	0						10	32	34	36
% Influenza	71%	70%	0%						22%	73%	76%	80%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.