



I. ADEQUACY OF DIALYSIS


| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # spKt/V | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 13 | 10 |
| # spKt/V >= 1.4 | 8 | 6 | 3 | 2 | 7 | 6 | 8 | 9 | 4 | 4 | 8 | 4 |
| Pop. Mean | 1.83 | 1.67 | 1.71 | 1.50 | 1.53 | 1.50 | 1.49 | 1.63 | 1.40 | 1.34 | 1.49 | 1.44 |
| Std. Deviation | 0.92 | 0.28 | 0.37 | 0.33 | 0.28 | 0.24 | 0.37 | 0.30 | 0.36 | 0.25 | 0.27 | 0.22 |
| % spKt/V >= 1.4 | 73% | 86% | 100% | 33% | 70% | 60% | 67% | 82% | 57% | 40% | 62% | 40% |
| % spKt/V >= 1.2 | 100% | 100% | 100% | 100% | 100% | 100% | 83% | 100% | 86% | 70% | 100% | 100% |



| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # spKt/V w/ 3tx/wk | 11 | 7 | 3 | 6 | 10 | 10 | 10 | 11 | 7 | 9 | 12 | 10 |
| # spKt/V >= 1.4 w/3tx/wk | 8 | 6 | 3 | 2 | 7 | 6 | 6 | 9 | 4 | 4 | 7 | 4 |
| Pop. Mean | 1.83 | 1.67 | 1.71 | 1.50 | 1.53 | 1.50 | 1.46 | 1.63 | 1.40 | 1.36 | 1.49 | 1.44 |
| Std. Deviation | 0.92 | 0.28 | 0.37 | 0.33 | 0.28 | 0.24 | 0.39 | 0.30 | 0.36 | 0.25 | 0.28 | 0.22 |
| % spKt/V >= 1.4 w/3tx/wk | 86% | 100% | 100% | 33% | 70% | 60% | 60% | 82% | 57% | 44% | 58% | 40% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|---------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Pre Sys BP | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Pre Sys BP <= 165 | 10 | 6 | 2 | 6 | 9 | 9 | 12 | 10 | 7 | 10 | 14 | 11 |
| Pop. Mean | 132 | 144 | 146 | 139 | 146 | 146 | 134 | 135 | 137 | 133 | 133 | 134 |
| Std. Deviation | 16.7 | 20.2 | 18.3 | 12.1 | 19.3 | 16.4 | 15.1 | 15.3 | 15.1 | 15.3 | 16.7 | 14.9 |
| % Pre Sys BP <= 165 | 91% | 86% | 67% | 100% | 90% | 80% | 100% | 91% | 100% | 100% | 93% | 100% |



*Albumin values use BCG method - as of July 2001

II. NUTRITION


| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Albumin | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Albumin >= 4.0 | 2 | 3 | 2 | 1 | 4 | 5 | 5 | 2 | 1 | 1 | 6 | 2 |
| Pop. Mean | 3.7 | 3.9 | 3.6 | 3.7 | 3.7 | 3.9 | 3.8 | 3.5 | 3.6 | 3.4 | 3.6 | 3.5 |
| Std. Deviation | 0.52 | 0.42 | 1.12 | 0.73 | 0.70 | 0.32 | 0.40 | 0.51 | 0.41 | 0.56 | 0.60 | 0.47 |
| % Alb >= 4.0 | 18% | 43% | 67% | 17% | 40% | 50% | 42% | 18% | 14% | 10% | 40% | 18% |




Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY

| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # PO4 | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # PO4 <= 3.5 | 2 | 1 | 1 | 1 | 3 | 1 | 2 | 2 | 0 | 1 | 1 | 2 |
| Pop. Mean | 4.9 | 5.7 | 3.8 | 4.9 | 5.5 | 5.1 | 4.6 | 5.1 | 6.2 | 5.9 | 5.7 | 5.5 |
| Std. Deviation | 1.30 | 2.00 | 1.02 | 1.25 | 2.18 | 1.53 | 1.28 | 1.45 | 1.18 | 2.18 | 1.93 | 1.87 |
| % PO4 <= 3.5 | 18% | 14% | 33% | 17% | 30% | 10% | 17% | 18% | 0% | 10% | 7% | 18% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|
| # PTH-I | | | 2 | | | 8 | | | 5 | | | 11 |
| # PTH-I >= 400 | | | 0 | | | 6 | | | 3 | | | 7 |
| Pop. Mean | | | 93 | | | 646 | | | 822 | | | 509 |
| Std. Deviation | | | 35 | | | 541 | | | 1001 | | | 303 |
| % PTH-I >= 400 | | | 0% | | | 75% | | | 60% | | | 64% |




IV. ACCESS


| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Fistula | 2 | 1 | 0 | 0 | 3 | 3 | 4 | 1 | 1 | 1 | 2 | 1 |
| % Fistula | 18% | 14% | 0% | 0% | 30% | 30% | 33% | 9% | 14% | 10% | 13% | 9% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Fistula in Place | 8 | 3 | 1 | 1 | 5 | 5 | 7 | 5 | 2 | 3 | 6 | 5 |
| % Fistula in Place | 73% | 43% | 33% | 17% | 50% | 50% | 58% | 45% | 29% | 30% | 40% | 45% |



| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Graft | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 |
| % Graft | 0% | 0% | 0% | 0% | 0% | 0% | 8% | 9% | 14% | 0% | 0% | 0% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|-------------|-----|-----|------|------|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 11 | 7 | 3 | 6 | 10 | 10 | 12 | 11 | 7 | 10 | 15 | 11 |
| # Catheters | 9 | 6 | 3 | 6 | 7 | 7 | 7 | 9 | 5 | 9 | 13 | 10 |
| % Catheters | 82% | 86% | 100% | 100% | 70% | 70% | 58% | 82% | 71% | 90% | 87% | 91% |




IV. ACCESS - CONT. Access at 90 days for those patients that reached 90 days within the month.


| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Fistula in use | 0 | 3 | 1 | 0 | 0 | 0 | 1 | 4 | 0 | 2 | 0 | 0 |
| % Fistula in use | 0% | 38% | 33% | 0% | 0% | 0% | 50% | 57% | 0% | 40% | 0% | 0% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------|-----|-----|------|-----|-----|-----|------|-----|------|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Fistula in Place | 0 | 5 | 3 | 1 | 1 | 1 | 2 | 6 | 5 | 4 | 1 | 1 |
| % Fistula in Place | 0% | 63% | 100% | 25% | 50% | 50% | 100% | 86% | 100% | 80% | 50% | 33% |



| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Graft in use | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| % Graft in use | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 0% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Graft in Place | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| % Graft in Place | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 0% |




IV. ACCESS - CONT. Access at 90 days for those patients that reached 90 days within the month.

| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------|------|-----|-----|------|------|------|-----|-----|------|-----|------|------|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Catheters in use | 2 | 5 | 2 | 4 | 2 | 2 | 1 | 3 | 5 | 2 | 2 | 3 |
| % Catheters in use | 100% | 63% | 67% | 100% | 100% | 100% | 50% | 43% | 100% | 40% | 100% | 100% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------------|------|-----|-----|------|------|------|-----|-----|------|-----|------|------|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Catheters in Place | 2 | 6 | 2 | 4 | 2 | 2 | 1 | 3 | 5 | 3 | 2 | 3 |
| % Catheters in Place | 100% | 75% | 67% | 100% | 100% | 100% | 50% | 43% | 100% | 60% | 100% | 100% |




IV. ACCESS - CONT. Access at first day for those patients that reached 90 days within the month.


| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 1 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Fistula in use | 0 | 3 | 1 | 0 | 0 | 0 | 0 | 4 | 0 | 2 | 0 | 0 |
| % Fistula in use | 0% | 38% | 33% | 0% | 0% | 0% | 0% | 57% | 0% | 40% | 0% | 0% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------|-----|-----|------|-----|-----|-----|------|-----|------|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Fistula in Place | 0 | 6 | 3 | 1 | 1 | 1 | 2 | 6 | 5 | 4 | 1 | 1 |
| % Fistula in Place | 0% | 75% | 100% | 25% | 50% | 50% | 100% | 86% | 100% | 80% | 50% | 33% |



| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 1 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Graft in use | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| % Graft in use | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 0% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Graft in Place | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| % Graft in Place | 50% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 0% | 20% | 0% | 0% |




IV. ACCESS - CONT. Access at first day for those patients that reached 90 days within the month.

| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|--------------------|------|-----|-----|------|------|------|------|-----|------|-----|------|------|
| # Patient | 1 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Catheters in use | 1 | 5 | 2 | 4 | 2 | 2 | 2 | 3 | 5 | 2 | 2 | 3 |
| % Catheters in use | 100% | 63% | 67% | 100% | 100% | 100% | 100% | 43% | 100% | 40% | 100% | 100% |




| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------------|-----|-----|------|-----|-----|-----|------|-----|------|------|-----|-----|
| # Patient | 2 | 8 | 3 | 4 | 2 | 2 | 2 | 7 | 5 | 5 | 2 | 3 |
| # Catheters in Place | 1 | 6 | 3 | 1 | 1 | 1 | 2 | 6 | 5 | 5 | 1 | 1 |
| % Catheters in Place | 50% | 75% | 100% | 25% | 50% | 50% | 100% | 86% | 100% | 100% | 50% | 33% |



V. ANEMIA

| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|-----|-----|------|-----|-----|-----|-----|-----|------|-----|-----|-----|
| # Hgb | 9 | 6 | 3 | 6 | 7 | 8 | 12 | 11 | 5 | 7 | 11 | 8 |
| # Hgb <= 10 | 8 | 4 | 3 | 3 | 5 | 7 | 10 | 10 | 5 | 5 | 9 | 5 |
| Pop. Mean | 9.0 | 9.7 | 8.4 | 9.9 | 9.6 | 9.3 | 8.8 | 8.6 | 8.6 | 9.4 | 9.4 | 9.8 |
| Std. Deviation | 0.9 | 0.6 | 0.7 | 1.2 | 1.5 | 0.7 | 1.2 | 1.0 | 0.6 | 1.1 | 0.9 | 1.5 |
| % Hgb <= 10 | 89% | 67% | 100% | 50% | 71% | 88% | 83% | 91% | 100% | 71% | 82% | 63% |

Note: Excludes patients who received no ESA in month.



| | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec | Jan |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Hgb | 9 | 6 | 3 | 6 | 7 | 8 | 12 | 11 | 5 | 7 | 11 | 8 |
| # Hgb >= 12 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Pop. Mean | 9.0 | 9.7 | 8.4 | 9.9 | 9.6 | 9.3 | 8.8 | 8.6 | 8.6 | 9.4 | 9.4 | 9.8 |
| Std. Deviation | 0.9 | 0.6 | 0.7 | 1.2 | 1.5 | 0.7 | 1.2 | 1.0 | 0.6 | 1.1 | 0.9 | 1.5 |
| % Hgb >= 12 | 0% | 0% | 0% | 0% | 14% | 0% | 0% | 0% | 0% | 0% | 0% | 0% |

Note: Excludes patients who received no ESA in month.

