



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	86	90	91	90	89	91	89	90	88	86	87	90
# Kt/V >= 1.4	68	71	73	73	73	75	77	73	70	73	69	69
Pop. Mean	1.59	1.57	1.58	1.61	1.61	1.62	1.67	1.59	1.58	1.63	1.62	1.66
Std. Deviation	0.29	0.31	0.34	0.30	0.33	0.33	0.42	0.36	0.30	0.30	0.42	0.52
Network Mean '04	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.4	79%	79%	80%	81%	82%	82%	87%	81%	80%	85%	79%	77%
Network % >= 1.2 '06	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	86	90	91	90	89	91	89	90	88	86	87	90
# Kt/V >= 1.2	79	79	81	82	83	84	82	82	79	80	79	80
Pop. Mean	1.59	1.57	1.58	1.61	1.61	1.62	1.67	1.59	1.58	1.63	1.62	1.66
Std. Deviation	0.29	0.31	0.34	0.30	0.33	0.33	0.42	0.36	0.30	0.30	0.42	0.52
Network Mean '04	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.2	92%	88%	89%	91%	93%	92%	92%	91%	90%	93%	91%	89%
Network % >= 1.2 '06	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	89	90	92	92	90	93	91	91	88	88	88	92
# Pre Dia BP < 90	84	85	87	88	86	89	84	84	74	74	76	80
Pop. Mean	70	71	71	71	71	70	72	73	74	74	74	74
Std. Deviation	11.3	11.8	11.2	12.5	11.4	11.7	12.3	12.6	13.8	14.1	15.0	14.9
Network Mean												
Natl. Mean												
% Pre Dia BP < 90	94%	94%	95%	96%	96%	96%	92%	92%	84%	84%	86%	87%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	89	90	92	92	90	93	91	91	88	88	88	92
# Pre Sys BP < 150	64	56	55	54	58	62	59	52	51	47	50	50
Pop. Mean	142	143	143	144	143	141	143	147	147	147	148	147
Std. Deviation	20.3	20.4	19.7	21.6	19.7	19.4	20.1	20.5	20.8	20.5	21.2	21.0
Network Mean												
Natl. Mean												
% Pre Sys BP < 150	72%	62%	60%	59%	64%	67%	65%	57%	58%	53%	57%	54%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	89	90	92	92	90	93	91	91	88	88	88	92
# L processed/kg>0.8	73	77	78	78	74	77	79	79	72	72	75	77
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Network Mean												
Natl. Mean												
% L processed/kg>0.8	82%	86%	85%	85%	82%	83%	87%	87%	82%	82%	85%	84%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR											87	90
# URR >= 65											78	76
Pop. Mean											74	74
Std. Deviation											8.28	8.75
Network Mean												
Natl. Mean												
% URR >= 65											90%	84%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	87	90	92	92	89	93	90	90	88	87	88	90
# CO2 >= 23	76	85	82	80	83	82	80	88	78	77	85	85
Pop. Mean	25	27	26	25	26	26	26	27	25	26	27	27
Std. Deviation	2.57	2.44	2.85	2.70	2.56	3.12	2.97	2.42	2.33	2.63	2.19	2.55
Network Mean												
Natl. Mean												
% CO2 >= 23	87%	94%	89%	87%	93%	88%	89%	98%	89%	89%	97%	94%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	87	90	92	92	89	93	90	90	88	87	88	90
# Albumin >= 4.0	64	64	69	57	60	61	60	60	44	52	49	50
Pop. Mean	4.1	4.1	4.1	4.0	4.1	4.0	4.0	4.0	3.9	4.0	3.9	4.0
Std. Deviation	0.40	0.39	0.38	0.38	0.39	0.40	0.41	0.38	0.35	0.38	0.36	0.35
Network Mean	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	94%	93%	95%	92%	93%	92%	90%	97%	90%	92%	89%	91%
% Alb >= 3.0	98%	100%	98%	99%	99%	99%	98%	99%	100%	99%	97%	100%
% Alb >= 4.0	74%	71%	75%	62%	67%	66%	67%	67%	50%	60%	56%	56%
Netwk%>=3.5 '06	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%
Netwk%>=4.0 '06	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%
Natl % >= 3.5 '06	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
Natl. % >= 4.0 '06	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# SGA	88	88	89	89	87	87	84	84	85	85	86	87
# SGA <=9	80	81	82	81	80	73	71	68	64	63	64	68
Pop. Mean	5	5	5	6	6	7	6	7	7	7	7	7
Std. Deviation	3.0	2.9	2.9	3.2	2.9	3.5	3.4	3.6	3.6	3.5	3.6	3.4
Network Mean												
Natl. Mean												
% SGA <= 9	91%	92%	92%	91%	92%	84%	85%	81%	75%	74%	74%	78%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	90	92	92	89	93	90	90	88	87	88	90
# PO4 < 5.5	61	61	60	54	57	61	66	59	51	48	54	48
Pop. Mean	5.0	5.0	5.2	5.3	5.2	5.1	5.1	5.2	5.3	5.3	5.3	5.3
Std. Deviation	1.38	1.45	1.25	1.53	1.50	1.59	1.55	1.64	1.57	1.52	1.68	1.61
Network Mean												
Natl. Mean '06	5	5	5	5	5	5	5	5	5	5	5	5
% PO4 < 5.5	69%	68%	65%	59%	64%	66%	73%	66%	58%	55%	61%	53%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	90	92	92	89	93	90	90	88	87	88	90
# PO4 > 3.5	77	80	83	86	82	81	82	74	80	79	81	79
Pop. Mean	5.0	5.0	5.2	5.3	5.2	5.1	5.1	5.2	5.3	5.3	5.3	5.3
Std. Deviation	1.38	1.45	1.25	1.53	1.50	1.59	1.55	1.64	1.57	1.52	1.68	1.61
Network Mean												
Natl. Mean '06	5	5	5	5	5	5	5	5	5	5	5	5
% PO4 > 3.5	88%	89%	90%	93%	92%	87%	91%	82%	91%	91%	92%	88%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	90	92	92	89	93	90	90	88	87	88	90
# PO4 3.5 to 5.5	56	53	55	50	55	54	58	47	47	46	49	38
Pop. Mean	5.0	5.0	5.2	5.3	5.2	5.1	5.1	5.2	5.3	5.3	5.3	5.3
Std. Deviation	1.38	1.45	1.25	1.53	1.50	1.59	1.55	1.64	1.57	1.52	1.68	1.61
Network Mean												
% PO4 3.5 to 5.5	64%	59%	60%	54%	62%	58%	64%	52%	53%	53%	56%	42%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	88	90	92	92	89	93	90	90	88	87	88	90
# Calcium < 10.2	87	89	91	88	87	90	87	88	87	84	87	86
Pop. Mean	9.2	9.2	9.2	9.3	9.2	9.2	9.2	9.2	9.2	9.3	9.2	9.3
Std. Deviation	0.51	0.57	0.47	0.61	0.51	0.54	0.60	0.62	0.54	0.58	0.53	0.60
Network Mean												
Natl. Mean '06	9	9	9	9	9	9	9	9	9	9	9	9
% Ca < 10.2	99%	99%	99%	96%	98%	97%	97%	98%	99%	97%	99%	96%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	88	90	92	92	89	93	90	90	88	87	88	90
# Calcium > 8.4	81	81	83	84	82	85	83	83	84	81	79	84
Pop. Mean	9.2	9.2	9.2	9.3	9.2	9.2	9.2	9.2	9.2	9.3	9.2	9.3
Std. Deviation	0.51	0.57	0.47	0.61	0.51	0.54	0.60	0.62	0.54	0.58	0.53	0.60
Network Mean												
Natl. Mean '06	9	9	9	9	9	9	9	9	9	9	9	9
% Calcium > 8.4	92%	90%	90%	91%	92%	91%	92%	92%	95%	93%	90%	93%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	87			78			89			74		
# PTH-I > 150	68			58			67			62		
Pop. Mean	352			323			338			446		
Std. Deviation	272			248			291			406		
Network Mean												
Natl. Mean												
% PTH-I > 150	78%			74%			75%			84%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	87			78			89			74		
# PTH-I < 300	49			42			53			30		
Pop. Mean	352			323			338			446		
Std. Deviation	272			248			291			406		
Network Mean												
Natl. Mean												
% PTH-I < 300	56%			54%			60%			41%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	87			78			89			74		
# PTH-I 150 to 300	31			23			31			18		
Pop. Mean	352			323			338			446		
Std. Deviation	272			248			291			406		
Network Mean												
Natl. Mean												
% PTH-I 150 to 300	36%			29%			35%			24%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	87	90	92	92	89	93	90	90	88	87	88	90
# Ca x PO4 < 65	77	82	77	74	76	78	81	78	76	71	74	75
Pop. Mean	47.8	47.2	50.3	51.9	48.9	48.0	47.3	49.3	49.6	51.1	50.2	51.9
Std. Deviation	14.9	14.7	15.0	17.2	15.0	15.9	14.6	16.3	15.5	16.8	17.6	17.6
Network Mean												
Natl. Mean												
% Ca x PO4 < 65	89%	91%	84%	80%	85%	84%	90%	87%	86%	82%	84%	83%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	88	89	90	90	90	93	90	90	88	87	88	92
# Fistula	69	71	70	73	72	73	70	68	65	64	63	63
Network % '06	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%
Natl. % '06	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%
% Fistula	78%	80%	78%	81%	80%	78%	78%	76%	74%	74%	72%	68%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	88	89	90	90	90	93	90	90	88	87	88	92
# Graft	12	12	12	10	10	11	10	10	10	10	11	11
Network %												
Natl. %												
% Graft	14%	13%	13%	11%	11%	12%	11%	11%	11%	11%	13%	12%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	88	89	90	90	90	93	90	90	88	87	88	92
# Catheters	6	5	7	6	7	8	9	11	12	12	14	18
Network % '06	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%
Natl. % '06	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
% Catheters	7%	6%	8%	7%	8%	9%	10%	12%	14%	14%	16%	20%



Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	88	89	90	90	90	93	90	90	88	87	88	92
# Cuffed Catheters	2	2	5	5	6	5	4	5	5	6	7	12
Network % '06	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%
Natl. % '06	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
% Cuffed Catheters	2%	2%	6%	6%	7%	6%	5%	6%	6%	8%	9%	14%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	90	92	92	90	93	91	90	88	88	88	90
# Hgb >= 11.0	67	76	81	79	75	78	74	68	73	75	71	72
Pop. Mean	12.0	12.1	12.3	12.4	12.3	12.0	12.0	11.9	12.0	12.0	12.0	12.0
Std. Deviation	1.4	1.4	1.3	1.4	1.4	1.2	1.3	1.5	1.3	1.4	1.4	1.2
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06	12	12	12	12	12	12	12	12	12	12	12	12
% Hgb >= 11.0	76%	84%	88%	86%	83%	84%	81%	76%	83%	85%	81%	80%
% Hgb <= 11.0	25%	17%	12%	14%	18%	17%	21%	27%	17%	15%	20%	20%
% Netwk >= 11 '06	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%
% Natl. >= 11 '06	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	90	92	92	90	93	91	90	88	88	88	90
# Hgb 11 to 12	25	35	34	22	23	29	39	28	32	35	29	31
Pop. Mean	12.0	12.1	12.3	12.4	12.3	12.0	12.0	11.9	12.0	12.0	12.0	12.0
Std. Deviation	1.4	1.4	1.3	1.4	1.4	1.2	1.3	1.5	1.3	1.4	1.4	1.2
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06	12	12	12	12	12	12	12	12	12	12	12	12
% Hgb 11 to 12	28%	39%	37%	24%	26%	31%	43%	31%	36%	40%	33%	34%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	90	92	92	90	93	91	90	88	88	88	90
# Hgb < 13	66	70	68	62	67	78	75	72	73	70	66	74
Pop. Mean	12.0	12.1	12.3	12.4	12.3	12.0	12.0	11.9	12.0	12.0	12.0	12.0
Std. Deviation	1.4	1.4	1.3	1.4	1.4	1.2	1.3	1.5	1.3	1.4	1.4	1.2
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb < 13	75%	78%	74%	67%	74%	84%	82%	80%	83%	80%	75%	82%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	90	92	92	90	93	91	90	88	88	88	90
# Hgb 10 to 12	42	44	43	31	34	40	54	42	43	43	42	44
Pop. Mean	12.0	12.1	12.3	12.4	12.3	12.0	12.0	11.9	12.0	12.0	12.0	12.0
Std. Deviation	1.4	1.4	1.3	1.4	1.4	1.2	1.3	1.5	1.3	1.4	1.4	1.2
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb 10 to 12	48%	49%	47%	34%	38%	43%	59%	47%	49%	49%	48%	49%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	88	91	92	92	90	93	90	90	88	88	88	90
# Hct >= 33.0	55	72	73	75	75	74	66	66	73	75	68	70
Pop. Mean	35	36	36	36	37	36	36	36	36	36	35	35
Std. Deviation	4.41	4.22	3.79	4.34	4.22	3.80	4.39	4.72	3.93	4.06	4.00	3.55
Network Mean												
Natl. Mean												
% Hct >= 33.0	63%	79%	79%	82%	83%	80%	73%	73%	83%	85%	77%	78%
% Netwk >= 33 '05	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%
% Natl. >= 33 '05	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%




Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	86			92			89			87		
# Ferritin > 200	81			83			81			79		
Pop. Mean	636			590			614			594		
Std. Deviation	331			348			307			279		
Network Mean												
Natl. Mean '06	583			583			583			583		
% Ferritin > 200	94%			90%			91%			91%		
% Netwk >= 100 '06	93%			93%								
% Natl. >=100 '06	95%			95%								



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	86			92			89			87		
# Ferritin < 800	63			74			62			68		
Pop. Mean	636			590			614			594		
Std. Deviation	331			348			307			279		
Network Mean												
Natl. Mean '06	583			583			583			583		
% Ferritin < 800	73%			80%			70%			78%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	86			92			89			87		
# Ferritin < 500	33			37			30			33		
Pop. Mean	636			590			614			594		
Std. Deviation	331			348			307			279		
Network Mean												
Natl. Mean '06	583			583			583			583		
% Ferritin < 500	38%			40%			34%			38%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	86			92			89			87		
# % Sat > 20	50			61			57			49		
Pop. Mean	26			26			27			25		
Std. Deviation	14			12			13			15		
Network Mean												
Natl. Mean '06	28			28			28			28		
% Sat% > 20	58%			66%			64%			56%		
% Netwk >= 20 '06	74%			74%			74%			74%		
% Natl. >=20 '06	79%			79%			79%			79%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	86			92			89			87		
# % Sat < 50	80			89			84			83		
Pop. Mean	26			26			27			25		
Std. Deviation	14			12			13			15		
Network Mean												
Natl. Mean '06	28			28			28			28		
% Sat% < 50	93%			97%			94%			95%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	39			34			42			44		
# HgA1c < 7	26			20			28			31		
Pop. Mean	6.6			6.6			6.7			6.5		
Std. Deviation	1.15			1.43			1.53			1.37		
Network Mean												
Natl. Mean												
% HgA1c < 7	67%			59%			67%			70%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	91	92	90	92	90	89	89	87	88	89
# HBsAb >= 1.0	64	63	68	68	67	70	69	68	69	67	68	66
% HBsAb >= 1.0	72%	69%	75%	74%	74%	76%	77%	76%	78%	77%	77%	74%




Pneumonia vaccination within the past five years at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	91	92	90	92	90	89	89	87	88	89
# Pneumonia	57	56	58	58	57	57	56	55	54	53	52	51
% Pneumonia	64%	62%	64%	63%	63%	62%	62%	62%	61%	61%	59%	57%



Influenza vaccination since August at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	91	92	90	92	90	89	89	87	88	89
# Influenza since 08/08	79	79	79	78	75	75	70	68	83	81	81	81
% Influenza	89%	87%	87%	85%	83%	82%	78%	76%	93%	93%	92%	91%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.