



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V						26	30	26	29	30	29	28
# Kt/V >= 1.4						21	24	19	24	23	21	20
Pop. Mean						1.67	1.68	1.63	1.73	1.62	1.87	1.92
Std. Deviation						0.34	0.36	0.35	0.60	0.31	0.77	0.95
Network Mean '04						1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06						1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.4						81%	80%	73%	83%	77%	72%	71%
Network % >= 1.2 '06						89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06						90%	90%	90%	90%	90%	90%	90%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V						26	30	26	29	30	29	28
# Kt/V >= 1.2						25	28	25	29	26	26	25
Pop. Mean						1.67	1.68	1.63	1.73	1.62	1.87	1.92
Std. Deviation						0.34	0.36	0.35	0.60	0.31	0.77	0.95
Network Mean '04						1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06						1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.2						96%	93%	96%	100%	87%	90%	89%
Network % >= 1.2 '06						89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06						90%	90%	90%	90%	90%	90%	90%




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP						28	32	29	31	31	30	30
# Pre Dia BP < 90						18	25	20	21	23	25	24
Pop. Mean						83	80	80	83	80	80	80
Std. Deviation						13.0	15.8	14.2	15.1	12.8	15.6	11.1
Network Mean												
Natl. Mean												
% Pre Dia BP < 90						64%	78%	69%	68%	74%	83%	80%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP						28	32	29	31	31	30	30
# Pre Sys BP < 150						12	20	18	15	18	20	17
Pop. Mean						152	148	147	152	150	147	151
Std. Deviation						19.9	19.8	18.4	19.2	19.1	18.0	20.1
Network Mean												
Natl. Mean												
%Pre Sys BP <150						43%	63%	62%	48%	58%	67%	57%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg						28	32	29	31	31	30	30
# L processed/kg>0.8						25	27	25	27	26	26	27
Pop. Mean						1	1	1	1	1	1	1
Std. Deviation						0.3	0.3	0.3	0.3	0.3	0.3	0.3
Network Mean												
Natl. Mean												
% L processed/kg>0.8						89%	84%	86%	87%	84%	87%	90%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR											30	30
# URR >= 65											28	25
Pop. Mean											76	74
Std. Deviation											8.75	8.76
Network Mean												
Natl. Mean												
% URR >= 65											93%	83%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2						28	31	28	31	31	30	30
# CO2 >= 23						25	25	25	28	28	28	28
Pop. Mean						25	25	27	26	26	27	26
Std. Deviation						1.99	2.24	3.04	2.45	2.71	2.57	3.32
Network Mean												
Natl. Mean												
% CO2 >= 23						89%	81%	89%	90%	90%	93%	93%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin						28	30	28	31	31	30	30
# Albumin >= 4.0						15	20	15	13	11	13	16
Pop. Mean						4.0	3.9	3.9	3.8	3.7	3.8	3.9
Std. Deviation						0.37	0.47	0.51	0.49	0.52	0.41	0.46
Network Mean						3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean						3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5						96%	87%	82%	81%	84%	70%	83%
% Alb >= 3.0						100%	97%	93%	94%	90%	93%	97%
% Alb >= 4.0						54%	67%	54%	42%	35%	43%	53%
Netwk%>=3.5 '06						82%	82%	82%	82%	82%	82%	82%
Netwk%>=4.0 '06						34%	34%	34%	34%	34%	34%	34%
Natl % >= 3.5 '06						81%	81%	81%	81%	81%	81%	81%
Natl. % >= 4.0 '06						34%	34%	34%	34%	34%	34%	34%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# SGA						26	27	27	31	30	29	28
# SGA <=9						18	17	17	18	16	16	15
Pop. Mean						8	9	9	9	9	9	9
Std. Deviation						3.6	4.3	4.0	3.9	4.2	4.0	4.0
Network Mean												
Natl. Mean												
% SGA <= 9						69%	63%	63%	58%	53%	55%	54%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4						28	30	28	31	31	30	30
# PO4 < 5.5						16	17	18	20	22	20	16
Pop. Mean						5.3	5.3	5.2	5.0	4.6	5.0	5.1
Std. Deviation						1.69	1.93	1.76	1.82	1.74	1.59	1.56
Network Mean												
Natl. Mean '06						5	5	5	5	5	5	5
% PO4 < 5.5						57%	57%	64%	65%	71%	67%	53%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4						28	30	28	31	31	30	30
# PO4 > 3.5						24	24	25	24	20	26	24
Pop. Mean						5.3	5.3	5.2	5.0	4.6	5.0	5.1
Std. Deviation						1.69	1.93	1.76	1.82	1.74	1.59	1.56
Network Mean												
Natl. Mean '06						5	5	5	5	5	5	5
% PO4 > 3.5						86%	80%	89%	77%	65%	87%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4						28	30	28	31	31	30	30
# PO4 3.5 to 5.5						13	12	16	15	14	16	13
Pop. Mean						5.3	5.3	5.2	5.0	4.6	5.0	5.1
Std. Deviation						1.69	1.93	1.76	1.82	1.74	1.59	1.56
Network Mean												
% PO4 3.5 to 5.5						46%	40%	57%	48%	45%	53%	43%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium						28	31	28	31	31	30	30
# Calcium < 10.2						27	29	27	29	28	27	29
Pop. Mean						9.1	9.0	9.1	9.2	9.1	9.2	9.3
Std. Deviation						0.75	0.88	0.85	0.82	0.78	0.81	0.48
Network Mean												
Natl. Mean '06						9	9	9	9	9	9	9
% Ca < 10.2						96%	94%	96%	94%	90%	90%	97%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium						28	31	28	31	31	30	30
# Calcium > 8.4						24	23	21	27	25	25	29
Pop. Mean						9.1	9.0	9.1	9.2	9.1	9.2	9.3
Std. Deviation						0.75	0.88	0.85	0.82	0.78	0.81	0.48
Network Mean												
Natl. Mean '06						9	9	9	9	9	9	9
% Calcium > 8.4						86%	74%	75%	87%	81%	83%	97%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I							30			31		
# PTH-I > 150							25			27		
Pop. Mean							562			484		
Std. Deviation							818			550		
Network Mean												
Natl. Mean												
% PTH-I > 150							83%			87%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I							30			31		
# PTH-I < 300							17			16		
Pop. Mean							562			484		
Std. Deviation							818			550		
Network Mean												
Natl. Mean												
% PTH-I < 300							57%			52%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I							30			31		
# PTH-I 150 to 300							12			12		
Pop. Mean							562			484		
Std. Deviation							818			550		
Network Mean												
Natl. Mean												
% PTH-I 150 to 300							40%			39%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4						28	30	28	31	31	30	30
# Ca x PO4 < 65						24	23	24	27	27	26	25
Pop. Mean						49.0	48.0	47.0	45.3	41.9	45.6	47.9
Std. Deviation						18.5	19.1	14.5	15.9	16.0	15.2	15.6
Network Mean												
Natl. Mean												
% CaxPO4 < 65						86%	77%	86%	87%	87%	87%	83%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access						28	31	29	31	31	30	30
# Fistula						16	16	16	18	18	16	17
Network % '06						61%	61%	61%	61%	61%	61%	61%
Natl. % '06						45%	45%	45%	45%	45%	45%	45%
% Fistula						57%	52%	55%	58%	58%	53%	57%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access						28	31	29	31	31	30	30
# Graft						5	6	4	4	4	4	4
Network %												
Natl. %												
% Graft						18%	19%	14%	13%	13%	13%	13%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access						28	31	29	31	31	30	30
# Catheters						7	9	9	9	9	10	9
Network % '06						22%	22%	22%	22%	22%	22%	22%
Natl. % '06						29%	29%	29%	29%	29%	29%	29%
% Catheters						25%	29%	31%	29%	29%	33%	30%



Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access						28	31	29	31	31	30	30
# Cuffed Catheters						3	6	5	5	5	6	8
Network % '06						22%	22%	22%	22%	22%	22%	22%
Natl. % '06						29%	29%	29%	29%	29%	29%	29%
% Cuffed Catheters						13%	21%	20%	19%	19%	22%	27%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb						28	31	28	31	31	30	30
# Hgb >= 11.0						24	21	14	19	21	20	21
Pop. Mean						12.0	11.7	11.3	11.3	11.6	11.6	11.9
Std. Deviation						1.2	1.5	1.5	1.2	1.1	1.4	1.5
Network Mean						11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06						12	12	12	12	12	12	12
% Hgb >= 11.0						86%	68%	50%	61%	68%	67%	70%
% Hgb <= 11.0						18%	35%	50%	39%	32%	33%	33%
% Netwk >= 11 '06						87%	87%	87%	87%	87%	87%	87%
% Natl. >= 11 '06						84%	84%	84%	84%	84%	84%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb						28	31	28	31	31	30	30
# Hgb 11 to 12						11	10	5	11	11	9	8
Pop. Mean						12.0	11.7	11.3	11.3	11.6	11.6	11.9
Std. Deviation						1.2	1.5	1.5	1.2	1.1	1.4	1.5
Network Mean						11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06						12	12	12	12	12	12	12
% Hgb 11 to 12						39%	32%	18%	35%	35%	30%	27%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb						28	31	28	31	31	30	30
# Hgb < 13						22	26	24	29	28	24	24
Pop. Mean						12.0	11.7	11.3	11.3	11.6	11.6	11.9
Std. Deviation						1.2	1.5	1.5	1.2	1.1	1.4	1.5
Network Mean						11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb < 13						79%	84%	86%	94%	90%	80%	80%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb						28	31	28	31	31	30	30
# Hgb 10 to 12						13	17	14	19	18	14	15
Pop. Mean						12.0	11.7	11.3	11.3	11.6	11.6	11.9
Std. Deviation						1.2	1.5	1.5	1.2	1.1	1.4	1.5
Network Mean						11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb 10 to 12						46%	55%	50%	61%	58%	47%	50%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct						28	32	28	32	31	30	30
# Hct >= 33.0						24	21	15	21	23	20	19
Pop. Mean						36	35	34	34	35	34	36
Std. Deviation						3.81	4.49	4.74	3.68	3.65	4.15	4.66
Network Mean												
Natl. Mean												
% Hct >= 33.0						86%	66%	54%	66%	74%	67%	63%
% Netwk >= 33 '05						94%	94%	94%	94%	94%	94%	94%
% Natl. >= 33 '05						92%	92%	92%	92%	92%	92%	92%




Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin							30			30		
# Ferritin > 200							26			26		
Pop. Mean							555			513		
Std. Deviation							323			339		
Network Mean												
Natl. Mean '06							583			583		
% Ferritin > 200							87%			87%		
% Netwk >= 100 '06												
% Natl. >=100 '06												



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin							30			30		
# Ferritin < 800							23			24		
Pop. Mean							555			513		
Std. Deviation							323			339		
Network Mean												
Natl. Mean '06							583			583		
% Ferritin < 800							77%			80%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin							30			30		
# Ferritin < 500							15			18		
Pop. Mean							555			513		
Std. Deviation							323			339		
Network Mean												
% Ferritin < 500							50%			60%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat							29			30		
# % Sat > 20							15			14		
Pop. Mean							24			24		
Std. Deviation							15			15		
Network Mean												
Natl. Mean '06							28			28		
% Sat% > 20							52%			47%		
% Netwk >= 20 '06							74%			74%		
% Natl. >=20 '06							79%			79%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat							29			30		
# % Sat < 50							27			28		
Pop. Mean							24			24		
Std. Deviation							15			15		
Network Mean												
Natl. Mean '06							28			28		
% Sat% < 50							93%			93%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c							16			18		
# HgA1c < 7							9			15		
Pop. Mean							6.9			6.1		
Std. Deviation							1.18			0.85		
Network Mean												
Natl. Mean												
% HgA1c < 7							56%			83%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient						28	30	29	33	31	30	29
# HBsAb >= 1.0						24	25	25	28	25	25	24
% HBsAb >= 1.0						86%	83%	86%	85%	81%	83%	83%




Pneumonia vaccination within the past five years at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient						28	30	29	33	31	30	29
# Pneumonia						17	17	17	21	22	21	20
% Pneumonia						61%	57%	59%	64%	71%	70%	69%



Influenza vaccination since August at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient						28	30	29	33	31	30	29
# Influenza since 08/08						17	16	16	28	28	27	25
% Influenza						61%	53%	55%	85%	90%	90%	86%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.