



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	87	91	91	92	90	89	87	89	88	87	84	84
# Kt/V >= 1.4	71	73	78	81	77	72	76	72	67	69	70	65
Pop. Mean	1.61	1.64	1.68	1.67	1.68	1.75	1.77	1.67	1.64	1.65	1.74	1.65
Std. Deviation	0.28	0.30	0.33	0.29	0.31	0.37	0.43	0.38	0.30	0.34	0.41	0.37
Network Mean '04	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.4	82%	80%	86%	88%	86%	81%	87%	81%	76%	79%	83%	77%
Network % >= 1.2 '06	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	87	91	91	92	90	89	87	89	88	87	84	84
# Kt/V >= 1.2	80	86	85	87	87	87	83	81	83	78	82	78
Pop. Mean	1.61	1.64	1.68	1.67	1.68	1.75	1.77	1.67	1.64	1.65	1.74	1.65
Std. Deviation	0.28	0.30	0.33	0.29	0.31	0.37	0.43	0.38	0.30	0.34	0.41	0.37
Network Mean '04	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59	1.59
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55	1.55
% Kt/V >= 1.2	92%	95%	93%	95%	97%	98%	95%	91%	94%	90%	98%	93%
Network % >= 1.2 '06	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%	89%
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%	90%




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	89	92	92	92	92	89	87	90	89	92	88	87
# Pre Dia BP < 90	74	72	75	76	77	73	75	72	70	79	76	68
Pop. Mean	78	78	78	76	76	76	76	75	77	76	77	79
Std. Deviation	16.7	14.4	14.3	13.9	12.9	14.1	13.2	14.6	13.9	12.0	13.0	13.4
Network Mean												
Natl. Mean												
% Pre Dia BP < 90	83%	78%	82%	83%	84%	82%	86%	80%	79%	86%	86%	78%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	89	92	92	92	92	89	87	90	89	92	88	87
# Pre Sys BP < 150	46	47	49	57	57	53	55	57	50	51	49	40
Pop. Mean	148	150	150	145	145	146	143	145	148	148	148	151
Std. Deviation	19.8	19.0	19.3	18.7	17.6	18.8	18.7	19.7	19.1	17.9	19.4	20.0
Network Mean												
Natl. Mean												
% Pre Sys BP < 150	52%	51%	53%	62%	62%	60%	63%	63%	56%	55%	56%	46%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	89	92	92	92	92	89	87	90	89	92	88	87
# L processed/kg>0.8	79	82	80	86	81	80	76	77	75	78	74	74
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
Network Mean												
Natl. Mean												
% L processed/kg>0.8	89%	89%	87%	93%	88%	90%	87%	86%	84%	85%	84%	85%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR											85	84
# URR >= 65											80	76
Pop. Mean											75	74
Std. Deviation											6.75	7.27
Network Mean												
Natl. Mean												
% URR >= 65											94%	90%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	88	92	92	92	92	88	87	89	88	91	86	86
# CO2 >= 23	70	80	78	74	83	75	65	76	76	79	77	80
Pop. Mean	25	26	26	25	25	25	24	26	26	25	26	28
Std. Deviation	3.06	2.92	2.92	2.99	3.02	3.09	2.91	3.08	2.72	3.43	2.73	2.98
Network Mean												
Natl. Mean												
% CO2 >= 23	80%	87%	85%	80%	90%	85%	75%	85%	86%	87%	90%	93%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	88	92	91	92	92	89	87	89	88	91	86	86
# Albumin >= 4.0	66	67	66	69	68	72	63	67	54	53	49	59
Pop. Mean	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.1	4.0	4.0	4.0	4.0
Std. Deviation	0.35	0.34	0.31	0.33	0.32	0.28	0.28	0.33	0.32	0.33	0.29	0.27
Network Mean	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4
Natl. Mean	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8
% Alb >= 3.5	95%	91%	93%	96%	96%	98%	97%	94%	95%	95%	95%	98%
% Alb >= 3.0	99%	100%	100%	99%	100%	100%	100%	99%	99%	99%	100%	100%
% Alb >= 4.0	75%	73%	73%	75%	74%	81%	72%	75%	61%	58%	57%	69%
Netwk%>=3.5 '06	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%	82%
Netwk%>=4.0 '06	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%
Natl % >= 3.5 '06	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%	81%
Natl. % >= 4.0 '06	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%	34%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# SGA	87	91	91	92	90	87	86	84	88	90	86	87
# SGA <=9	68	65	63	64	60	57	56	52	53	56	55	56
Pop. Mean	7	8	8	8	8	8	8	8	8	8	8	8
Std. Deviation	4.6	5.1	4.7	4.5	4.8	4.9	4.8	4.7	4.4	4.3	4.3	4.2
Network Mean												
Natl. Mean												
% SGA <= 9	78%	71%	69%	70%	67%	66%	65%	62%	60%	62%	64%	64%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	92	91	92	92	89	87	90	88	91	86	87
# PO4 < 5.5	57	57	56	55	55	40	43	48	51	50	54	49
Pop. Mean	5.1	5.2	5.2	5.4	5.5	5.6	5.6	5.6	5.2	5.4	5.4	5.4
Std. Deviation	1.62	1.50	1.54	1.68	1.56	1.46	1.52	1.88	1.64	1.47	1.43	1.40
Network Mean												
Natl. Mean '06	5	5	5	5	5	5	5	5	5	5	5	5
% PO4 < 5.5	65%	62%	62%	60%	60%	45%	49%	53%	58%	55%	63%	56%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	92	91	92	92	89	87	90	88	91	86	87
# PO4 > 3.5	76	80	78	81	84	82	81	83	78	84	81	81
Pop. Mean	5.1	5.2	5.2	5.4	5.5	5.6	5.6	5.6	5.2	5.4	5.4	5.4
Std. Deviation	1.62	1.50	1.54	1.68	1.56	1.46	1.52	1.88	1.64	1.47	1.43	1.40
Network Mean												
Natl. Mean '06	5	5	5	5	5	5	5	5	5	5	5	5
% PO4 > 3.5	86%	87%	86%	88%	91%	92%	93%	92%	89%	92%	94%	93%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	88	92	91	92	92	89	87	90	88	91	86	87
# PO4 3.5 to 5.5	48	47	49	45	49	35	45	44	42	47	52	47
Pop. Mean	5.1	5.2	5.2	5.4	5.5	5.6	5.6	5.6	5.2	5.4	5.4	5.4
Std. Deviation	1.62	1.50	1.54	1.68	1.56	1.46	1.52	1.88	1.64	1.47	1.43	1.40
Network Mean												
Natl. Mean '06	5	5	5	5	5	5	5	5	5	5	5	5
% PO4 3.5 to 5.5	55%	51%	54%	49%	53%	39%	52%	49%	48%	52%	60%	54%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	88	92	92	92	92	89	87	90	88	91	86	87
# Calcium < 10.2	82	88	88	88	84	82	82	85	78	86	80	79
Pop. Mean	9.1	9.0	9.1	9.1	9.1	9.2	9.2	9.3	9.2	9.1	9.1	9.2
Std. Deviation	0.73	0.77	0.69	0.66	0.80	0.71	0.74	0.80	0.75	0.73	0.72	0.76
Network Mean												
Natl. Mean '06	9	9	9	9	9	9	9	9	9	9	9	9
% Ca < 10.2	93%	96%	96%	96%	91%	92%	94%	94%	89%	95%	93%	91%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	88	92	92	92	92	89	87	90	88	91	86	87
# Calcium > 8.4	73	73	79	82	75	75	70	78	77	76	75	78
Pop. Mean	9.1	9.0	9.1	9.1	9.1	9.2	9.2	9.3	9.2	9.1	9.1	9.2
Std. Deviation	0.73	0.77	0.69	0.66	0.80	0.71	0.74	0.80	0.75	0.73	0.72	0.76
Network Mean												
Natl. Mean '06	9	9	9	9	9	9	9	9	9	9	9	9
% Calcium > 8.4	83%	79%	86%	89%	82%	84%	80%	87%	88%	84%	87%	90%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	88			92			87			91		
# PTH-I > 150	75			73			74			81		
Pop. Mean	510			422			529			520		
Std. Deviation	434			454			440			390		
Network Mean												
Natl. Mean												
% PTH-I > 150	85%			79%			85%			89%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	88			92			87			91		
# PTH-I < 300	31			41			28			30		
Pop. Mean	510			422			529			520		
Std. Deviation	434			454			440			390		
Network Mean												
Natl. Mean												
% PTH-I < 300	35%			45%			32%			33%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	88			92			87			91		
# PTH-I 150 to 300	18			22			16			21		
Pop. Mean	510			422			529			520		
Std. Deviation	434			454			440			390		
Network Mean												
Natl. Mean												
% PTH-I 150 to 300	20%			24%			18%			23%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	88	92	91	92	92	89	87	90	88	91	86	87
# Ca x PO4 < 65	81	82	85	79	82	76	72	72	78	82	78	79
Pop. Mean	45.9	46.4	47.6	48.7	49.6	51.2	51.0	52.3	47.8	48.6	49.2	49.9
Std. Deviation	13.5	13.4	13.6	14.8	14.2	13.2	14.1	17.8	15.1	13.3	13.2	12.9
Network Mean												
Natl. Mean												
% Ca x PO4 < 65	92%	89%	93%	86%	89%	85%	83%	80%	89%	90%	91%	91%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	89	92	92	92	92	89	87	90	89	92	88	87
# Fistula	65	65	63	63	67	65	62	62	60	61	62	60
Network % '06	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%	61%
Natl. % '06	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%	45%
% Fistula	73%	71%	68%	68%	73%	73%	71%	69%	67%	66%	70%	69%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	89	92	92	92	92	89	87	90	89	92	88	87
# Graft	13	15	14	13	14	14	13	15	15	16	16	14
Network %												
Natl. %												
% Graft	15%	16%	15%	14%	15%	16%	15%	17%	17%	17%	18%	16%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	89	92	92	92	92	89	87	90	89	92	88	87
# Catheters	11	12	15	16	11	10	12	13	14	15	10	13
Network % '06	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%
Natl. % '06	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
% Catheters	12%	13%	16%	17%	12%	11%	14%	14%	16%	16%	11%	15%



Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	89	92	92	92	92	89	87	90	89	92	88	87
# Cuffed Catheters	7	6	6	7	6	7	8	7	7	8	5	6
Network % '06	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%	22%
Natl. % '06	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%	29%
% Cuffed Catheters	8%	7%	7%	9%	7%	8%	10%	8%	8%	9%	6%	7%




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	92	92	92	92	89	87	90	88	91	87	86
# Hgb >= 11.0	70	70	74	76	75	75	68	74	69	64	63	71
Pop. Mean	11.9	11.9	11.9	12.0	12.1	12.0	12.0	11.9	11.8	11.7	11.7	11.8
Std. Deviation	1.4	1.6	1.4	1.3	1.2	1.2	1.3	1.3	1.3	1.4	1.5	1.3
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06	12	12	12	12	12	12	12	12	12	12	12	12
% Hgb >= 11.0	80%	76%	80%	83%	82%	84%	78%	82%	78%	70%	72%	83%
% Hgb <= 11.0	20%	25%	20%	17%	20%	16%	24%	21%	24%	30%	29%	19%
% Netwk >= 11 '06	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%	87%
% Natl. >= 11 '06	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	92	92	92	92	89	87	90	88	91	87	86
# Hgb 11 to 12	30	29	29	26	30	33	22	38	32	23	26	34
Pop. Mean	11.9	11.9	11.9	12.0	12.1	12.0	12.0	11.9	11.8	11.7	11.7	11.8
Std. Deviation	1.4	1.6	1.4	1.3	1.2	1.2	1.3	1.3	1.3	1.4	1.5	1.3
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
Natl. Mean '06	12	12	12	12	12	12	12	12	12	12	12	12
% Hgb 11 to 12	34%	32%	32%	28%	33%	37%	25%	42%	36%	25%	30%	40%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	92	92	92	92	89	87	90	88	91	87	86
# Hgb < 13	72	73	76	74	68	71	67	72	70	78	72	74
Pop. Mean	11.9	11.9	11.9	12.0	12.1	12.0	12.0	11.9	11.8	11.7	11.7	11.8
Std. Deviation	1.4	1.6	1.4	1.3	1.2	1.2	1.3	1.3	1.3	1.4	1.5	1.3
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb < 13	82%	79%	83%	80%	74%	80%	77%	80%	80%	86%	83%	86%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	88	92	92	92	92	89	87	90	88	91	87	86
# Hgb 10 to 12	42	40	40	36	43	44	37	48	44	42	38	44
Pop. Mean	11.9	11.9	11.9	12.0	12.1	12.0	12.0	11.9	11.8	11.7	11.7	11.8
Std. Deviation	1.4	1.6	1.4	1.3	1.2	1.2	1.3	1.3	1.3	1.4	1.5	1.3
Network Mean	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8	11.8
% Hgb 10 to 12	48%	43%	43%	39%	47%	49%	43%	53%	50%	46%	44%	51%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	89	92	92	93	92	89	88	90	88	91	87	86
# Hct >= 33.0	68	66	69	70	75	72	64	70	70	66	60	60
Pop. Mean	35	35	35	35	36	36	36	35	35	35	34	35
Std. Deviation	4.18	4.53	4.08	3.75	3.81	3.55	3.74	4.07	3.91	4.08	4.52	4.05
Network Mean												
Natl. Mean												
% Hct >= 33.0	76%	72%	75%	75%	82%	81%	73%	78%	80%	73%	69%	70%
% Netwk >= 33 '05	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%	94%
% Natl. >= 33 '05	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%	92%




Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	88			92			87			90		
# Ferritin > 200	78			79			77			85		
Pop. Mean	563			630			608			597		
Std. Deviation	290			441			318			298		
Network Mean												
Natl. Mean '06	583			583			583			583		
% Ferritin > 200	89%			86%			89%			94%		
% Netwk >= 100 '06	93%			93%								
% Natl. >=100 '06	95%			95%								



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	88			92			87			90		
# Ferritin < 800	71			66			64			67		
Pop. Mean	563			630			608			597		
Std. Deviation	290			441			318			298		
Network Mean												
Natl. Mean '06	583			583			583			583		
% Ferritin < 800	81%			72%			74%			74%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	88			92			87			90		
# Ferritin < 500	39			35			30			36		
Pop. Mean	563			630			608			597		
Std. Deviation	290			441			318			298		
Network Mean												
Natl. Mean '06	44%			38%			34%			40%		
% Ferritin < 500	44%			38%			34%			40%		




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	88			92			85			90		
# % Sat > 20	55			55			61			59		
Pop. Mean	25			27			28			24		
Std. Deviation	11			16			14			8		
Network Mean												
Natl. Mean '06	28			28			28			28		
% Sat% > 20	63%			60%			72%			66%		
% Netwk >= 20 '06	74%			74%			74%			74%		
% Natl. >=20 '06	79%			79%			79%			79%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	88			92			85			90		
# % Sat < 50	85			81			80			89		
Pop. Mean	25			27			28			24		
Std. Deviation	11			16			14			8		
Network Mean												
Natl. Mean '06	28			28			28			28		
% Sat% < 50	97%			88%			94%			99%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	32			38			35			40		
# HgA1c < 7	19			21			21			24		
Pop. Mean	6.7			7.1			7.0			6.9		
Std. Deviation	1.32			1.86			1.58			1.65		
Network Mean												
Natl. Mean												
% HgA1c < 7	59%			55%			60%			60%		



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	92	94	92	89	89	89	89	92	86	87
# HBsAb >= 1.0	77	77	76	74	75	75	76	74	74	74	69	69
% HBsAb >= 1.0	87%	85%	83%	79%	82%	84%	85%	83%	83%	80%	80%	79%




Pneumonia vaccination within the past five years at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	92	94	92	89	89	89	89	92	86	87
# Pneumonia	55	56	57	57	58	55	57	54	55	65	62	62
% Pneumonia	62%	62%	62%	61%	63%	62%	64%	61%	62%	71%	72%	71%



Influenza vaccination since August at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	89	91	92	94	92	89	89	89	91	92	86	87
# Influenza since 08/08	71	70	70	68	68	66	66	63	77	84	79	79
% Influenza	80%	77%	76%	72%	74%	74%	74%	71%	85%	91%	92%	91%



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.