


Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


1

I. ADEQUACY OF DIALYSIS

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Kt/V | 98 | 98 | 98 | 97 | 98 | 96 | 97 | 102 | 102 | 97 | 97 | 103 |
| # Kt/V >= 1.4 | 82 | 80 | 78 | 74 | 82 | 82 | 86 | 87 | 87 | 78 | 81 | 86 |
| Pop. Mean | 1.61 | 1.62 | 1.61 | 1.61 | 1.62 | 1.65 | 1.65 | 1.67 | 1.61 | 1.62 | 1.63 | 1.61 |
| Std. Deviation | 0.24 | 0.26 | 0.31 | 0.27 | 0.30 | 0.32 | 0.31 | 0.29 | 0.27 | 0.28 | 0.30 | 0.25 |
| Network Mean '04 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 |
| Natl. Mean '06 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 |
| % Kt/V >= 1.4 | 84% | 82% | 80% | 76% | 84% | 85% | 89% | 85% | 85% | 80% | 84% | 83% |
| Network % >= 1.2 '06 | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% |
| Natl. % >= 1.2 '06 | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Kt/V | 98 | 98 | 98 | 97 | 98 | 96 | 97 | 102 | 102 | 97 | 97 | 103 |
| # Kt/V >= 1.2 | 93 | 92 | 92 | 91 | 91 | 88 | 92 | 98 | 95 | 90 | 90 | 95 |
| Pop. Mean | 1.61 | 1.62 | 1.61 | 1.61 | 1.62 | 1.65 | 1.65 | 1.67 | 1.61 | 1.62 | 1.63 | 1.61 |
| Std. Deviation | 0.24 | 0.26 | 0.31 | 0.27 | 0.30 | 0.32 | 0.31 | 0.29 | 0.27 | 0.28 | 0.30 | 0.25 |
| Network Mean '04 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 | 1.59 |
| Natl. Mean '06 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 | 1.55 |
| % Kt/V >= 1.2 | 95% | 94% | 94% | 94% | 93% | 92% | 95% | 96% | 93% | 93% | 93% | 92% |
| Network % >= 1.2 '06 | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% | 89% |
| Natl. % >= 1.2 '06 | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% | 90% |




Blood Pressure Control (Pre)

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Pre Dia BP | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Pre Dia BP < 90 | 79 | 80 | 76 | 79 | 80 | 83 | 89 | 90 | 88 | 83 | 82 | 86 |
| Pop. Mean | 79 | 79 | 79 | 79 | 78 | 77 | 75 | 78 | 78 | 79 | 78 | 78 |
| Std. Deviation | 15.4 | 14.1 | 13.6 | 13.6 | 14.1 | 13.4 | 12.5 | 12.4 | 13.9 | 13.2 | 13.7 | 13.4 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Pre Dia BP < 90 | 79% | 82% | 78% | 81% | 82% | 86% | 90% | 88% | 86% | 86% | 85% | 83% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Pre Sys BP | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Pre Sys BP < 150 | 50 | 46 | 41 | 46 | 47 | 54 | 59 | 54 | 56 | 50 | 54 | 53 |
| Pop. Mean | 152 | 151 | 152 | 153 | 151 | 148 | 144 | 149 | 149 | 149 | 148 | 149 |
| Std. Deviation | 22.3 | 20.7 | 20.3 | 20.7 | 20.9 | 20.6 | 20.0 | 20.6 | 21.6 | 20.9 | 21.7 | 21.3 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Pre Sys BP < 150 | 50% | 47% | 42% | 47% | 48% | 56% | 60% | 53% | 55% | 52% | 56% | 51% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


2

I. ADEQUACY OF DIALYSIS - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # L processed/kg | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # L processed/kg > 0.8 | 83 | 86 | 82 | 83 | 87 | 86 | 86 | 89 | 86 | 84 | 84 | 87 |
| Pop. Mean | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| Std. Deviation | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % L processed/kg > 0.8 | 83% | 88% | 84% | 85% | 89% | 89% | 87% | 87% | 84% | 87% | 87% | 84% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|
| # URR | | | | | | | | | | | 97 | 103 |
| # URR >= 65 | | | | | | | | | | | 88 | 94 |
| Pop. Mean | | | | | | | | | | | 75 | 74 |
| Std. Deviation | | | | | | | | | | | 6.41 | 6.48 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % URR >= 65 | | | | | | | | | | | 91% | 91% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # CO2 | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # CO2 >= 23 | 78 | 86 | 86 | 69 | 84 | 81 | 79 | 92 | 98 | 83 | 89 | 94 |
| Pop. Mean | 25 | 26 | 26 | 24 | 25 | 25 | 25 | 26 | 26 | 26 | 26 | 26 |
| Std. Deviation | 3.21 | 3.03 | 2.85 | 3.07 | 2.97 | 3.05 | 2.92 | 2.99 | 2.64 | 2.99 | 2.81 | 2.43 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % CO2 >= 23 | 80% | 88% | 88% | 70% | 86% | 84% | 81% | 90% | 96% | 86% | 92% | 91% |




Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009

3


*Albumin values use BCG method - as of July 2001

II. NUTRITION

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Albumin | 98 | 98 | 98 | 97 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Albumin >= 4.0 | 59 | 69 | 64 | 58 | 67 | 57 | 60 | 67 | 47 | 47 | 40 | 53 |
| Pop. Mean | 4.0 | 4.1 | 4.1 | 4.0 | 4.1 | 4.0 | 4.0 | 4.0 | 3.9 | 3.9 | 3.9 | 4.0 |
| Std. Deviation | 0.40 | 0.38 | 0.41 | 0.37 | 0.34 | 0.33 | 0.36 | 0.34 | 0.31 | 0.36 | 0.38 | 0.37 |
| Network Mean | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 | 3.4 |
| Natl. Mean | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 | 3.8 |
| % Alb >= 3.5 | 92% | 92% | 93% | 92% | 96% | 94% | 95% | 93% | 92% | 91% | 91% | 93% |
| % Alb >= 3.0 | 100% | 100% | 99% | 100% | 100% | 100% | 98% | 99% | 99% | 99% | 99% | 99% |
| % Alb >= 4.0 | 60% | 70% | 65% | 60% | 68% | 59% | 61% | 66% | 46% | 48% | 41% | 51% |
| Netwk%>=3.5 '06 | 82% | 82% | 82% | 82% | 82% | 82% | 82% | 82% | 82% | 82% | 82% | 82% |
| Netwk%>=4.0 '06 | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% |
| Natl % >= 3.5 '06 | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% | 81% |
| Natl. % >= 4.0 '06 | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% | 34% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # SGA | 96 | 94 | 95 | 93 | 96 | 94 | 92 | 98 | 98 | 92 | 93 | 100 |
| # SGA <= 9 | 82 | 84 | 85 | 85 | 85 | 83 | 85 | 91 | 92 | 86 | 87 | 94 |
| Pop. Mean | 6 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| Std. Deviation | 3.2 | 3.8 | 3.8 | 3.7 | 3.7 | 3.7 | 3.5 | 4.6 | 4.3 | 4.4 | 4.4 | 4.3 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % SGA <= 9 | 85% | 89% | 89% | 91% | 89% | 88% | 92% | 93% | 94% | 93% | 94% | 94% |




Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


4

III. OSTEODYSTROPHY


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # PO4 | 98 | 98 | 98 | 97 | 98 | 97 | 98 | 102 | 102 | 97 | 97 | 103 |
| # PO4 < 5.5 | 51 | 46 | 38 | 40 | 42 | 46 | 43 | 57 | 61 | 52 | 49 | 49 |
| Pop. Mean | 5.6 | 5.7 | 5.7 | 5.8 | 5.7 | 5.6 | 5.7 | 5.5 | 5.2 | 5.4 | 5.5 | 5.5 |
| Std. Deviation | 1.62 | 1.42 | 1.69 | 1.70 | 1.65 | 1.59 | 1.63 | 1.44 | 1.40 | 1.61 | 1.53 | 1.63 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| % PO4 < 5.5 | 52% | 47% | 39% | 41% | 43% | 47% | 44% | 56% | 60% | 54% | 51% | 48% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # PO4 | 98 | 98 | 98 | 97 | 98 | 97 | 98 | 102 | 102 | 97 | 97 | 103 |
| # PO4 > 3.5 | 92 | 93 | 87 | 88 | 89 | 87 | 89 | 94 | 94 | 87 | 89 | 92 |
| Pop. Mean | 5.6 | 5.7 | 5.7 | 5.8 | 5.7 | 5.6 | 5.7 | 5.5 | 5.2 | 5.4 | 5.5 | 5.5 |
| Std. Deviation | 1.62 | 1.42 | 1.69 | 1.70 | 1.65 | 1.59 | 1.63 | 1.44 | 1.40 | 1.61 | 1.53 | 1.63 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| % PO4 > 3.5 | 94% | 95% | 89% | 91% | 91% | 90% | 91% | 92% | 92% | 90% | 92% | 89% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # PO4 | 98 | 98 | 98 | 97 | 98 | 97 | 98 | 102 | 102 | 97 | 97 | 103 |
| # PO4 3.5 to 5.5 | 48 | 44 | 33 | 34 | 36 | 38 | 36 | 50 | 57 | 44 | 48 | 44 |
| Pop. Mean | 5.6 | 5.7 | 5.7 | 5.8 | 5.7 | 5.6 | 5.7 | 5.5 | 5.2 | 5.4 | 5.5 | 5.5 |
| Std. Deviation | 1.62 | 1.42 | 1.69 | 1.70 | 1.65 | 1.59 | 1.63 | 1.44 | 1.40 | 1.61 | 1.53 | 1.63 |
| Network Mean | | | | | | | | | | | | |
| % PO4 3.5 to 5.5 | 49% | 45% | 34% | 35% | 37% | 39% | 37% | 49% | 56% | 45% | 49% | 43% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Calcium | 98 | 98 | 98 | 98 | 98 | 97 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Calcium < 10.2 | 93 | 95 | 93 | 94 | 93 | 94 | 95 | 99 | 98 | 93 | 90 | 100 |
| Pop. Mean | 9.1 | 9.0 | 9.2 | 9.0 | 9.0 | 9.0 | 9.0 | 9.1 | 9.1 | 9.0 | 9.1 | 9.0 |
| Std. Deviation | 0.72 | 0.75 | 0.74 | 0.83 | 0.82 | 0.76 | 0.86 | 0.91 | 0.84 | 0.90 | 0.85 | 0.81 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| % Ca < 10.2 | 95% | 97% | 95% | 96% | 95% | 97% | 97% | 97% | 96% | 96% | 93% | 97% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


5

III. OSTEODYSTROPHY - CONT.


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Calcium | 98 | 98 | 98 | 98 | 98 | 97 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Calcium > 8.4 | 82 | 75 | 85 | 78 | 77 | 83 | 82 | 85 | 86 | 74 | 79 | 87 |
| Pop. Mean | 9.1 | 9.0 | 9.2 | 9.0 | 9.0 | 9.0 | 9.0 | 9.1 | 9.1 | 9.0 | 9.1 | 9.0 |
| Std. Deviation | 0.72 | 0.75 | 0.74 | 0.83 | 0.82 | 0.76 | 0.86 | 0.91 | 0.84 | 0.90 | 0.85 | 0.81 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| % Calcium > 8.4 | 84% | 77% | 87% | 80% | 79% | 86% | 84% | 83% | 84% | 76% | 81% | 84% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # PTH-I | 98 | | | 95 | | | 98 | | | 91 | | |
| # PTH-I > 150 | 81 | | | 69 | | | 83 | | | 77 | | |
| Pop. Mean | 540 | | | 473 | | | 444 | | | 460 | | |
| Std. Deviation | 586 | | | 791 | | | 446 | | | 398 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I > 150 | 83% | | | 73% | | | 85% | | | 85% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # PTH-I | 98 | | | 95 | | | 98 | | | 91 | | |
| # PTH-I < 300 | 41 | | | 45 | | | 50 | | | 39 | | |
| Pop. Mean | 540 | | | 473 | | | 444 | | | 460 | | |
| Std. Deviation | 586 | | | 791 | | | 446 | | | 398 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I < 300 | 42% | | | 47% | | | 51% | | | 43% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # PTH-I | 98 | | | 95 | | | 98 | | | 91 | | |
| # PTH-I 150 to 300 | 25 | | | 19 | | | 35 | | | 25 | | |
| Pop. Mean | 540 | | | 473 | | | 444 | | | 460 | | |
| Std. Deviation | 586 | | | 791 | | | 446 | | | 398 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % PTH-I 150 to 300 | 26% | | | 20% | | | 36% | | | 27% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009

6

III. OSTEODYSTROPHY - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Ca x PO4 | 98 | 98 | 98 | 97 | 98 | 97 | 98 | 101 | 102 | 97 | 97 | 103 |
| # Ca x PO4 < 65 | 83 | 86 | 79 | 82 | 81 | 81 | 85 | 87 | 91 | 85 | 85 | 90 |
| Pop. Mean | 51.1 | 51.4 | 52.4 | 51.8 | 52.1 | 51.0 | 50.8 | 49.6 | 47.8 | 48.2 | 49.9 | 49.3 |
| Std. Deviation | 13.9 | 12.9 | 14.7 | 15.0 | 15.6 | 15.0 | 15.0 | 13.3 | 13.1 | 14.3 | 14.1 | 15.2 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % CaxPO4 < 65 | 85% | 88% | 81% | 85% | 83% | 84% | 87% | 86% | 89% | 88% | 88% | 87% |




Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


7

IV. ACCESS


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Fistula | 56 | 52 | 52 | 55 | 56 | 56 | 55 | 58 | 55 | 56 | 57 | 62 |
| Network % '06 | 61% | 61% | 61% | 61% | 61% | 61% | 61% | 61% | 61% | 61% | 61% | 61% |
| Natl. % '06 | 45% | 45% | 45% | 45% | 45% | 45% | 45% | 45% | 45% | 45% | 45% | 45% |
| % Fistula | 56% | 53% | 53% | 56% | 57% | 58% | 56% | 57% | 54% | 58% | 59% | 60% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Graft | 25 | 24 | 23 | 24 | 24 | 24 | 23 | 23 | 24 | 23 | 24 | 23 |
| Network % | | | | | | | | | | | | |
| Natl. % | | | | | | | | | | | | |
| % Graft | 25% | 24% | 23% | 24% | 24% | 25% | 23% | 23% | 24% | 24% | 25% | 22% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Catheters | 19 | 22 | 23 | 19 | 18 | 17 | 21 | 21 | 23 | 18 | 16 | 19 |
| Network % '06 | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% |
| Natl. % '06 | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% |
| % Catheters | 19% | 22% | 23% | 19% | 18% | 18% | 21% | 21% | 23% | 19% | 16% | 18% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 100 | 98 | 98 | 98 | 98 | 97 | 99 | 102 | 102 | 97 | 97 | 104 |
| # Cuffed Catheters | 12 | 15 | 16 | 14 | 13 | 12 | 16 | 16 | 16 | 13 | 12 | 14 |
| Network % '06 | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% | 22% |
| Natl. % '06 | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% | 29% |
| % Cuffed Catheters | 13% | 16% | 18% | 15% | 14% | 13% | 17% | 17% | 17% | 14% | 13% | 14% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009


8

V. ANEMIA


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Hgb >= 11.0 | 76 | 79 | 83 | 82 | 80 | 79 | 82 | 76 | 79 | 76 | 72 | 88 |
| Pop. Mean | 11.9 | 12.0 | 12.0 | 12.0 | 12.1 | 11.9 | 12.0 | 11.8 | 11.9 | 12.0 | 11.8 | 11.9 |
| Std. Deviation | 1.3 | 1.4 | 1.2 | 1.2 | 1.3 | 1.2 | 1.1 | 1.2 | 1.2 | 1.3 | 1.3 | 1.1 |
| Network Mean | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean '06 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| % Hgb >= 11.0 | 78% | 81% | 85% | 84% | 82% | 82% | 84% | 75% | 77% | 78% | 74% | 85% |
| % Hgb <= 11.0 | 23% | 20% | 17% | 16% | 19% | 22% | 18% | 26% | 23% | 24% | 26% | 16% |
| % Netwk >= 11 '06 | 87% | 87% | 87% | 87% | 87% | 87% | 87% | 87% | 87% | 87% | 87% | 87% |
| % Natl. >= 11 '06 | 84% | 84% | 84% | 84% | 84% | 84% | 84% | 84% | 84% | 84% | 84% | 84% |




| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Hgb 11 to 12 | 29 | 35 | 35 | 37 | 22 | 32 | 35 | 37 | 33 | 27 | 31 | 44 |
| Pop. Mean | 11.9 | 12.0 | 12.0 | 12.0 | 12.1 | 11.9 | 12.0 | 11.8 | 11.9 | 12.0 | 11.8 | 11.9 |
| Std. Deviation | 1.3 | 1.4 | 1.2 | 1.2 | 1.3 | 1.2 | 1.1 | 1.2 | 1.2 | 1.3 | 1.3 | 1.1 |
| Network Mean | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| Natl. Mean '06 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| % Hgb 11 to 12 | 30% | 36% | 36% | 38% | 22% | 33% | 36% | 36% | 32% | 28% | 32% | 43% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Hgb < 13 | 77 | 75 | 79 | 80 | 80 | 82 | 79 | 90 | 87 | 77 | 79 | 87 |
| Pop. Mean | 11.9 | 12.0 | 12.0 | 12.0 | 12.1 | 11.9 | 12.0 | 11.8 | 11.9 | 12.0 | 11.8 | 11.9 |
| Std. Deviation | 1.3 | 1.4 | 1.2 | 1.2 | 1.3 | 1.2 | 1.1 | 1.2 | 1.2 | 1.3 | 1.3 | 1.1 |
| Network Mean | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| % Hgb < 13 | 79% | 77% | 81% | 82% | 82% | 85% | 81% | 88% | 85% | 79% | 81% | 84% |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hgb | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 102 | 102 | 97 | 97 | 103 |
| # Hgb 10 to 12 | 43 | 49 | 46 | 51 | 32 | 42 | 46 | 56 | 48 | 43 | 47 | 52 |
| Pop. Mean | 11.9 | 12.0 | 12.0 | 12.0 | 12.1 | 11.9 | 12.0 | 11.8 | 11.9 | 12.0 | 11.8 | 11.9 |
| Std. Deviation | 1.3 | 1.4 | 1.2 | 1.2 | 1.3 | 1.2 | 1.1 | 1.2 | 1.2 | 1.3 | 1.3 | 1.1 |
| Network Mean | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 | 11.8 |
| % Hgb 10 to 12 | 44% | 50% | 47% | 52% | 33% | 44% | 47% | 55% | 47% | 44% | 48% | 50% |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009

9


V. ANEMIA - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| # Hct | 98 | 98 | 98 | 98 | 98 | 96 | 98 | 103 | 102 | 97 | 97 | 103 |
| # Hct >= 33.0 | 73 | 76 | 73 | 78 | 78 | 69 | 76 | 74 | 79 | 78 | 69 | 82 |
| Pop. Mean | 35 | 35 | 35 | 35 | 36 | 35 | 35 | 35 | 35 | 36 | 35 | 35 |
| Std. Deviation | 3.83 | 4.14 | 3.52 | 3.49 | 3.94 | 3.52 | 3.38 | 3.64 | 3.72 | 3.78 | 3.83 | 3.36 |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % Hct >= 33.0 | 74% | 78% | 74% | 80% | 80% | 72% | 78% | 72% | 77% | 80% | 71% | 80% |
| % Netwk >= 33 '05 | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% | 94% |
| % Natl. >= 33 '05 | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% | 92% |




Iron Profile


| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 98 | | | 95 | | | 98 | | | 97 | | |
| # Ferritin > 200 | 91 | | | 90 | | | 92 | | | 93 | | |
| Pop. Mean | 653 | | | 680 | | | 620 | | | 643 | | |
| Std. Deviation | 391 | | | 421 | | | 335 | | | 304 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 583 | | | 583 | | | 583 | | | 583 | | |
| % Ferritin > 200 | 93% | | | 95% | | | 94% | | | 96% | | |
| % Netwk >= 100 '06 | 93% | | | 93% | | | | | | | | |
| % Natl. >=100 '06 | 95% | | | 95% | | | | | | | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 98 | | | 95 | | | 98 | | | 97 | | |
| # Ferritin < 800 | 74 | | | 60 | | | 77 | | | 73 | | |
| Pop. Mean | 653 | | | 680 | | | 620 | | | 643 | | |
| Std. Deviation | 391 | | | 421 | | | 335 | | | 304 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 583 | | | 583 | | | 583 | | | 583 | | |
| % Ferritin < 800 | 76% | | | 63% | | | 79% | | | 75% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Ferritin | 98 | | | 95 | | | 98 | | | 97 | | |
| # Ferritin < 500 | 32 | | | 34 | | | 36 | | | 34 | | |
| Pop. Mean | 653 | | | 680 | | | 620 | | | 643 | | |
| Std. Deviation | 391 | | | 421 | | | 335 | | | 304 | | |
| Network Mean | | | | | | | | | | | | |
| % Ferritin < 500 | 33% | | | 36% | | | 37% | | | 35% | | |




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
 Through period ending Dec. 31, 2009


10

V. ANEMIA - CONT.

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 98 | | | 94 | | | 98 | | | 97 | | |
| # % Sat > 20 | 64 | | | 55 | | | 71 | | | 63 | | |
| Pop. Mean | 27 | | | 27 | | | 30 | | | 27 | | |
| Std. Deviation | 15 | | | 15 | | | 16 | | | 14 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 28 | | | 28 | | | 28 | | | 28 | | |
| % Sat% > 20 | 65% | | | 59% | | | 72% | | | 65% | | |
| % Netwk >= 20 '06 | 74% | | | 74% | | | 74% | | | 74% | | |
| % Natl. >=20 '06 | 79% | | | 79% | | | 79% | | | 79% | | |



| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # % Sat | 98 | | | 94 | | | 98 | | | 97 | | |
| # % Sat < 50 | 93 | | | 86 | | | 88 | | | 91 | | |
| Pop. Mean | 27 | | | 27 | | | 30 | | | 27 | | |
| Std. Deviation | 15 | | | 15 | | | 16 | | | 14 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean '06 | 28 | | | 28 | | | 28 | | | 28 | | |
| % Sat% < 50 | 95% | | | 91% | | | 90% | | | 94% | | |




Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009

11

VI. Diabetes

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|------|-----|-----|------|-----|-----|------|-----|-----|------|-----|-----|
| # HgA1c | 51 | | | 50 | | | 47 | | | 45 | | |
| # HgA1c < 7 | 31 | | | 31 | | | 29 | | | 27 | | |
| Pop. Mean | 6.6 | | | 6.7 | | | 6.7 | | | 6.8 | | |
| Std. Deviation | 1.21 | | | 1.22 | | | 1.20 | | | 1.37 | | |
| Network Mean | | | | | | | | | | | | |
| Natl. Mean | | | | | | | | | | | | |
| % HgA1c < 7 | 61% | | | 62% | | | 62% | | | 60% | | |




Auburn Kidney Center - Center Hemodialysis
Quality Assurance Reports (Excludes patients in first 3 months of treatment)
Through period ending Dec. 31, 2009

12


VII. Infection Control

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 96 | 96 | 98 | 97 | 99 | 97 | 98 | 104 | 103 | 97 | 97 | 105 |
| # HBsAb >= 1.0 | 73 | 70 | 73 | 72 | 72 | 69 | 73 | 74 | 74 | 70 | 70 | 73 |
| % HBsAb >= 1.0 | 76% | 73% | 74% | 74% | 73% | 71% | 74% | 71% | 72% | 72% | 72% | 70% |



Pneumonia vaccination within the past five years at NKC

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 96 | 96 | 98 | 97 | 99 | 97 | 98 | 104 | 103 | 97 | 97 | 105 |
| # Pneumonia | 56 | 55 | 58 | 60 | 60 | 59 | 59 | 61 | 60 | 59 | 59 | 59 |
| % Pneumonia | 58% | 57% | 59% | 62% | 61% | 61% | 60% | 59% | 58% | 61% | 61% | 56% |



Influenza vaccination since August at NKC

| | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Patient | 96 | 96 | 98 | 97 | 99 | 97 | 98 | 104 | 106 | 97 | 97 | 105 |
| # Influenza since 08/08 | 83 | 79 | 79 | 76 | 76 | 73 | 71 | 71 | 92 | 88 | 88 | 92 |
| % Influenza | 86% | 82% | 81% | 78% | 77% | 75% | 72% | 68% | 87% | 91% | 91% | 88% |

