



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	108	98	89	82	73							
# Kt/V >= 1.4	85	73	64	57	57							
Pop. Mean	1.68	1.63	1.77	1.65	1.85							
Std. Deviation	0.39	0.39	0.88	0.56	0.72							
Network Mean '04	1.59	1.59	1.59	1.59	1.59							
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55							
% Kt/V >= 1.4	79%	74%	72%	70%	78%							
Network % >= 1.2 '06	89%	89%	89%	89%	89%							
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V	108	98	89	82	73							
# Kt/V >= 1.2	98	84	80	67	66							
Pop. Mean	1.68	1.63	1.77	1.65	1.85							
Std. Deviation	0.39	0.39	0.88	0.56	0.72							
Network Mean '04	1.59	1.59	1.59	1.59	1.59							
Natl. Mean '06	1.55	1.55	1.55	1.55	1.55							
% Kt/V >= 1.2	91%	86%	90%	82%	90%							
Network % >= 1.2 '06	89%	89%	89%	89%	89%							
Natl. % >= 1.2 '06	90%	90%	90%	90%	90%							




Blood Pressure Control (Pre)

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	115	106	98	87	80							
# Pre Dia BP < 90	104	94	87	77	64							
Pop. Mean	73	74	75	74	75							
Std. Deviation	12.2	12.8	13.0	14.5	16.2							
Network Mean												
Natl. Mean												
% Pre Dia BP < 90	90%	89%	89%	89%	80%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	115	106	98	87	80							
# Pre Sys BP < 150	75	66	62	55	49							
Pop. Mean	143	143	144	140	141							
Std. Deviation	20.4	22.1	21.1	22.0	22.4							
Network Mean												
Natl. Mean												
%Pre Sys BP <150	65%	62%	63%	63%	61%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	115	106	98	87	80							
# L processed/kg>0.8	94	85	78	68	62							
Pop. Mean	1	1	1	1	1							
Std. Deviation	0.3	0.3	0.3	0.3	0.3							
Network Mean												
Natl. Mean												
% L processed/kg>0.8	82%	80%	80%	78%	78%							



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR												
# URR >= 65												
Pop. Mean												
Std. Deviation												
Network Mean												
Natl. Mean												
% URR >= 65												



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	114	102	98	82	74							
# CO2 >= 23	94	88	90	68	62							
Pop. Mean	25	26	26	25	25							
Std. Deviation	2.97	3.12	2.85	2.99	3.17							
Network Mean												
Natl. Mean												
% CO2 >= 23	82%	86%	92%	83%	84%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	114	102	98	82	74							
# Albumin >= 4.0	28	33	32	22	29							
Pop. Mean	3.6	3.7	3.7	3.7	3.8							
Std. Deviation	0.50	0.46	0.50	0.52	0.50							
Network Mean	3.4	3.4	3.4	3.4	3.4							
Natl. Mean	3.8	3.8	3.8	3.8	3.8							
% Alb >= 3.5	68%	76%	72%	78%	82%							
% Alb >= 3.0	89%	95%	93%	91%	95%							
% Alb >= 4.0	25%	32%	33%	27%	39%							
Netwk%>=3.5 '06	82%	82%	82%	82%	82%							
Netwk%>=4.0 '06	34%	34%	34%	34%	34%							
Natl % >= 3.5 '06	81%	81%	81%	81%	81%							
Natl. % >= 4.0 '06	34%	34%	34%	34%	34%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# SGA	109	106	98	86	75							
# SGA <=9	34	37	35	32	27							
Pop. Mean	13	13	13	12	12							
Std. Deviation	6.1	6.8	6.7	6.5	6.6							
Network Mean												
Natl. Mean												
% SGA <= 9	31%	35%	36%	37%	36%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	114	102	98	83	74							
# PO4 < 5.5	78	60	63	54	39							
Pop. Mean	4.7	5.1	5.1	4.9	5.3							
Std. Deviation	1.61	1.64	1.67	1.88	1.33							
Network Mean												
Natl. Mean '06	5	5	5	5	5							
% PO4 < 5.5	68%	59%	64%	65%	53%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	114	102	98	83	74							
# PO4 > 3.5	89	87	82	64	66							
Pop. Mean	4.7	5.1	5.1	4.9	5.3							
Std. Deviation	1.61	1.64	1.67	1.88	1.33							
Network Mean												
Natl. Mean '06	5	5	5	5	5							
% PO4 > 3.5	78%	85%	84%	77%	89%							



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	114	102	98	83	74							
# PO4 3.5 to 5.5	56	47	51	41	33							
Pop. Mean	4.7	5.1	5.1	4.9	5.3							
Std. Deviation	1.61	1.64	1.67	1.88	1.33							
Network Mean												
% PO4 3.5 to 5.5	49%	46%	52%	49%	45%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	114	102	98	83	74							
# Calcium < 10.2	108	94	92	80	68							
Pop. Mean	9.0	9.0	9.1	8.9	9.0							
Std. Deviation	0.76	0.80	0.82	0.71	0.86							
Network Mean												
Natl. Mean '06	9	9	9	9	9							
% Ca < 10.2	95%	92%	94%	96%	92%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	114	102	98	83	74							
# Calcium > 8.4	92	82	81	62	60							
Pop. Mean	9.0	9.0	9.1	8.9	9.0							
Std. Deviation	0.76	0.80	0.82	0.71	0.86							
Network Mean												
Natl. Mean '06	9	9	9	9	9							
% Calcium > 8.4	81%	80%	83%	75%	81%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114			66								
# PTH-I > 150	81			56								
Pop. Mean	424			428								
Std. Deviation	394			348								
Network Mean												
Natl. Mean												
% PTH-I > 150	71%			85%								



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114			66								
# PTH-I < 300	53			33								
Pop. Mean	424			428								
Std. Deviation	394			348								
Network Mean												
Natl. Mean												
% PTH-I < 300	46%			50%								




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	114			66								
# PTH-I 150 to 300	22			24								
Pop. Mean	424			428								
Std. Deviation	394			348								
Network Mean												
Natl. Mean												
% PTH-I 150 to 300	19%			36%								



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarterly values are average of all values for quarter; c) Values not averaged use last value present at months end.

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ca x PO4	114	102	98	83	74							
# Ca x PO4 < 65	109	92	90	75	69							
Pop. Mean	42.7	46.4	46.4	44.2	47.7							
Std. Deviation	14.6	16.0	15.6	17.6	12.7							
Network Mean												
Natl. Mean												
% Ca x PO4 < 65	96%	90%	92%	90%	93%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	115	106	98	86	80							
# Fistula	50	49	50	44	38							
Network % '06	61%	61%	61%	61%	61%							
Natl. % '06	45%	45%	45%	45%	45%							
% Fistula	43%	46%	51%	51%	48%							



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	115	106	98	86	80							
# Graft	20	18	17	13	13							
Network %												
Natl. %												
% Graft	17%	17%	17%	15%	16%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	115	106	98	86	80							
# Catheters	44	38	31	29	29							
Network % '06	22%	22%	22%	22%	22%							
Natl. % '06	29%	29%	29%	29%	29%							
% Catheters	38%	36%	32%	34%	36%							



Cuffed Catheters > 90 days


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	115	106	98	86	80							
# Cuffed Catheters	26	24	19	16	16							
Network % '06	22%	22%	22%	22%	22%							
Natl. % '06	29%	29%	29%	29%	29%							
% Cuffed Catheters	27%	25%	23%	23%	24%							




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	102	98	83	76							
# Hgb >= 11.0	63	63	67	56	52							
Pop. Mean	11.2	11.3	11.4	11.5	11.5							
Std. Deviation	1.4	1.4	1.4	1.5	1.3							
Network Mean	11.8	11.8	11.8	11.8	11.8							
Natl. Mean '06	12	12	12	12	12							
% Hgb >= 11.0	55%	62%	68%	67%	68%							
% Hgb <= 11.0	46%	39%	33%	33%	34%							
% Netwk >= 11 '06	87%	87%	87%	87%	87%							
% Natl. >= 11 '06	84%	84%	84%	84%	84%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	102	98	83	76							
# Hgb 11 to 12	27	32	34	30	25							
Pop. Mean	11.2	11.3	11.4	11.5	11.5							
Std. Deviation	1.4	1.4	1.4	1.5	1.3							
Network Mean	11.8	11.8	11.8	11.8	11.8							
Natl. Mean '06	12	12	12	12	12							
% Hgb 11 to 12	24%	31%	35%	36%	33%							



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	102	98	83	76							
# Hgb < 13	97	85	87	68	68							
Pop. Mean	11.2	11.3	11.4	11.5	11.5							
Std. Deviation	1.4	1.4	1.4	1.5	1.3							
Network Mean	11.8	11.8	11.8	11.8	11.8							
% Hgb < 13	85%	83%	89%	82%	89%							




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	114	102	98	83	76							
# Hgb 10 to 12	56	52	48	45	37							
Pop. Mean	11.2	11.3	11.4	11.5	11.5							
Std. Deviation	1.4	1.4	1.4	1.5	1.3							
Network Mean	11.8	11.8	11.8	11.8	11.8							
% Hgb 10 to 12	49%	51%	49%	54%	49%							



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hct	114	102	99	83	76							
# Hct >= 33.0	64	60	60	52	51							
Pop. Mean	34	34	34	34	35							
Std. Deviation	4.10	4.05	3.90	4.40	4.19							
Network Mean												
Natl. Mean												
% Hct >= 33.0	56%	59%	61%	63%	67%							
% Netwk >= 33 '05	94%	94%	94%	94%	94%							
% Natl. >= 33 '05	92%	92%	92%	92%	92%							




Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	114			82								
# Ferritin > 200	102			69								
Pop. Mean	587			617								
Std. Deviation	363			541								
Network Mean												
Natl. Mean '06	583			583								
% Ferritin > 200	89%			84%								
% Netwk >= 100 '06	93%			93%								
% Natl. >=100 '06	95%			95%								



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	114			82								
# Ferritin < 800	90			64								
Pop. Mean	587			617								
Std. Deviation	363			541								
Network Mean												
Natl. Mean '06	583			583								
% Ferritin < 800	79%			78%								




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	114			82								
# Ferritin < 500	54			42								
Pop. Mean	587			617								
Std. Deviation	363			541								
Network Mean												
% Ferritin < 500	47%			51%								




*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

V. ANEMIA - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	114			82								
# % Sat > 20	68			42								
Pop. Mean	25			22								
Std. Deviation	13			10								
Network Mean												
Natl. Mean '06	28			28								
% Sat% > 20	60%			51%								
% Netwk >= 20 '06	74%			74%								
% Natl. >=20 '06	79%			79%								




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	114			82								
# % Sat < 50	109			79								
Pop. Mean	25			22								
Std. Deviation	13			10								
Network Mean												
Natl. Mean '06	28			28								
% Sat% < 50	96%			96%								



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.

VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	81			49								
# HgA1c < 7	63			32								
Pop. Mean	6.3			6.4								
Std. Deviation	1.14			1.19								
Network Mean												
Natl. Mean												
% HgA1c < 7	78%			65%								



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.


VII. Infection Control

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	108	105	100	86	76							
# HBsAb >= 1.0	68	67	61	57	48							
% HBsAb >= 1.0	63%	64%	61%	66%	63%							




Pneumonia vaccination within the past five years at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	108	105	100	86	76							
# Pneumonia	47	47	42	38	35							
% Pneumonia	44%	45%	42%	44%	46%							



Influenza vaccination since August at NKC

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	108	105	100	86	76							
# Influenza since 08/08	74	73	66	61	54							
% Influenza	69%	70%	66%	71%	71%							



*Methodology: a) Monthly values based on patient's monthly average of all values present for the month; b) Quarter values are average of all values for quarter; c) Values not averaged use last value present at months end.