



**I. ADEQUACY OF DIALYSIS**


|                 | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|-----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # spKt/V        | 127  | 128  | 134  | 135  | 133  | 133  | 137  | 131  | 137  | 0   | 0   | 0   |
| # spKt/V >= 1.4 | 109  | 112  | 109  | 106  | 103  | 104  | 111  | 107  | 114  | 0   | 0   | 0   |
| Pop. Mean       | 1.62 | 1.67 | 1.63 | 1.61 | 1.63 | 1.62 | 1.64 | 1.64 | 1.63 | 0   | 0   | 0   |
| Std. Deviation  | 0.26 | 0.27 | 0.32 | 0.30 | 0.37 | 0.31 | 0.39 | 0.28 | 0.30 | 0   | 0   | 0   |
| % spKt/V >= 1.4 | 86%  | 88%  | 81%  | 79%  | 77%  | 78%  | 81%  | 82%  | 83%  | 0%  | 0%  | 0%  |



|                          | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|--------------------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # spKt/V w/ 3tx/wk       | 120  | 121  | 127  | 129  | 127  | 125  | 129  | 125  | 130  | 0   | 0   | 0   |
| # spKt/V >= 1.4 w/3tx/wk | 102  | 106  | 106  | 101  | 98   | 101  | 106  | 102  | 109  | 0   | 0   | 0   |
| Pop. Mean                | 1.62 | 1.66 | 1.64 | 1.62 | 1.64 | 1.64 | 1.66 | 1.65 | 1.64 | 0   | 0   | 0   |
| Std. Deviation           | 0.27 | 0.26 | 0.32 | 0.30 | 0.37 | 0.30 | 0.39 | 0.28 | 0.30 | 0   | 0   | 0   |
| % >= 1.4 w/3tx/wk        | 85%  | 88%  | 83%  | 78%  | 77%  | 81%  | 82%  | 82%  | 84%  | 0%  | 0%  | 0%  |




|                 | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|-----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # spKt/V        | 127  | 128  | 134  | 135  | 133  | 133  | 137  | 131  | 137  | 0   | 0   | 0   |
| # spKt/V >= 1.2 | 123  | 125  | 125  | 126  | 120  | 123  | 127  | 125  | 127  | 0   | 0   | 0   |
| Pop. Mean       | 1.62 | 1.67 | 1.63 | 1.61 | 1.63 | 1.62 | 1.64 | 1.64 | 1.63 | 0   | 0   | 0   |
| Std. Deviation  | 0.26 | 0.27 | 0.32 | 0.30 | 0.37 | 0.31 | 0.39 | 0.28 | 0.30 | 0   | 0   | 0   |
| % spKt/V >= 1.2 | 97%  | 98%  | 93%  | 93%  | 90%  | 92%  | 93%  | 95%  | 93%  | 0%  | 0%  | 0%  |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**I. ADEQUACY OF DIALYSIS - CONT.**

|                       | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|-----------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # URR                 | 127        | 128        | 134        | 135        | 133        | 133        | 137        | 131        | 137        | 0         | 0         | 0         |
| # URR >= 65           | 122        | 122        | 124        | 122        | 121        | 123        | 127        | 126        | 127        | 0         | 0         | 0         |
| Pop. Mean             | 75         | 75         | 75         | 74         | 75         | 75         | 75         | 75         | 75         | 0         | 0         | 0         |
| Std. Deviation        | 6.24       | 5.28       | 7.32       | 6.77       | 7.38       | 6.67       | 7.40       | 5.81       | 7.00       | 0         | 0         | 0         |
| <b>% URR &gt;= 65</b> | <b>96%</b> | <b>95%</b> | <b>93%</b> | <b>90%</b> | <b>91%</b> | <b>92%</b> | <b>93%</b> | <b>96%</b> | <b>93%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




|                               | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # URR w/ 3tx/wk               | 120        | 120        | 127        | 129        | 127        | 125        | 129        | 125        | 130        | 0         | 0         | 0         |
| # URR>=65 w/ 3tx/wk           | 116        | 114        | 118        | 116        | 115        | 117        | 120        | 120        | 120        | 0         | 0         | 0         |
| Pop. Mean                     | 75         | 76         | 75         | 74         | 75         | 75         | 75         | 75         | 75         | 0         | 0         | 0         |
| Std. Deviation                | 6.24       | 5.32       | 7.38       | 6.89       | 7.50       | 6.34       | 7.08       | 5.91       | 7.10       | 0         | 0         | 0         |
| <b>% URR&gt;=65 w/ 3tx/wk</b> | <b>97%</b> | <b>95%</b> | <b>93%</b> | <b>90%</b> | <b>91%</b> | <b>94%</b> | <b>93%</b> | <b>96%</b> | <b>92%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




**I. ADEQUACY OF DIALYSIS - CONT.**

**Blood Pressure Control (Pre)**


|                             | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|-----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # Pre Dia BP                | 132        | 130        | 134        | 135        | 136        | 134        | 139        | 135        | 138        | 0         | 0         | 0         |
| # Pre Dia BP < 90           | 109        | 109        | 115        | 113        | 117        | 116        | 126        | 124        | 123        | 0         | 0         | 0         |
| Pop. Mean                   | 77         | 76         | 76         | 77         | 75         | 75         | 73         | 73         | 73         | 0         | 0         | 0         |
| Std. Deviation              | 14.2       | 13.6       | 12.9       | 13.4       | 12.4       | 12.4       | 12.5       | 13.3       | 12.4       | 0         | 0         | 0         |
| <b>% Pre Dia BP &lt; 90</b> | <b>83%</b> | <b>84%</b> | <b>86%</b> | <b>84%</b> | <b>86%</b> | <b>87%</b> | <b>91%</b> | <b>92%</b> | <b>89%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |



|                            | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|----------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # Pre Sys BP               | 132        | 130        | 134        | 135        | 136        | 134        | 139        | 135        | 138        | 0         | 0         | 0         |
| # Pre Sys BP < 150         | 83         | 80         | 81         | 80         | 89         | 89         | 98         | 94         | 88         | 0         | 0         | 0         |
| Pop. Mean                  | 145        | 144        | 143        | 144        | 140        | 140        | 139        | 140        | 142        | 0         | 0         | 0         |
| Std. Deviation             | 21.6       | 20.1       | 20.1       | 21.1       | 21.2       | 21.6       | 20.4       | 21.4       | 20.5       | 0         | 0         | 0         |
| <b>%Pre Sys BP &lt;150</b> | <b>63%</b> | <b>62%</b> | <b>60%</b> | <b>59%</b> | <b>65%</b> | <b>66%</b> | <b>71%</b> | <b>70%</b> | <b>64%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




|                                | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|--------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # L processed/kg               | 132        | 130        | 134        | 135        | 136        | 134        | 139        | 135        | 138        | 0         | 0         | 0         |
| # L processed/kg>0.8           | 113        | 111        | 119        | 113        | 115        | 117        | 123        | 118        | 120        | 0         | 0         | 0         |
| Pop. Mean                      | 1          | 1          | 1          | 1          | 1          | 1          | 1          | 1          | 1          | 0         | 0         | 0         |
| Std. Deviation                 | 0.3        | 0.3        | 0.3        | 0.3        | 0.3        | 0.3        | 0.3        | 0.3        | 0.3        | 0         | 0         | 0         |
| <b>% L processed/kg&gt;0.8</b> | <b>86%</b> | <b>85%</b> | <b>89%</b> | <b>84%</b> | <b>85%</b> | <b>87%</b> | <b>88%</b> | <b>87%</b> | <b>87%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**I. ADEQUACY OF DIALYSIS - CONT.**


|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # CO2          | 130  | 128  | 134  | 135  | 133  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # CO2 < 23     | 20   | 11   | 16   | 18   | 17   | 12   | 28   | 17   | 40   | 0   | 0   | 0   |
| Pop. Mean      | 25   | 26   | 26   | 26   | 26   | 26   | 25   | 26   | 24   | 0   | 0   | 0   |
| Std. Deviation | 2.75 | 2.57 | 2.89 | 3.14 | 2.81 | 2.64 | 3.14 | 2.72 | 2.79 | 0   | 0   | 0   |
| % CO2 < 23     | 15%  | 9%   | 12%  | 13%  | 13%  | 9%   | 20%  | 13%  | 29%  | 0%  | 0%  | 0%  |



|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # CO2          | 130  | 128  | 134  | 135  | 133  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # CO2 23 to 27 | 90   | 79   | 75   | 74   | 80   | 70   | 83   | 86   | 87   | 0   | 0   | 0   |
| Pop. Mean      | 25   | 26   | 26   | 26   | 26   | 26   | 25   | 26   | 24   | 0   | 0   | 0   |
| Std. Deviation | 2.75 | 2.57 | 2.89 | 3.14 | 2.81 | 2.64 | 3.14 | 2.72 | 2.79 | 0   | 0   | 0   |
| % CO2 23 to 27 | 69%  | 62%  | 56%  | 55%  | 60%  | 53%  | 60%  | 64%  | 63%  | 0%  | 0%  | 0%  |




|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # CO2          | 130  | 128  | 134  | 135  | 133  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # CO2 > 27     | 20   | 38   | 43   | 43   | 36   | 51   | 27   | 31   | 11   | 0   | 0   | 0   |
| Pop. Mean      | 25   | 26   | 26   | 26   | 26   | 26   | 25   | 26   | 24   | 0   | 0   | 0   |
| Std. Deviation | 2.75 | 2.57 | 2.89 | 3.14 | 2.81 | 2.64 | 3.14 | 2.72 | 2.79 | 0   | 0   | 0   |
| % CO2 > 27     | 15%  | 30%  | 32%  | 32%  | 27%  | 38%  | 20%  | 23%  | 8%   | 0%  | 0%  | 0%  |




\*Albumin values use BCG method - as of July 2001

**II. NUTRITION**


|                  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|------------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # Albumin        | 130  | 129  | 134  | 135  | 134  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # Albumin >= 4.0 | 77   | 67   | 67   | 74   | 67   | 85   | 84   | 71   | 78   | 0   | 0   | 0   |
| Pop. Mean        | 4.0  | 4.0  | 3.9  | 4.0  | 3.9  | 4.0  | 4.0  | 4.0  | 4.0  | 0   | 0   | 0   |
| Std. Deviation   | 0.37 | 0.35 | 0.39 | 0.37 | 0.39 | 0.36 | 0.39 | 0.38 | 0.37 | 0   | 0   | 0   |
| % Alb >= 3.5     | 93%  | 94%  | 89%  | 93%  | 91%  | 93%  | 91%  | 92%  | 96%  | 0%  | 0%  | 0%  |
| % Alb >= 3.0     | 99%  | 100% | 98%  | 99%  | 99%  | 99%  | 98%  | 96%  | 98%  | 0%  | 0%  | 0%  |
| % Alb >= 4.0     | 59%  | 52%  | 50%  | 55%  | 50%  | 64%  | 61%  | 53%  | 57%  | 0%  | 0%  | 0%  |




|                | Jan | Feb  | Mar | Apr | May  | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| # BMI          | 129 | 128  | 131 | 134 | 131  | 133 | 137 | 133 | 136 | 0   | 0   | 0   |
| # BMI < 19     | 7   | 7    | 7   | 6   | 6    | 8   | 10  | 8   | 8   | 0   | 0   | 0   |
| Pop. Mean      | 28  | 29   | 28  | 28  | 29   | 27  | 27  | 28  | 28  | 0   | 0   | 0   |
| Std. Deviation | 7.0 | 12.3 | 7.6 | 7.5 | 17.9 | 7.3 | 6.9 | 6.9 | 7.5 | 0   | 0   | 0   |
| % BMI < 19     | 5%  | 5%   | 5%  | 4%  | 5%   | 6%  | 7%  | 6%  | 6%  | 0%  | 0%  | 0%  |



|                | Jan | Feb  | Mar | Apr | May  | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| # BMI          | 129 | 128  | 131 | 134 | 131  | 133 | 137 | 133 | 136 | 0   | 0   | 0   |
| # BMI 19 to 30 | 80  | 77   | 79  | 81  | 79   | 80  | 82  | 78  | 77  | 0   | 0   | 0   |
| Pop. Mean      | 28  | 29   | 28  | 28  | 29   | 27  | 27  | 28  | 28  | 0   | 0   | 0   |
| Std. Deviation | 7.0 | 12.3 | 7.6 | 7.5 | 17.9 | 7.3 | 6.9 | 6.9 | 7.5 | 0   | 0   | 0   |
| % BMI 19 to 30 | 62% | 60%  | 60% | 60% | 60%  | 60% | 60% | 59% | 57% | 0%  | 0%  | 0%  |




|                | Jan | Feb  | Mar | Apr | May  | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------------|-----|------|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|
| # BMI          | 129 | 128  | 131 | 134 | 131  | 133 | 137 | 133 | 136 | 0   | 0   | 0   |
| # BMI > 30     | 42  | 44   | 45  | 47  | 46   | 45  | 45  | 47  | 51  | 0   | 0   | 0   |
| Pop. Mean      | 28  | 29   | 28  | 28  | 29   | 27  | 27  | 28  | 28  | 0   | 0   | 0   |
| Std. Deviation | 7.0 | 12.3 | 7.6 | 7.5 | 17.9 | 7.3 | 6.9 | 6.9 | 7.5 | 0   | 0   | 0   |
| % BMI > 30     | 33% | 34%  | 34% | 35% | 35%  | 34% | 33% | 35% | 38% | 0%  | 0%  | 0%  |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**III. OSTEODYSTROPHY**


|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # PO4          | 130  | 130  | 134  | 135  | 134  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # PO4 < 3.5    | 6    | 8    | 7    | 7    | 8    | 9    | 10   | 11   | 8    | 0   | 0   | 0   |
| Pop. Mean      | 5.3  | 5.3  | 5.5  | 5.6  | 5.5  | 5.5  | 5.5  | 5.3  | 5.4  | 0   | 0   | 0   |
| Std. Deviation | 1.26 | 1.29 | 1.41 | 1.52 | 1.43 | 1.31 | 1.47 | 1.46 | 1.42 | 0   | 0   | 0   |
| % PO4 < 3.5    | 5%   | 6%   | 5%   | 5%   | 6%   | 7%   | 7%   | 8%   | 6%   | 0%  | 0%  | 0%  |



|                  | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|------------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # PO4            | 130  | 130  | 134  | 135  | 134  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # PO4 3.5 to 5.5 | 76   | 66   | 61   | 64   | 64   | 59   | 62   | 64   | 68   | 0   | 0   | 0   |
| Pop. Mean        | 5.3  | 5.3  | 5.5  | 5.6  | 5.5  | 5.5  | 5.5  | 5.3  | 5.4  | 0   | 0   | 0   |
| Std. Deviation   | 1.26 | 1.29 | 1.41 | 1.52 | 1.43 | 1.31 | 1.47 | 1.46 | 1.42 | 0   | 0   | 0   |
| % PO4 3.5 to 5.5 | 58%  | 51%  | 46%  | 47%  | 48%  | 44%  | 45%  | 48%  | 49%  | 0%  | 0%  | 0%  |




|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # PO4          | 130  | 130  | 134  | 135  | 134  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # PO4 > 5.5    | 48   | 56   | 66   | 64   | 62   | 65   | 66   | 59   | 62   | 0   | 0   | 0   |
| Pop. Mean      | 5.3  | 5.3  | 5.5  | 5.6  | 5.5  | 5.5  | 5.5  | 5.3  | 5.4  | 0   | 0   | 0   |
| Std. Deviation | 1.26 | 1.29 | 1.41 | 1.52 | 1.43 | 1.31 | 1.47 | 1.46 | 1.42 | 0   | 0   | 0   |
| % PO4 > 5.5    | 37%  | 43%  | 49%  | 47%  | 46%  | 49%  | 48%  | 44%  | 45%  | 0%  | 0%  | 0%  |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**III. OSTEODYSTROPHY - CONT.**


|                           | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|---------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # Calcium                 | 130        | 130        | 134        | 135        | 135        | 133        | 138        | 134        | 138        | 0         | 0         | 0         |
| # Calcium < 8.5           | 15         | 20         | 27         | 17         | 18         | 15         | 23         | 19         | 24         | 0         | 0         | 0         |
| Pop. Mean                 | 9.1        | 9.1        | 9.0        | 9.1        | 9.1        | 9.2        | 9.1        | 9.1        | 9.1        | 0         | 0         | 0         |
| Std. Deviation            | 0.64       | 0.64       | 0.69       | 0.77       | 0.67       | 0.64       | 0.76       | 0.67       | 0.68       | 0         | 0         | 0         |
| <b>% Calcium &lt; 8.5</b> | <b>12%</b> | <b>15%</b> | <b>20%</b> | <b>13%</b> | <b>13%</b> | <b>11%</b> | <b>17%</b> | <b>14%</b> | <b>17%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |



|                              | Jan        | Feb        | Mar        | Apr        | May        | Jun        | Jul        | Aug        | Sep        | Oct       | Nov       | Dec       |
|------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| # Calcium                    | 130        | 130        | 134        | 135        | 135        | 133        | 138        | 134        | 138        | 0         | 0         | 0         |
| # Calcium 8.5 to 10.2        | 110        | 104        | 106        | 112        | 112        | 115        | 107        | 111        | 112        | 0         | 0         | 0         |
| Pop. Mean                    | 9.1        | 9.1        | 9.0        | 9.1        | 9.1        | 9.2        | 9.1        | 9.1        | 9.1        | 0         | 0         | 0         |
| Std. Deviation               | 0.64       | 0.64       | 0.69       | 0.77       | 0.67       | 0.64       | 0.76       | 0.67       | 0.68       | 0         | 0         | 0         |
| <b>% Calcium 8.5 to 10.2</b> | <b>85%</b> | <b>80%</b> | <b>79%</b> | <b>83%</b> | <b>83%</b> | <b>86%</b> | <b>78%</b> | <b>83%</b> | <b>81%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




|                            | Jan       | Feb       | Mar       | Apr       | May       | Jun       | Jul       | Aug       | Sep       | Oct       | Nov       | Dec       |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| # Calcium                  | 130       | 130       | 134       | 135       | 135       | 133       | 138       | 134       | 138       | 0         | 0         | 0         |
| # Calcium > 10.2           | 5         | 6         | 1         | 6         | 5         | 3         | 8         | 4         | 2         | 0         | 0         | 0         |
| Pop. Mean                  | 9.1       | 9.1       | 9.0       | 9.1       | 9.1       | 9.2       | 9.1       | 9.1       | 9.1       | 0         | 0         | 0         |
| Std. Deviation             | 0.64      | 0.64      | 0.69      | 0.77      | 0.67      | 0.64      | 0.76      | 0.67      | 0.68      | 0         | 0         | 0         |
| <b>% Calcium &gt; 10.2</b> | <b>4%</b> | <b>5%</b> | <b>1%</b> | <b>4%</b> | <b>4%</b> | <b>2%</b> | <b>6%</b> | <b>3%</b> | <b>1%</b> | <b>0%</b> | <b>0%</b> | <b>0%</b> |




**III. OSTEODYSTROPHY - CONT.**


|                         | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # PTH-I                 | 128        |     |     | 122        |     |     | 137        |     |     | 0         |     |     |
| # PTH-I < 150           | 25         |     |     | 22         |     |     | 24         |     |     | 0         |     |     |
| Pop. Mean               | 501        |     |     | 490        |     |     | 462        |     |     | 0         |     |     |
| Std. Deviation          | 423        |     |     | 432        |     |     | 413        |     |     | 0         |     |     |
| <b>% PTH-I &lt; 150</b> | <b>20%</b> |     |     | <b>18%</b> |     |     | <b>18%</b> |     |     | <b>0%</b> |     |     |




|                         | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # PTH-I                 | 128        |     |     | 122        |     |     | 137        |     |     | 0         |     |     |
| # PTH-I > 400           | 59         |     |     | 53         |     |     | 60         |     |     | 0         |     |     |
| Pop. Mean               | 501        |     |     | 490        |     |     | 462        |     |     | 0         |     |     |
| Std. Deviation          | 423        |     |     | 432        |     |     | 413        |     |     | 0         |     |     |
| <b>% PTH-I &gt; 400</b> | <b>46%</b> |     |     | <b>43%</b> |     |     | <b>44%</b> |     |     | <b>0%</b> |     |     |



|                           | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|---------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # PTH-I                   | 128        |     |     | 122        |     |     | 137        |     |     | 0         |     |     |
| # PTH-I 150 to 400        | 44         |     |     | 47         |     |     | 53         |     |     | 0         |     |     |
| Pop. Mean                 | 501        |     |     | 490        |     |     | 462        |     |     | 0         |     |     |
| Std. Deviation            | 423        |     |     | 432        |     |     | 413        |     |     | 0         |     |     |
| <b>% PTH-I 150 to 400</b> | <b>34%</b> |     |     | <b>39%</b> |     |     | <b>39%</b> |     |     | <b>0%</b> |     |     |



|                           | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|---------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # PTH-I                   | 128        |     |     | 122        |     |     | 137        |     |     | 0         |     |     |
| # PTH-I 150 to 300        | 30         |     |     | 35         |     |     | 36         |     |     | 0         |     |     |
| Pop. Mean                 | 501        |     |     | 490        |     |     | 462        |     |     | 0         |     |     |
| Std. Deviation            | 423        |     |     | 432        |     |     | 413        |     |     | 0         |     |     |
| <b>% PTH-I 150 to 300</b> | <b>23%</b> |     |     | <b>29%</b> |     |     | <b>26%</b> |     |     | <b>0%</b> |     |     |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.



**III. OSTEODYSTROPHY - CONT.**


|                 | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|-----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # Ca x PO4      | 130  | 130  | 134  | 135  | 134  | 133  | 138  | 134  | 138  | 0   | 0   | 0   |
| # Ca x PO4 < 65 | 120  | 120  | 122  | 122  | 118  | 115  | 127  | 120  | 124  | 0   | 0   | 0   |
| Pop. Mean       | 48.5 | 48.4 | 49.2 | 51.1 | 50.4 | 50.6 | 49.5 | 48.5 | 48.9 | 0   | 0   | 0   |
| Std. Deviation  | 11.1 | 11.6 | 12.6 | 13.7 | 13.5 | 12.5 | 14.0 | 13.8 | 13.4 | 0   | 0   | 0   |
| % Ca x PO4 < 65 | 92%  | 92%  | 91%  | 90%  | 88%  | 86%  | 92%  | 90%  | 90%  | 0%  | 0%  | 0%  |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**IV. ACCESS**


|           | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access  | 132 | 130 | 134 | 135 | 136 | 134 | 138 | 135 | 138 | 0   | 0   | 0   |
| # Fistula | 86  | 84  | 84  | 84  | 87  | 87  | 87  | 81  | 85  | 0   | 0   | 0   |
| % Fistula | 65% | 65% | 63% | 62% | 64% | 65% | 63% | 60% | 62% | 0%  | 0%  | 0%  |



|          | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access | 132 | 130 | 134 | 135 | 136 | 134 | 138 | 135 | 138 | 0   | 0   | 0   |
| # Graft  | 29  | 30  | 29  | 29  | 30  | 30  | 30  | 30  | 33  | 0   | 0   | 0   |
| % Graft  | 22% | 23% | 22% | 21% | 22% | 22% | 22% | 22% | 24% | 0%  | 0%  | 0%  |



|             | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access    | 132 | 130 | 134 | 135 | 136 | 134 | 138 | 135 | 138 | 0   | 0   | 0   |
| # Catheters | 17  | 16  | 21  | 22  | 19  | 17  | 21  | 24  | 20  | 0   | 0   | 0   |
| % Catheters | 13% | 12% | 16% | 16% | 14% | 13% | 15% | 18% | 14% | 0%  | 0%  | 0%  |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


**IV. ACCESS - CONT.**

**Cuffed Catheters > 90 days**


|                    | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Access           | 132 | 130 | 134 | 135 | 136 | 134 | 138 | 135 | 138 | 0   | 0   | 0   |
| # Cuffed Catheters | 8   | 7   | 8   | 8   | 6   | 7   | 8   | 10  | 8   | 0   | 0   | 0   |
| % Cuffed Catheters | 6%  | 5%  | 6%  | 6%  | 4%  | 5%  | 6%  | 7%  | 6%  | 0%  | 0%  | 0%  |



|                   | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Fistula         | 86  | 84  | 84  | 84  | 87  | 87  | 87  | 81  | 85  | 0   | 0   | 0   |
| # Fistula > 3 yrs | 31  | 32  | 32  | 32  | 33  | 34  | 34  | 32  | 33  | 0   | 0   | 0   |
| % Fistula > 3 yrs | 36% | 38% | 38% | 38% | 38% | 39% | 39% | 40% | 39% | 0%  | 0%  | 0%  |




|                 | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|-----------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| # Graft         | 29  | 30  | 29  | 29  | 30  | 30  | 30  | 30  | 33  | 0   | 0   | 0   |
| # Graft > 2 yrs | 16  | 16  | 15  | 13  | 13  | 13  | 13  | 12  | 13  | 0   | 0   | 0   |
| % Graft > 2 yrs | 55% | 53% | 52% | 45% | 43% | 43% | 43% | 40% | 39% | 0%  | 0%  | 0%  |



**IV. ACCESS - CONT.**


**Infection per use-life of access fistula**

|                           | Jan | Feb    | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------------|-----|--------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Infex per use-life</b> | 0   | 0.0397 |     |     |     |     |     |     |     |     |     |     |



**Infection per use-life of access graft**

|                           | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|---------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b>Infex per use-life</b> | 0   | 0   |     |     |     |     |     |     |     |     |     |     |



**Thrombosis Episode - access fistula**


|                             | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|-----------------------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| <b>Current Month</b>        |      |      |      |      |      |      |      |      | 0.01 |     |     |     |
| <b>Rolling Year-to-date</b> | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.00 | 0.00 | 0.00 | 0.00 |     |     |     |

**Thrombosis Episode - access graft**


|                             | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct  | Nov  | Dec  |
|-----------------------------|------|------|------|------|------|------|------|------|------|------|------|------|
| <b>Current Month</b>        |      | 0.05 |      | 0.04 | 0.04 |      |      |      |      |      |      |      |
| <b>Rolling Year-to-date</b> | 0.04 | 0.05 | 0.04 | 0.04 | 0.04 | 0.04 | 0.03 | 0.03 | 0.02 | 0.03 | 0.03 | 0.03 |

**V. ANEMIA**


|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # Hgb          | 131  | 129  | 134  | 135  | 134  | 133  | 138  | 135  | 138  | 0   | 0   | 0   |
| # Hgb < 10     | 22   | 22   | 15   | 13   | 17   | 30   | 38   | 31   | 31   | 0   | 0   | 0   |
| Pop. Mean      | 11.1 | 11.3 | 11.6 | 11.9 | 11.4 | 10.9 | 10.7 | 10.7 | 10.9 | 0   | 0   | 0   |
| Std. Deviation | 1.3  | 1.4  | 1.4  | 1.4  | 1.4  | 1.2  | 1.4  | 1.2  | 1.3  | 0   | 0   | 0   |
| % Hgb < 10     | 17%  | 17%  | 11%  | 10%  | 13%  | 23%  | 28%  | 23%  | 22%  | 0%  | 0%  | 0%  |



|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # Hgb          | 131  | 129  | 134  | 135  | 134  | 133  | 138  | 135  | 138  | 0   | 0   | 0   |
| # Hgb 10 to 12 | 80   | 73   | 75   | 65   | 82   | 86   | 85   | 86   | 81   | 0   | 0   | 0   |
| Pop. Mean      | 11.1 | 11.3 | 11.6 | 11.9 | 11.4 | 10.9 | 10.7 | 10.7 | 10.9 | 0   | 0   | 0   |
| Std. Deviation | 1.3  | 1.4  | 1.4  | 1.4  | 1.4  | 1.2  | 1.4  | 1.2  | 1.3  | 0   | 0   | 0   |
| % Hgb 10 to 12 | 61%  | 57%  | 56%  | 48%  | 61%  | 65%  | 62%  | 64%  | 59%  | 0%  | 0%  | 0%  |




|                | Jan  | Feb  | Mar  | Apr  | May  | Jun  | Jul  | Aug  | Sep  | Oct | Nov | Dec |
|----------------|------|------|------|------|------|------|------|------|------|-----|-----|-----|
| # Hgb          | 131  | 129  | 134  | 135  | 134  | 133  | 138  | 135  | 138  | 0   | 0   | 0   |
| # Hgb > 12     | 29   | 34   | 44   | 57   | 35   | 17   | 15   | 18   | 26   | 0   | 0   | 0   |
| Pop. Mean      | 11.1 | 11.3 | 11.6 | 11.9 | 11.4 | 10.9 | 10.7 | 10.7 | 10.9 | 0   | 0   | 0   |
| Std. Deviation | 1.3  | 1.4  | 1.4  | 1.4  | 1.4  | 1.2  | 1.4  | 1.2  | 1.3  | 0   | 0   | 0   |
| % Hgb > 12     | 22%  | 26%  | 33%  | 42%  | 26%  | 13%  | 11%  | 13%  | 19%  | 0%  | 0%  | 0%  |



**Average EPO Dose per Week per Kilogram**

|               | Jan   | Feb   | Mar   | Apr   | May   | Jun   | Jul   | Aug   | Sep   | Oct  | Nov | Dec |
|---------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-----|-----|
| # Average EPO | 160.3 | 171.2 | 187.0 | 185.3 | 116.6 | 101.9 | 101.4 | 120.2 | 102.7 | 46.8 | 0   | 0   |




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


**V. ANEMIA - CONT.**

**Iron Profile**


|                            | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|----------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # Ferritin                 | 129        |     |     | 129        |     |     | 134        |     |     | 0         |     |     |
| # Ferritin < 500           | 43         |     |     | 31         |     |     | 37         |     |     | 0         |     |     |
| Pop. Mean                  | 604        |     |     | 802        |     |     | 771        |     |     | 0         |     |     |
| Std. Deviation             | 298        |     |     | 436        |     |     | 419        |     |     | 0         |     |     |
| <b>% Ferritin &lt; 500</b> | <b>33%</b> |     |     | <b>24%</b> |     |     | <b>28%</b> |     |     | <b>0%</b> |     |     |



|                               | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-------------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # Ferritin                    | 129        |     |     | 129        |     |     | 134        |     |     | 0         |     |     |
| # Ferritin 500 to 1200        | 82         |     |     | 83         |     |     | 80         |     |     | 0         |     |     |
| Pop. Mean                     | 604        |     |     | 802        |     |     | 771        |     |     | 0         |     |     |
| Std. Deviation                | 298        |     |     | 436        |     |     | 419        |     |     | 0         |     |     |
| <b>% Ferritin 500 to 1200</b> | <b>64%</b> |     |     | <b>64%</b> |     |     | <b>60%</b> |     |     | <b>0%</b> |     |     |




|                             | Jan       | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-----------------------------|-----------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # Ferritin                  | 129       |     |     | 129        |     |     | 134        |     |     | 0         |     |     |
| # Ferritin > 1200           | 4         |     |     | 15         |     |     | 17         |     |     | 0         |     |     |
| Pop. Mean                   | 604       |     |     | 802        |     |     | 771        |     |     | 0         |     |     |
| Std. Deviation              | 298       |     |     | 436        |     |     | 419        |     |     | 0         |     |     |
| <b>% Ferritin &gt; 1200</b> | <b>3%</b> |     |     | <b>12%</b> |     |     | <b>13%</b> |     |     | <b>0%</b> |     |     |




**V. ANEMIA - CONT.**


|                       | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-----------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # % Sat               | 129        |     |     | 129        |     |     | 134        |     |     | 0         |     |     |
| # % Sat < 30          | 90         |     |     | 80         |     |     | 64         |     |     | 0         |     |     |
| Pop. Mean             | 26         |     |     | 31         |     |     | 32         |     |     | 0         |     |     |
| Std. Deviation        | 15         |     |     | 16         |     |     | 13         |     |     | 0         |     |     |
| <b>%% Sat &lt; 30</b> | <b>70%</b> |     |     | <b>62%</b> |     |     | <b>48%</b> |     |     | <b>0%</b> |     |     |




|                        | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|------------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # % Sat                | 129        |     |     | 129        |     |     | 134        |     |     | 0         |     |     |
| # % Sat 30 to 50       | 32         |     |     | 35         |     |     | 61         |     |     | 0         |     |     |
| Pop. Mean              | 26         |     |     | 31         |     |     | 32         |     |     | 0         |     |     |
| Std. Deviation         | 15         |     |     | 16         |     |     | 13         |     |     | 0         |     |     |
| <b>%% Sat 30 to 50</b> | <b>25%</b> |     |     | <b>27%</b> |     |     | <b>46%</b> |     |     | <b>0%</b> |     |     |



|                       | Jan       | Feb | Mar | Apr        | May | Jun | Jul       | Aug | Sep | Oct       | Nov | Dec |
|-----------------------|-----------|-----|-----|------------|-----|-----|-----------|-----|-----|-----------|-----|-----|
| # % Sat               | 129       |     |     | 129        |     |     | 134       |     |     | 0         |     |     |
| # % Sat > 50          | 7         |     |     | 14         |     |     | 9         |     |     | 0         |     |     |
| Pop. Mean             | 26        |     |     | 31         |     |     | 32        |     |     | 0         |     |     |
| Std. Deviation        | 15        |     |     | 16         |     |     | 13        |     |     | 0         |     |     |
| <b>%% Sat &gt; 50</b> | <b>5%</b> |     |     | <b>11%</b> |     |     | <b>7%</b> |     |     | <b>0%</b> |     |     |




|                            | Jan      | Feb      | Mar      | Apr      | May      | Jun      | Jul      | Aug      | Sep      | Oct      | Nov      | Dec      |
|----------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| <b># Blood Transfusion</b> | <b>1</b> | <b>2</b> | <b>3</b> | <b>1</b> | <b>3</b> | <b>4</b> | <b>4</b> | <b>4</b> | <b>4</b> | <b>0</b> | <b>0</b> | <b>0</b> |



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**VI. Diabetes**

|                       | Jan        | Feb | Mar | Apr        | May | Jun | Jul        | Aug | Sep | Oct       | Nov | Dec |
|-----------------------|------------|-----|-----|------------|-----|-----|------------|-----|-----|-----------|-----|-----|
| # HgA1c               | 72         |     |     | 74         |     |     | 72         |     |     | 0         |     |     |
| # HgA1c < 7           | 50         |     |     | 50         |     |     | 43         |     |     | 0         |     |     |
| Pop. Mean             | 6.8        |     |     | 6.7        |     |     | 7.0        |     |     | 0         |     |     |
| Std. Deviation        | 1.32       |     |     | 1.40       |     |     | 1.54       |     |     | 0         |     |     |
| <b>% HgA1c &lt; 7</b> | <b>69%</b> |     |     | <b>68%</b> |     |     | <b>60%</b> |     |     | <b>0%</b> |     |     |







**VII. Infection Control**

**Pneumonia vaccination within the past five years**

|                    | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b># Patient</b>   | 129 | 129 | 134 | 136 | 134 | 136 | 141 | 136 | 137 | 0   | 0   | 0   |
| <b># Pneumonia</b> | 87  | 89  | 88  | 115 | 107 | 112 | 112 | 112 | 115 | 0   | 0   | 0   |
| <b>% Pneumonia</b> | 67% | 69% | 66% | 85% | 80% | 82% | 79% | 82% | 84% | 0%  | 0%  | 0%  |



|                    | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nov | Dec |
|--------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| <b># Patient</b>   | 129 | 129 | 134 |     |     |     |     |     | 135 | 0   | 0   | 0   |
| <b># Influenza</b> | 103 | 105 | 106 |     |     |     |     |     | 100 | 0   | 0   | 0   |
| <b>% Influenza</b> | 80% | 81% | 79% |     |     |     |     |     | 74% | 0%  | 0%  | 0%  |



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.