



**I. ADEQUACY OF DIALYSIS**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	41	42	40	40	40	42	41	44	43	44	44	44
# spKt/V >= 1.4	27	25	29	29	32	31	32	35	33	30	31	33
Pop. Mean	1.60	1.52	1.59	1.60	1.61	1.56	1.64	1.63	1.61	1.56	1.62	1.63
Std. Deviation	0.41	0.38	0.35	0.32	0.35	0.28	0.30	0.30	0.34	0.30	0.36	0.28
% spKt/V >= 1.4	66%	60%	73%	73%	80%	74%	78%	80%	77%	68%	70%	75%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	36	37	36	36	36	39	39	42	41	40	40	40
# spKt/V >= 1.4 w/3tx/wk	24	24	28	27	31	29	31	34	32	29	28	30
Pop. Mean	1.60	1.56	1.63	1.62	1.65	1.57	1.65	1.63	1.61	1.58	1.62	1.63
Std. Deviation	0.38	0.35	0.33	0.30	0.32	0.27	0.30	0.30	0.34	0.30	0.37	0.27
% >= 1.4 w/3tx/wk	67%	65%	78%	75%	86%	74%	79%	81%	78%	73%	70%	75%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	41	42	40	40	40	42	41	44	43	44	44	44
# spKt/V >= 1.2	34	33	36	37	36	38	38	40	40	38	41	42
Pop. Mean	1.60	1.52	1.59	1.60	1.61	1.56	1.64	1.63	1.61	1.56	1.62	1.63
Std. Deviation	0.41	0.38	0.35	0.32	0.35	0.28	0.30	0.30	0.34	0.30	0.36	0.28
% spKt/V >= 1.2	83%	79%	90%	93%	90%	90%	93%	91%	93%	86%	93%	95%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	36	37	36	36	36	39	39	42	41	40	40	40
# spKt/V >= 1.2 w/3tx/wk	30	31	34	34	34	36	36	38	38	35	37	39
Pop. Mean	1.60	1.56	1.63	1.62	1.65	1.57	1.65	1.63	1.61	1.58	1.62	1.63
Std. Deviation	0.38	0.35	0.33	0.30	0.32	0.27	0.30	0.30	0.34	0.30	0.37	0.27
% >= 1.2 w/3tx/wk	83%	84%	94%	94%	94%	92%	92%	90%	93%	88%	93%	98%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**I. ADEQUACY OF DIALYSIS - CONT.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	41	42	40	40	40	42	41	44	43	44	44	45
# URR >= 65	33	34	35	38	36	39	39	41	40	39	42	44
Pop. Mean	73	72	74	74	74	74	76	75	74	73	75	75
Std. Deviation	9.05	8.87	8.50	7.23	7.62	6.23	5.72	6.78	8.72	6.54	7.76	5.78
% URR >= 65	80%	81%	88%	95%	90%	93%	95%	93%	93%	89%	95%	98%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	36	37	36	36	36	40	39	42	41	40	40	41
# URR>=65 w/ 3tx/wk	29	32	33	35	34	38	37	39	38	36	38	40
Pop. Mean	73	73	75	75	75	74	76	75	74	74	75	75
Std. Deviation	8.12	7.91	7.68	6.60	6.34	5.85	5.62	6.87	8.88	6.33	8.02	5.66
% URR>=65 w/ 3tx/wk	81%	86%	92%	97%	94%	95%	95%	93%	93%	90%	95%	98%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


**I. ADEQUACY OF DIALYSIS - CONT.**

**Blood Pressure Control (Pre)**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	43	43	40	41	40	42	42	44	44	45	45	45
# Pre Dia BP < 90	33	35	30	28	31	35	32	35	37	36	38	37
Pop. Mean	79	80	81	81	80	76	77	77	76	78	76	77
Std. Deviation	12.8	13.6	14.4	14.0	14.8	13.0	16.0	13.4	13.8	13.9	12.1	12.2
<b>% Pre Dia BP &lt; 90</b>	<b>77%</b>	<b>81%</b>	<b>75%</b>	<b>68%</b>	<b>78%</b>	<b>83%</b>	<b>76%</b>	<b>80%</b>	<b>84%</b>	<b>80%</b>	<b>84%</b>	<b>82%</b>



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	43	43	40	41	40	42	42	44	44	45	45	45
# Pre Sys BP < 150	30	28	24	20	27	31	28	32	30	31	30	29
Pop. Mean	144	145	147	148	145	141	141	141	140	144	142	143
Std. Deviation	19.2	20.2	19.6	21.9	22.4	20.0	21.4	17.9	21.2	17.3	16.6	15.9
<b>%Pre Sys BP &lt;150</b>	<b>70%</b>	<b>65%</b>	<b>60%</b>	<b>49%</b>	<b>68%</b>	<b>74%</b>	<b>67%</b>	<b>73%</b>	<b>68%</b>	<b>69%</b>	<b>67%</b>	<b>64%</b>




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	43	43	40	41	40	42	42	44	44	45	45	45
# L processed/kg>0.8	31	28	28	28	30	32	33	33	33	35	35	33
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
<b>% L processed/kg&gt;0.8</b>	<b>72%</b>	<b>65%</b>	<b>70%</b>	<b>68%</b>	<b>75%</b>	<b>76%</b>	<b>79%</b>	<b>75%</b>	<b>75%</b>	<b>78%</b>	<b>78%</b>	<b>73%</b>




**I. ADEQUACY OF DIALYSIS - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	42	43	40	40	40	42	41	44	43	45	44	45
# CO2 < 23	14	12	5	7	4	6	13	16	8	13	9	15
Pop. Mean	24	25	25	25	25	26	24	24	25	24	24	24
Std. Deviation	3.19	3.27	3.70	3.92	2.29	2.97	4.37	3.18	3.56	2.81	2.68	3.34
% CO2 < 23	33%	28%	13%	18%	10%	14%	32%	36%	19%	29%	20%	33%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	42	43	40	40	40	42	41	44	43	45	44	45
# CO2 23 to 27	21	22	23	21	33	24	21	25	26	30	33	25
Pop. Mean	24	25	25	25	25	26	24	24	25	24	24	24
Std. Deviation	3.19	3.27	3.70	3.92	2.29	2.97	4.37	3.18	3.56	2.81	2.68	3.34
% CO2 23 to 27	50%	51%	58%	53%	83%	57%	51%	57%	60%	67%	75%	56%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	42	43	40	40	40	42	41	44	43	45	44	45
# CO2 > 27	7	9	12	12	3	12	7	3	9	2	2	5
Pop. Mean	24	25	25	25	25	26	24	24	25	24	24	24
Std. Deviation	3.19	3.27	3.70	3.92	2.29	2.97	4.37	3.18	3.56	2.81	2.68	3.34
% CO2 > 27	17%	21%	30%	30%	8%	29%	17%	7%	21%	4%	5%	11%




\*Albumin values use BCG method - as of July 2001

**II. NUTRITION**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	42	43	40	40	40	42	41	43	43	45	44	45
# Albumin >= 4.0	19	20	21	20	23	20	19	23	30	26	26	20
Pop. Mean	4.0	4.0	4.0	4.0	4.0	3.8	3.9	3.9	4.0	3.9	4.1	3.9
Std. Deviation	0.34	0.37	0.27	0.33	0.34	0.43	0.36	0.40	0.24	0.30	0.32	0.33
% Alb >= 4.0	45%	47%	53%	50%	58%	48%	46%	53%	70%	58%	59%	44%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	42	43	40	40	40	42	41	43	43	45	44	45
# Albumin >= 3.5	40	39	38	37	36	37	37	38	42	41	42	42
Pop. Mean	4.0	4.0	4.0	4.0	4.0	3.8	3.9	3.9	4.0	3.9	4.1	3.9
Std. Deviation	0.34	0.37	0.27	0.33	0.34	0.43	0.36	0.40	0.24	0.30	0.32	0.33
% Alb >= 3.5	95%	91%	95%	93%	90%	88%	90%	88%	98%	91%	95%	93%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	43	42	40	40	39	41	41	42	43	44	43	44
# BMI >= 19	40	40	38	38	37	38	39	39	40	42	41	42
Pop. Mean	28	28	28	28	28	30	27	26	26	27	27	27
Std. Deviation	8.1	8.3	8.5	9.0	9.0	20.9	6.8	5.8	6.8	6.5	6.7	6.8
% BMI >= 19	93%	95%	95%	95%	95%	93%	95%	93%	93%	95%	95%	95%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	43	42	40	40	39	41	41	42	43	44	43	44
# BMI > 30	11	10	10	11	11	11	11	9	10	10	12	12
Pop. Mean	28	28	28	28	28	30	27	26	26	27	27	27
Std. Deviation	8.1	8.3	8.5	9.0	9.0	20.9	6.8	5.8	6.8	6.5	6.7	6.8
% BMI > 30	26%	24%	25%	28%	28%	27%	27%	21%	23%	23%	28%	27%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

**III. OSTEODYSTROPHY**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	42	43	40	40	40	42	41	44	43	45	44	45
# PO4 < 3.5	2	3	3	1	4	2	6	2	6	5	5	6
Pop. Mean	5.7	5.6	5.6	5.8	5.4	5.4	5.3	5.3	5.5	5.4	5.7	5.2
Std. Deviation	1.53	1.60	1.72	1.53	1.72	1.45	1.57	1.25	1.67	1.73	1.76	1.80
% PO4 < 3.5	5%	7%	8%	3%	10%	5%	15%	5%	14%	11%	11%	13%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	42	43	40	40	40	42	41	44	43	45	44	45
# PO4 3.5 to 5.5	22	19	17	19	23	20	14	24	17	22	18	23
Pop. Mean	5.7	5.6	5.6	5.8	5.4	5.4	5.3	5.3	5.5	5.4	5.7	5.2
Std. Deviation	1.53	1.60	1.72	1.53	1.72	1.45	1.57	1.25	1.67	1.73	1.76	1.80
% PO4 3.5 to 5.5	52%	44%	43%	48%	58%	48%	34%	55%	40%	49%	41%	51%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	42	43	40	40	40	42	41	44	43	45	44	45
# PO4 > 5.5	18	21	20	20	13	20	21	18	20	18	21	16
Pop. Mean	5.7	5.6	5.6	5.8	5.4	5.4	5.3	5.3	5.5	5.4	5.7	5.2
Std. Deviation	1.53	1.60	1.72	1.53	1.72	1.45	1.57	1.25	1.67	1.73	1.76	1.80
% PO4 > 5.5	43%	49%	50%	50%	33%	48%	51%	41%	47%	40%	48%	36%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

**III. OSTEODYSTROPHY - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	42	43	40	40	40	42	41	44	43	45	44	45
# Calcium < 8.5	8	4	4	1	4	8	5	7	6	7	6	6
Pop. Mean	9.2	9.2	9.2	9.4	9.3	9.1	9.2	9.1	9.1	9.0	9.2	9.3
Std. Deviation	0.79	0.67	0.61	0.58	0.60	0.70	0.59	0.72	0.60	0.54	0.66	0.71
% Calcium < 8.5	19%	9%	10%	3%	10%	19%	12%	16%	14%	16%	14%	13%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	42	43	40	40	40	42	41	44	43	45	44	45
# Calcium 8.5 to 10.2	32	36	35	36	36	32	35	34	36	38	37	37
Pop. Mean	9.2	9.2	9.2	9.4	9.3	9.1	9.2	9.1	9.1	9.0	9.2	9.3
Std. Deviation	0.79	0.67	0.61	0.58	0.60	0.70	0.59	0.72	0.60	0.54	0.66	0.71
% Calcium 8.5 to 10.2	76%	84%	88%	90%	90%	76%	85%	77%	84%	84%	84%	82%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	42	43	40	40	40	42	41	44	43	45	44	45
# Calcium > 10.2	2	3	1	3	0	2	1	3	1	0	1	2
Pop. Mean	9.2	9.2	9.2	9.4	9.3	9.1	9.2	9.1	9.1	9.0	9.2	9.3
Std. Deviation	0.79	0.67	0.61	0.58	0.60	0.70	0.59	0.72	0.60	0.54	0.66	0.71
% Calcium > 10.2	5%	7%	3%	8%	0%	5%	2%	7%	2%	0%	2%	4%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

**III. OSTEODYSTROPHY - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	42			31			39			45		
# PTH-I < 150	12			10			13			10		
Pop. Mean	310			355			303			339		
Std. Deviation	319			429			225			281		
% PTH-I < 150	29%			32%			33%			22%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	42			31			39			45		
# PTH-I > 300	10			14			16			16		
Pop. Mean	310			355			303			339		
Std. Deviation	319			429			225			281		
% PTH-I > 300	24%			45%			41%			36%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	42			31			39			45		
# PTH-I > 400	8			9			8			13		
Pop. Mean	310			355			303			339		
Std. Deviation	319			429			225			281		
% PTH-I > 400	19%			29%			21%			29%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.




**IV. ACCESS**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	43	43	40	41	40	42	42	44	44	45	45	45
# Fistula	31	27	24	28	28	29	29	30	28	32	30	32
% Fistula	72%	63%	60%	68%	70%	69%	69%	68%	64%	71%	67%	71%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	43	43	40	41	40	42	42	44	44	45	45	45
# Graft	6	6	7	6	6	6	8	6	11	6	8	8
% Graft	14%	14%	18%	15%	15%	14%	19%	14%	25%	13%	18%	18%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	43	43	40	41	40	42	42	44	44	45	45	45
# Catheters	6	10	9	7	6	7	5	8	5	7	7	5
% Catheters	14%	23%	23%	17%	15%	17%	12%	18%	11%	16%	16%	11%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**IV. ACCESS - CONT.**


**Catheters > 90 days**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	43	43	40	41	40	42	42	44	44	45	45	45
# Catheters	4	4	5	5	6	5	3	6	5	5	5	3
% Catheters	9%	9%	13%	12%	15%	12%	7%	14%	11%	11%	11%	7%


Definition: Catheter in use on last treatment of the month



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	31	28	28	29	28	27	29	27	28	30	30	32
# Fistula > 3 yrs	9	7	7	7	7	7	8	8	9	9	9	10
% Fistula > 3 yrs	29%	25%	25%	24%	25%	26%	28%	30%	32%	30%	30%	31%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Graft	6	6	5	7	6	6	7	9	11	9	8	8
# Graft > 2 yrs	0	0	0	0	0	0	1	1	2	2	2	2
% Graft > 2 yrs	0%	0%	0%	0%	0%	0%	14%	11%	18%	22%	25%	25%



**V. ANEMIA**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	36	35	34	34	35	35	34	35	39	38	37
# Hgb < 10	8	11	10	9	7	9	10	8	6	10	13	9
Pop. Mean	10.6	10.2	10.6	10.7	10.8	10.5	10.5	10.6	10.7	10.4	10.5	10.3
Std. Deviation	1.0	1.0	1.1	0.8	0.9	1.0	0.7	0.9	0.9	0.9	1.2	0.8
<b>% Hgb &lt; 10</b>	<b>24%</b>	<b>31%</b>	<b>29%</b>	<b>26%</b>	<b>21%</b>	<b>26%</b>	<b>29%</b>	<b>24%</b>	<b>17%</b>	<b>26%</b>	<b>34%</b>	<b>24%</b>

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	36	35	34	34	35	35	34	35	39	38	37
# Hgb 10 to 12	25	25	23	22	25	25	25	25	27	29	22	28
Pop. Mean	10.6	10.2	10.6	10.7	10.8	10.5	10.5	10.6	10.7	10.4	10.5	10.3
Std. Deviation	1.0	1.0	1.1	0.8	0.9	1.0	0.7	0.9	0.9	0.9	1.2	0.8
<b>% Hgb 10 to 12</b>	<b>74%</b>	<b>69%</b>	<b>66%</b>	<b>65%</b>	<b>74%</b>	<b>71%</b>	<b>71%</b>	<b>74%</b>	<b>77%</b>	<b>74%</b>	<b>58%</b>	<b>76%</b>

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	36	35	34	34	35	35	34	35	39	38	37
# Hgb > 11	12	8	12	12	17	12	7	8	11	11	15	6
Pop. Mean	10.6	10.2	10.6	10.7	10.8	10.5	10.5	10.6	10.7	10.4	10.5	10.3
Std. Deviation	1.0	1.0	1.1	0.8	0.9	1.0	0.7	0.9	0.9	0.9	1.2	0.8
<b>% Hgb &gt; 11</b>	<b>35%</b>	<b>22%</b>	<b>34%</b>	<b>35%</b>	<b>50%</b>	<b>34%</b>	<b>20%</b>	<b>24%</b>	<b>31%</b>	<b>28%</b>	<b>39%</b>	<b>16%</b>

Note: Excludes patients who received no ESA in month.



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	36	35	34	34	35	35	34	35	39	38	37
# Hgb > 12	1	0	2	3	2	1	0	1	2	0	3	0
Pop. Mean	10.6	10.2	10.6	10.7	10.8	10.5	10.5	10.6	10.7	10.4	10.5	10.3
Std. Deviation	1.0	1.0	1.1	0.8	0.9	1.0	0.7	0.9	0.9	0.9	1.2	0.8
<b>% Hgb &gt; 12</b>	<b>3%</b>	<b>0%</b>	<b>6%</b>	<b>9%</b>	<b>6%</b>	<b>3%</b>	<b>0%</b>	<b>3%</b>	<b>6%</b>	<b>0%</b>	<b>8%</b>	<b>0%</b>


Note: Excludes patients who received no ESA in month.



**V. ANEMIA - CONT.**

Average EPO Dose per Week per Kilogram

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average EPO	90.3	84.4	78.8	104.8	82.5	97.7	88.9	83.8	65.9	77.8	67.8	90.3




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


**V. ANEMIA - CONT.**

**Iron Profile**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	42			38	39		40			45		
# Ferritin < 800	18			9	8		5			15		
Pop. Mean	846			1103	1076		1128			999		
Std. Deviation	412			506	455		379			464		
<b>% Ferritin &lt; 800</b>	<b>43%</b>			<b>24%</b>	<b>21%</b>		<b>13%</b>			<b>33%</b>		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	42			38	39		40			45		
# Ferritin 800 to 1200	16			14	20		19			17		
Pop. Mean	846			1103	1076		1128			999		
Std. Deviation	412			506	455		379			464		
<b>% Ferritin 800 to 1200</b>	<b>38%</b>			<b>37%</b>	<b>51%</b>		<b>48%</b>			<b>38%</b>		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	42			38	39		40			45		
# Ferritin > 1200	8			15	11		16			13		
Pop. Mean	846			1103	1076		1128			999		
Std. Deviation	412			506	455		379			464		
<b>% Ferritin &gt; 1200</b>	<b>19%</b>			<b>39%</b>	<b>28%</b>		<b>40%</b>			<b>29%</b>		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**V. ANEMIA - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	42			38	39		40			45		
# % Sat < 30	19			17	17		14			21		
Pop. Mean	32			34	32		33			34		
Std. Deviation	13			15	14		12			19		
<b>% % Sat &lt; 30</b>	<b>45%</b>			<b>45%</b>	<b>44%</b>		<b>35%</b>			<b>47%</b>		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	42			38	39		40			45		
# % Sat 30 to 50	21			17	18		24			18		
Pop. Mean	32			34	32		33			34		
Std. Deviation	13			15	14		12			19		
<b>% % Sat 30 to 50</b>	<b>50%</b>			<b>45%</b>	<b>46%</b>		<b>60%</b>			<b>40%</b>		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	42			38	39		40			45		
# % Sat > 50	2			4	4		2			6		
Pop. Mean	32			34	32		33			34		
Std. Deviation	13			15	14		12			19		
<b>% % Sat &gt; 50</b>	<b>5%</b>			<b>11%</b>	<b>10%</b>		<b>5%</b>			<b>13%</b>		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Blood Transfusion</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

**VI. Diabetes**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	17			13			16			17		
# HgA1c < 7	7			10			12			11		
Pop. Mean	7.6			7.0			6.5			6.8		
Std. Deviation	2.13			2.24			1.36			1.38		
<b>% HgA1c &lt; 7</b>	<b>41%</b>			<b>77%</b>			<b>75%</b>			<b>65%</b>		




**VII. Infection Control**

**Pneumonia vaccination within the past five years**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	44	44	41	42	43	43	42	46	45	46	44	45
# Pneumonia	41	40	37	38	37	37	40	40	40	43	42	43
<b>% Pneumonia</b>	<b>93%</b>	<b>91%</b>	<b>90%</b>	<b>90%</b>	<b>86%</b>	<b>86%</b>	<b>95%</b>	<b>87%</b>	<b>89%</b>	<b>93%</b>	<b>95%</b>	<b>96%</b>



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	44	44	41						45	46	44	45
# Influenza	36	34	33						38	39	37	38
<b>% Influenza</b>	<b>82%</b>	<b>77%</b>	<b>80%</b>						<b>84%</b>	<b>85%</b>	<b>84%</b>	<b>84%</b>




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.




**VIII. Misc**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Hospital Admissions</b>	5	11	8	9	6	6	7	14	8	6	3	9



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Individual Deaths</b>	0	0	0	0	0	0	1	0	0	0	2	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Missed Treatments</b>	81	63	54	31	32	21	41	35	25	35	23	28



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.