

Blood Transfusion Assessment Requirements for Valley Medical  
Per Valley Blood Admin Policy

Treatment	Peritoneal Dialysis	Intake/Output	Blood Admin	Vital Signs
-----------	---------------------	---------------	-------------	-------------

## Vital Signs

VS & Assessment (document at Start / 15 min / C	
Temp	
Temp Source	
Heart Rate	
Resp	
BP	
MAP (mmHg)	
SpO2	
Lung Assessment	
Skin Assessment	
<b>Pre-Transfusion Documentation</b>	
Pre-Meds Given?	
Informed Consent Obtained	
Pre-assessment - Additional	
<b>Transfusion Reaction Assessment (30 min. Inter</b>	
Transfusion Reaction Assessment	
Suspected Reaction?	

**Complete Vital Signs within:**

- 30 minutes of start of transfusion.
- 15 minutes after start
- At the End of Transfusion
- 1 hour post Transfusion
  - If HD/TPE treatment ends prior to the 1 hour post, follow up with Valley Floor RN to have Floor RN complete 1 hr. post Assessment

Complete Required Pre-Transfusion Documentation requirements

## Lung Assessment

This is a Physical Assessment –State Lungs Clear if clear otherwise note what is found upon assessment

Complete Lung Assessment within:

- 30 minutes of start of transfusion.
- 15 minutes after start
- At the End of Transfusion
- 1 hour post Transfusion
  - If HD/TPE treatment ends prior to the 1 hour post, follow up with Valley Floor RN to have Floor RN complete 1 hr. post Assessment

Mode: Accordion Expanded View All	04/29/14 1200
1m 5m 10m 15m 30m 1h 2h 4h 8h 24h Based On: 0700	<b>Lung Assessment</b>
Admission (Curr...)	Select Multiple Options: (F5)
4/29/14 9/4/14	Lung auscultations clear
1200 1130	Dyspnea / increased work of breathing
Lung Assessment	Wheezing
Skin Assessment	Crackles
<b>Pre-Transfusion Documentation</b>	Comment (F6)
Pre-Meds Given?	
Informed Consent Obtained	

## Skin Assessment

Complete Skin Assessment within:

This is a Physical Assessment –State Skin Clear is skin if clear otherwise note what is found upon assessment

- 30 minutes of start of transfusion.
- 15 minutes after start
- At the End of Transfusion
- 1 hour post Transfusion
  - If HD/TPE treatment ends prior to the 1 hour post, follow up with Valley Floor RN to have Floor RN complete 1 hr. post Assessment


Mode: Accordion Expanded View All		04/29/14 1200	
1m 5m 10m 15m 30m 1h 2h 4h 8h 24h Based On: 0700		<b>Skin Assessment</b>	
Admission (Curr...)		Select Multiple Options: (F5)	
	4/29/14	9/4/14	<input type="checkbox"/> Skin clear <input type="checkbox"/> Itching <input type="checkbox"/> Rash <input type="checkbox"/> Hives <input type="checkbox"/> Flushing
	1200	1130	Comment (F6)
Lung Assessment	Lung au...		
Skin Assessment	<input type="text"/>		
<b>Pre-Transfusion Documentation</b>			
Pre-Meds Given?			
Informed Consent Obtained			
Pre-assessment - Additional			
<b>Transfusion Reaction Assessment (30 min. Intervals or with Suspected Reaction)</b>			
Transfusion Reaction Assessment			
		<b>Row Information</b>	
		See Head-to-Toe Assessment flowsheet	

## Reaction assessment

Complete Reaction Assessment within:

This is a Physical Assessment –assess for signs/symptoms of Reaction—if any are present indicate which ones are noted. Otherwise state No Reaction

- 15 minutes after start
- Every 30 minutes during transfusion
- At the End of Transfusion
- 1 hour post Transfusion
  - If HD/TPE treatment ends prior to the 1 hour post, follow up with Valley Floor RN to have Floor RN complete 1 hr. post Assessment



Mode: Accordion Expanded View All

1m 5m 10m 15m 30m 1h 2h 4h 8h 24h Based On: 0700

Admission (Curr...	
4/29/14	9/4/14
1200	1130

Pre-assessment - Additional

**Transfusion Reaction Assessment (30 min. Intervals or with Suspected Reaction)**

Transfusion Reaction Assessment

Suspected Reaction?

[REMOVED] PICC Double Lumen 04/29/14 Left Brachial

Line Properties	Removed/Resolved
Site Assessment	Clean/D...
Lumen 1 Color	Blue
Lumen 1 Status	
RETIRED Lumen Status (Proximal; 1;	Blood re...
Lumen 2 Color	Red
Lumen 2 Status	
RETIRED Lumen Status (Distal; 2;	Blood re...
Length mark (cm)	
Extremity Circumference (cm)	
Line Care	
Dressing Type	Transpa...
Dressing Status	Clean/D...
Dressing Intervention	

04/29/14 1200

**Transfusion Reaction Assessment**

Select Multiple Options: (F5)


- No reaction
- Dyspnea / increased work of breathing
- Wheezing
- Crackles
- Jugular vein distension
- Back Pain
- Chest Pain
- Chills
- Confused
- Chillsless
- Diminished level of consciousness
- Unconscious
- Diarrhea
- Nausea/vomiting
- Fever
- Headache
- Flushing
- Itching
- Rash
- Hives

Comment (F6)

## Suspected reaction

Complete Suspected Reaction Assessment within:

- This is a Yes/No Assessment
  - 15 minutes after start
  - Every 30 minutes during transfusion
  - At the End of Transfusion
  - 1 hour post Transfusion
    - If HD/TPE treatment ends prior to the 1 hour post, follow up with Valley Floor RN to have Floor RN complete 1 hr. post Assessment



ke/Output | Blood Admin | Vital Signs | Assessment | IV Assess | Daily Cares/Safety | Screen

Mode: Accordion Expanded View All

1m 5m 10m 15m 30m 1h 2h 4h 8h 24h Based On: 0700

Admission (Curr...	
4/29/14	9/4/14
1200	1130

Transfusion Reaction Assessment

Suspected Reaction?

[REMOVED] PICC Double Lumen 04/29/14 Left Brachial

Line Description: Removed/Replaced

04/29/14 1200

Suspected Reaction?

Select Multiple Options: (F5)

Yes

No

Comment (F6)