



I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	24	22	23	26	25	25	28	29	27	27	27	28
# spKt/V >= 1.4	22	16	21	20	22	23	26	29	23	25	25	25
Pop. Mean	1.62	1.59	1.64	1.65	1.68	1.67	1.71	1.71	1.66	1.67	1.72	1.73
Std. Deviation	0.28	0.37	0.23	0.30	0.27	0.30	0.38	0.27	0.29	0.29	0.29	0.39
% spKt/V >= 1.4	92%	73%	91%	77%	88%	92%	93%	100%	85%	93%	93%	89%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	24	22	23	26	25	25	28	29	27	27	27	28
# spKt/V >= 1.4 w/3tx/wk	22	16	21	20	22	23	26	29	23	25	25	25
Pop. Mean	1.62	1.59	1.64	1.65	1.68	1.67	1.71	1.71	1.66	1.67	1.72	1.73
Std. Deviation	0.28	0.37	0.23	0.30	0.27	0.30	0.38	0.27	0.29	0.29	0.29	0.39
% >= 1.4 w/3tx/wk	92%	73%	91%	77%	88%	92%	93%	100%	85%	93%	93%	89%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	24	22	23	26	25	25	28	29	27	27	27	28
# spKt/V >= 1.2	23	19	22	25	25	23	26	29	26	26	27	27
Pop. Mean	1.62	1.59	1.64	1.65	1.68	1.67	1.71	1.71	1.66	1.67	1.72	1.73
Std. Deviation	0.28	0.37	0.23	0.30	0.27	0.30	0.38	0.27	0.29	0.29	0.29	0.39
% spKt/V >= 1.2	96%	86%	96%	96%	100%	92%	93%	100%	96%	96%	100%	96%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	24	22	23	26	25	25	28	29	27	27	27	28
# spKt/V >= 1.2 w/3tx/wk	23	19	22	25	25	23	26	29	26	26	27	27
Pop. Mean	1.62	1.59	1.64	1.65	1.68	1.67	1.71	1.71	1.66	1.67	1.72	1.73
Std. Deviation	0.28	0.37	0.23	0.30	0.27	0.30	0.38	0.27	0.29	0.29	0.29	0.39
% >= 1.2 w/3tx/wk	96%	86%	96%	96%	100%	92%	93%	100%	96%	96%	100%	96%




I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	24	23	23	26	25	25	28	29	27	27	28	29
# URR >= 65	23	20	22	24	25	23	26	29	26	26	28	28
Pop. Mean	75	74	76	75	76	76	76	77	76	76	78	77
Std. Deviation	6.06	10.00	4.99	6.15	5.18	6.56	7.85	4.59	5.62	6.03	5.41	8.89
% URR >= 65	96%	87%	96%	92%	100%	92%	93%	100%	96%	96%	100%	97%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	24	23	23	26	25	25	28	29	27	27	28	29
# URR>=65 w/ 3tx/wk	23	20	22	24	25	23	26	29	26	26	28	28
Pop. Mean	75	74	76	75	76	76	76	77	76	76	78	77
Std. Deviation	6.06	10.00	4.99	6.15	5.18	6.56	7.85	4.59	5.62	6.03	5.41	8.89
% URR>=65 w/ 3tx/wk	96%	87%	96%	92%	100%	92%	93%	100%	96%	96%	100%	97%




I. ADEQUACY OF DIALYSIS - CONT.

Blood Pressure Control (Pre)


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	24	24	23	26	25	25	28	29	27	28	28	29
# Pre Dia BP < 90	23	21	23	25	24	23	25	26	24	25	25	26
Pop. Mean	67	70	70	70	71	71	71	73	74	71	72	72
Std. Deviation	15.9	15.2	12.8	11.3	10.7	13.9	15.0	11.1	12.4	12.7	10.9	11.4
% Pre Dia BP < 90	96%	88%	100%	96%	96%	92%	89%	90%	89%	89%	89%	90%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	24	24	23	26	25	25	28	29	27	28	28	29
# Pre Sys BP < 150	19	19	20	23	22	20	23	21	21	23	23	21
Pop. Mean	132	133	131	134	133	136	134	137	137	136	137	140
Std. Deviation	21.1	22.1	19.9	19.3	18.7	21.7	24.5	20.9	23.2	22.6	21.7	22.4
%Pre Sys BP <150	79%	79%	87%	88%	88%	80%	82%	72%	78%	82%	82%	72%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	24	24	23	26	25	25	28	29	27	28	28	29
# L processed/kg>0.8	20	17	17	22	24	22	22	23	19	24	25	25
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>0.8	83%	71%	74%	85%	96%	88%	79%	79%	70%	86%	89%	86%




Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2014


4

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	24	23	23	26	25	25	28	29	27	27	28	29
# CO2 < 23	6	4	8	7	3	6	9	5	6	10	6	7
Pop. Mean	24	24	24	25	25	24	24	24	23	24	24	24
Std. Deviation	2.76	3.09	3.59	3.37	2.16	2.91	2.83	2.12	3.31	3.21	3.59	3.58
% CO2 < 23	25%	17%	35%	27%	12%	24%	32%	17%	22%	37%	21%	24%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	24	23	23	26	25	25	28	29	27	27	28	29
# CO2 23 to 27	14	15	11	14	20	16	17	22	20	13	19	19
Pop. Mean	24	24	24	25	25	24	24	24	23	24	24	24
Std. Deviation	2.76	3.09	3.59	3.37	2.16	2.91	2.83	2.12	3.31	3.21	3.59	3.58
% CO2 23 to 27	58%	65%	48%	54%	80%	64%	61%	76%	74%	48%	68%	66%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	24	23	23	26	25	25	28	29	27	27	28	29
# CO2 > 27	4	4	4	5	2	3	2	2	1	4	3	3
Pop. Mean	24	24	24	25	25	24	24	24	23	24	24	24
Std. Deviation	2.76	3.09	3.59	3.37	2.16	2.91	2.83	2.12	3.31	3.21	3.59	3.58
% CO2 > 27	17%	17%	17%	19%	8%	12%	7%	7%	4%	15%	11%	10%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2014

5


*Albumin values use BCG method - as of July 2001

II. NUTRITION


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	24	23	23	26	25	25	28	29	27	27	28	29
# Albumin >= 4.0	10	13	14	17	16	17	18	20	14	18	19	21
Pop. Mean	3.9	4.0	4.1	4.0	4.0	4.1	4.0	4.1	4.0	3.9	4.0	4.0
Std. Deviation	0.44	0.29	0.28	0.33	0.33	0.27	0.37	0.28	0.33	0.39	0.38	0.40
% Alb >= 4.0	42%	57%	61%	65%	64%	68%	64%	69%	52%	67%	68%	72%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	24	23	23	26	25	25	28	29	27	27	28	29
# Albumin >= 3.5	22	23	23	24	24	24	26	28	25	24	26	25
Pop. Mean	3.9	4.0	4.1	4.0	4.0	4.1	4.0	4.1	4.0	3.9	4.0	4.0
Std. Deviation	0.44	0.29	0.28	0.33	0.33	0.27	0.37	0.28	0.33	0.39	0.38	0.40
% Alb >= 3.5	92%	100%	100%	92%	96%	96%	93%	97%	93%	89%	93%	86%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	24	24	23	26	24	24	27	28	26	27	27	28
# BMI >= 19	23	23	22	26	24	23	26	27	25	26	26	27
Pop. Mean	32	32	32	32	32	32	32	31	32	31	31	32
Std. Deviation	8.3	8.4	8.2	7.6	7.7	8.0	8.3	8.0	8.1	7.9	8.1	8.4
% BMI >= 19	96%	96%	96%	100%	100%	96%	96%	96%	96%	96%	96%	96%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	24	24	23	26	24	24	27	28	26	27	27	28
# BMI > 30	14	14	14	15	14	14	16	15	14	14	14	15
Pop. Mean	32	32	32	32	32	32	32	31	32	31	31	32
Std. Deviation	8.3	8.4	8.2	7.6	7.7	8.0	8.3	8.0	8.1	7.9	8.1	8.4
% BMI > 30	58%	58%	61%	58%	58%	58%	59%	54%	54%	52%	52%	54%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	24	23	23	26	25	25	28	29	27	27	28	29
# PO4 < 3.5	0	1	0	1	1	0	1	1	1	1	0	0
Pop. Mean	5.5	6.0	5.8	5.6	5.7	6.0	5.7	5.9	5.8	5.8	5.7	5.8
Std. Deviation	1.26	1.50	1.40	1.43	1.47	1.58	1.66	1.67	1.63	1.57	1.26	1.65
% PO4 < 3.5	0%	4%	0%	4%	4%	0%	4%	3%	4%	4%	0%	0%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	24	23	23	26	25	25	28	29	27	27	28	29
# PO4 3.5 to 5.5	14	9	11	13	12	12	13	10	12	14	15	13
Pop. Mean	5.5	6.0	5.8	5.6	5.7	6.0	5.7	5.9	5.8	5.8	5.7	5.8
Std. Deviation	1.26	1.50	1.40	1.43	1.47	1.58	1.66	1.67	1.63	1.57	1.26	1.65
% PO4 3.5 to 5.5	58%	39%	48%	50%	48%	48%	46%	34%	44%	52%	54%	45%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	24	23	23	26	25	25	28	29	27	27	28	29
# PO4 > 5.5	10	13	12	12	12	13	14	18	14	12	13	16
Pop. Mean	5.5	6.0	5.8	5.6	5.7	6.0	5.7	5.9	5.8	5.8	5.7	5.8
Std. Deviation	1.26	1.50	1.40	1.43	1.47	1.58	1.66	1.67	1.63	1.57	1.26	1.65
% PO4 > 5.5	42%	57%	52%	46%	48%	52%	50%	62%	52%	44%	46%	55%




Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	24	23	23	26	25	25	28	29	27	27	28	29
# Calcium < 8.5	4	5	4	4	3	0	2	2	1	0	0	1
Pop. Mean	9.2	9.1	9.3	9.3	9.4	9.5	9.3	9.3	9.2	9.3	9.3	9.2
Std. Deviation	0.88	0.85	0.69	0.90	0.82	0.58	0.97	0.63	0.48	0.48	0.37	0.52
% Calcium < 8.5	17%	22%	17%	15%	12%	0%	7%	7%	4%	0%	0%	3%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	24	23	23	26	25	25	28	29	27	27	28	29
# Calcium 8.5 to 10.2	18	16	18	19	19	21	23	26	25	26	28	27
Pop. Mean	9.2	9.1	9.3	9.3	9.4	9.5	9.3	9.3	9.2	9.3	9.3	9.2
Std. Deviation	0.88	0.85	0.69	0.90	0.82	0.58	0.97	0.63	0.48	0.48	0.37	0.52
% Calcium 8.5 to 10.2	75%	70%	78%	73%	76%	84%	82%	90%	93%	96%	100%	93%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	24	23	23	26	25	25	28	29	27	27	28	29
# Calcium > 10.2	2	2	1	3	3	4	3	1	1	1	0	1
Pop. Mean	9.2	9.1	9.3	9.3	9.4	9.5	9.3	9.3	9.2	9.3	9.3	9.2
Std. Deviation	0.88	0.85	0.69	0.90	0.82	0.58	0.97	0.63	0.48	0.48	0.37	0.52
% Calcium > 10.2	8%	9%	4%	12%	12%	16%	11%	3%	4%	4%	0%	3%




Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	24			26			28			27		
# PTH-I < 150	5			11			7			6		
Pop. Mean	320			275			338			295		
Std. Deviation	191			232			318			198		
% PTH-I < 150	21%			42%			25%			22%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	24			26			28			27		
# PTH-I > 300	13			9			12			10		
Pop. Mean	320			275			338			295		
Std. Deviation	191			232			318			198		
% PTH-I > 300	54%			35%			43%			37%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	24			26			28			27		
# PTH-I > 400	8			6			7			5		
Pop. Mean	320			275			338			295		
Std. Deviation	191			232			318			198		
% PTH-I > 400	33%			23%			25%			19%		




Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2014


9

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	24	24	23	26	25	25	28	29	27	28	28	29
# Fistula	18	21	21	22	22	22	23	23	21	22	22	23
% Fistula	75%	88%	91%	85%	88%	88%	82%	79%	78%	79%	79%	79%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	24	24	23	26	25	25	28	29	27	28	28	29
# Graft	2	1	1	1	1	1	1	1	1	2	2	2
% Graft	8%	4%	4%	4%	4%	4%	4%	3%	4%	7%	7%	7%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	24	24	23	26	25	25	28	29	27	28	28	29
# Catheters	4	2	1	3	2	2	4	5	5	4	4	4
% Catheters	17%	8%	4%	12%	8%	8%	14%	17%	19%	14%	14%	14%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	24	24	23	26	25	25	28	29	27	28	28	29
# Catheters	3	1	0	1	0	2	2	3	2	2	2	4
% Catheters	13%	4%	0%	4%	0%	8%	7%	10%	7%	7%	7%	14%

Definition: Catheter in use on last treatment of the month



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	19	22	22	23	22	23	24	24	23	22	22	23
# Fistula > 3 yrs	4	3	3	3	3	4	4	4	4	4	4	5
% Fistula > 3 yrs	21%	14%	14%	13%	14%	17%	17%	17%	17%	18%	18%	22%



All rates are calculated per 100 patient-month


(number of infections/number of accesses x100)

EKC	Total	Fistula	Fistula	National	Total	Graft	Graft	National	Total	Cath	Cath	National	Total	Total	All ARB	National
2013-2014	Fistula	Infected	ARB	Rate	Grafts	Infected	ARB	Rate	Cath	Infected	ARB	Rate	Accesses	Access	Rate Per	Rate
Month			Rate				Rate				Rate			Infected	100 pt-	
															Months	
Dec	17	0	0	0.23	0	0	0	0.51	6	0	0	2.55	23	0	0	
Jan	18	0	0	0.23	2	0	0	0.51	4	0	0	2.55	24	0	0	
Feb	25	0	0	0.23	2	0	0	0.51	3	0	0	2.55	25	0	0	
Mar	22	0	0	0.23	1	0	0	0.51	1	0	0	2.55	24	0	0	
April	23	0	0	0.23	1	0	0	0.51	2	0	0	2.55	26	0	0	
May	23	0	0	0.23	1	0	0	0.51	2	0	0	2.55	26	0	0	
June	21	0	0	0.23	1	0	0	0.51	1	0	0	2.55	24	0	0	
July	22	0	0	0.23	1	0	0	0.51	0	0	0	2.55	23	0	0	
Aug	22	0	0	0.23	1	0	0	0.51	3	0	0	2.55	26	0	0	
Sept	25	0	0	0.23	1	0	0	0.51	2	0	0	2.55	29	0	0	
Oct	23	0	0	0.23	1	0	0	0.51	3	0	0	2.55	28	0	0	
Nov	22	0	0	0.23	2	0	0	0.51	2	0	0	2.55	26	0	0	
Annual Total:	263	0	0		14	0	0		29	0	0		304	0	0	0.88

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	18	16	17	18	16	18	20	20	16	20	21	22
# Hgb < 10	5	5	3	4	2	4	4	4	5	6	3	5
Pop. Mean	10.2	10.4	10.8	10.6	11.0	10.8	10.6	10.8	10.5	10.5	10.7	10.4
Std. Deviation	1.2	1.0	0.9	1.2	0.9	0.8	1.1	0.9	1.1	1.2	0.8	0.8
% Hgb < 10	28%	31%	18%	22%	13%	22%	20%	20%	31%	30%	14%	23%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	18	16	17	18	16	18	20	20	16	20	21	22
# Hgb 10 to 12	12	11	12	12	12	13	15	15	9	11	17	17
Pop. Mean	10.2	10.4	10.8	10.6	11.0	10.8	10.6	10.8	10.5	10.5	10.7	10.4
Std. Deviation	1.2	1.0	0.9	1.2	0.9	0.8	1.1	0.9	1.1	1.2	0.8	0.8
% Hgb 10 to 12	67%	69%	71%	67%	75%	72%	75%	75%	56%	55%	81%	77%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	18	16	17	18	16	18	20	20	16	20	21	22
# Hgb > 11	2	4	5	6	6	7	5	8	4	8	5	4
Pop. Mean	10.2	10.4	10.8	10.6	11.0	10.8	10.6	10.8	10.5	10.5	10.7	10.4
Std. Deviation	1.2	1.0	0.9	1.2	0.9	0.8	1.1	0.9	1.1	1.2	0.8	0.8
% Hgb > 11	11%	25%	29%	33%	38%	39%	25%	40%	25%	40%	24%	18%

Note: Excludes patients who received no ESA in month.



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	18	16	17	18	16	18	20	20	16	20	21	22
# Hgb > 12	1	0	2	2	2	1	1	1	2	3	1	0
Pop. Mean	10.2	10.4	10.8	10.6	11.0	10.8	10.6	10.8	10.5	10.5	10.7	10.4
Std. Deviation	1.2	1.0	0.9	1.2	0.9	0.8	1.1	0.9	1.1	1.2	0.8	0.8
% Hgb > 12	6%	0%	12%	11%	13%	6%	5%	5%	13%	15%	5%	0%


Note: Excludes patients who received no ESA in month.



V. ANEMIA - CONT.

Average EPO Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average EPO	102.5	101.0	101.6	109.8	82.9	66.2	62.7	68.5	77.7	64.3	60.0	104.6




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	24			25	10		28			27		
# Ferritin < 800	7			8	3		10			12		
Pop. Mean	989			947	1030		935			1330		
Std. Deviation	546			437	418		435			1791		
% Ferritin < 800	29%			32%	30%		36%			44%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	24			25	10		28			27		
# Ferritin 800 to 1200	10			10	3		9			8		
Pop. Mean	989			947	1030		935			1330		
Std. Deviation	546			437	418		435			1791		
% Ferritin 800 to 1200	42%			40%	30%		32%			30%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	24			25	10		28			27		
# Ferritin > 1200	7			7	4		9			7		
Pop. Mean	989			947	1030		935			1330		
Std. Deviation	546			437	418		435			1791		
% Ferritin > 1200	29%			28%	40%		32%			26%		




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	24			25	10		28			27		
# % Sat < 30	12			16	6		16			16		
Pop. Mean	34			31	28		31			32		
Std. Deviation	21			19	14		16			22		
% % Sat < 30	50%			64%	60%		57%			59%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	24			25	10		28			27		
# % Sat 30 to 50	8			7	3		8			8		
Pop. Mean	34			31	28		31			32		
Std. Deviation	21			19	14		16			22		
% % Sat 30 to 50	33%			28%	30%		29%			30%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	24			25	10		28			27		
# % Sat > 50	4			2	1		4			3		
Pop. Mean	34			31	28		31			32		
Std. Deviation	21			19	14		16			22		
% % Sat > 50	17%			8%	10%		14%			11%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Blood Transfusion	0	0	0	1	0	0	0	0	0	0	0	0



VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	11			14			15			15		
# HgA1c < 7	6			8			10			9		
Pop. Mean	6.9			6.6			6.4			6.2		
Std. Deviation	1.73			1.41			1.23			1.08		
% HgA1c < 7	55%			57%			67%			60%		




VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Pneumonia	23	23	23	24	23	23	26	27	26	27	27	28
% Pneumonia	96%	92%	96%	92%	92%	92%	90%	93%	93%	96%	96%	97%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24						28	28	28	29
# Influenza	21	23	23						0	27	27	28
% Influenza	88%	92%	96%						0%	96%	96%	97%




Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2014


17

VIII. Misc


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Hospital Admissions	3	3	3	3	2	3	5	1	8	4	1	2




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Individual Deaths	1	0	1	0	0	0	0	1	0	0	0	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Missed Treatments	21	15	19	13	17	9	2	16	11	4	8	2



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	24	25	24	26	25	25	29	29	28	28	28	29
# Transplants	0	1	0	0	1	0	0	0	0	0	0	0



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.