

Nov 16th, 2016 Products Committee Minutes

Attendees-

Present: Connie Anderson, Neal Burkhardt, Cole Kavanagh, Scott Hansen, Mary Lewis, Chris Grove, Ed Stauffer, Tammy Heck

Absent: Bonnie Collins, Tosha Whitley, Joyce Morimoto, Carrie McCabe (guest) Resigned- Roseni Roche, new member invited Charmaine Abero

ITEM	Discussion	Action	Completion	Follow-up
Vanish Point Needle	More conversation about infection control issues	Mary will email the Managers to see how the use is going pro's/con's and how staff dispose of extra fluid left in syringe	CLOSED	Switching to Medisaver
Hand held ultrasound	Looking at replacement for Terasons	Scott invite vendors back, and ask access committee to join	OPEN	Do we need flow rate or not? Connie to ask on CNO collaborative follow up with Leanna Tishler & med staff exec
Disposable Arjo Slings	Disposable sling presented. Inexpensive, can dedicate to patient till no longer needed then disposed. Alternative to hanging slings around in unit and spraying them with disinfectant and waiting for them to dry	Disposable slings reviewed with infection control.	CLOSED	4pt sling- \$40/each 2pt sling \$35/each Tammy & Chris to set up storage system to present to units
Bariatric CPR Board	Dr Fung requesting for Auburn for large patients & bed patients	Trialing @ Kent, Auburn & Renton. Bed headboard dimensions, current board & bariatric board pictures reviewed at May meeting	CLOSED	Res-Q-Board first choice Hudson Lifesaver 2 nd choice HOB will be used for bed patients
SysLocMINI fistula needles from JMS	Tosha sent info to be reviewed at meeting regarding anti stick mechanism & ease of use for staff	Still trialing	CLOSED	Too hard to engage safety lock
Face Shields	Insert from alternate face shield presented from staff person who said they were more comfortable and adjustable	Neal to get sample & pricing	OPEN	Info sent to Neal for samples

ITEM	Discussion	Action	Completion	Follow-up
Crash Carts	Need to standardize them	Pictures of KLKC & Seattle	CLOSED	TrippNT Cart Element 05 fits all units even BKC Carrie to get sample for committee to review which options we want added
Acid Mixers	Storage tank parts are cracking and needing to be replaced	Tammy & Scott to research options	CLOSED	Wait for BBraun product
Chlorine Notification Alarm System	Looking for an alarm to alert to chlorine checks that can only be turned off in the water room	Tammy to get more information	OPEN	One has been ordered to trial at BKC cost \$307, plant Ops to install
O2 concentrtrors	Gerry would like us to look at		CLOSED	All units have O2 plumbed
10cc McKesson syringes	No longer available	Alternatives & repercussions on machine heparin delivery	CLOSED	Staff report difficulties reading amount in syringe- Temporary issue BBraun Mckesson syringes to return by Dec
Remove Universal Adhesive Remover Wipes	Staff suggestion for catheter adhesive removal		OPEN	Neal to get pricing
Sharps containers on Wheels	Easier to bring chair side for needle removal. KLKC has makeshift ones & SeaKC asking for them	Tosha to bring info to next meeting	OPEN	

Next Regularly Scheduled Meeting: Jan 18th, 2017 10:30am-12:00pm Melang Conference Room