


**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**


1

### I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V - CA/CC PD	215	212	203	204	202	205	202	201	208	210	198	197
# Kt/V >= 2.0	148	136	119	132	135	133	126	129	132	130	125	129
Pop. Mean	2.30	2.26	2.22	2.21	2.22	2.23	2.21	2.21	2.23	2.23	2.23	2.27
Std. Deviation	0.51	0.51	0.50	0.45	0.46	0.47	0.47	0.46	0.47	0.50	0.50	0.52
% Kt/V >= 2.0	69%	64%	59%	65%	67%	65%	62%	64%	63%	62%	63%	65%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Kt/V - CA/CC PD	215	212	203	204	202	205	202	201	208	210	198	197
# Kt/V >= 1.7	204	198	189	189	188	194	191	190	198	196	184	183
Pop. Mean	2.30	2.26	2.22	2.21	2.22	2.23	2.21	2.21	2.23	2.23	2.23	2.27
Std. Deviation	0.51	0.51	0.50	0.45	0.46	0.47	0.47	0.46	0.47	0.50	0.50	0.52
% Kt/V >= 1.7	95%	93%	93%	93%	93%	95%	95%	95%	95%	93%	93%	93%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CRCL CA/CC PD	215	212	203	204	202	204	201	200	206	209	197	196
# CCRCL >= 60	130	124	118	120	114	120	115	127	134	136	124	131
Pop. Mean	73.00	72.04	70.45	70.22	70.33	72.36	72.36	73.06	74.14	75.35	75.96	78.99
Std. Deviation	27.30	26.62	25.14	25.21	24.99	28.32	28.74	27.79	27.89	29.86	31.90	33.57
% CCRCL >= 60	60%	58%	58%	59%	56%	59%	57%	64%	65%	65%	63%	67%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Mean Clinic Sys BP	200	198	200	189	188	203	201	201	190	186	186	190
# Sys BP < 140	120	117	115	115	118	127	132	127	112	112	115	107
Pop. Mean	135	135	138	135	135	134	135	135	138	138	136	137
Std. Deviation	24.5	23.7	21.7	24.0	23.7	21.0	22.1	20.7	22.9	23.3	23.6	23.2
% Sys BP < 140	60%	59%	58%	61%	63%	63%	66%	63%	59%	60%	62%	56%




Methodology: a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.

**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

2

**I. ADEQUACY OF DIALYSIS - CONT.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Mean Clinic Dia BP	200	197	198	188	188	204	201	201	190	186	185	189
# Dia BP < 90	155	148	159	143	146	164	165	160	148	142	140	145
Pop. Mean	79	80	79	79	80	79	79	80	82	81	80	81
Std. Deviation	13.7	13.5	13.9	14.4	13.6	14.3	14.0	12.7	12.9	13.6	13.4	13.7
% Dia BP < 90	78%	75%	80%	76%	78%	80%	82%	80%	78%	76%	76%	77%




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**


3

**I. ADEQUACY OF DIALYSIS - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	206	203	203	200	208	208	208	203	211	214	208	200
# CO2 < 23	96	68	57	101	78	78	123	86	72	85	53	56
Pop. Mean	22	24	24	23	23	23	22	23	24	23	24	24
Std. Deviation	3.87	3.21	2.95	3.08	3.33	3.20	3.33	3.25	3.32	3.16	3.22	2.91
% CO2 < 23	47%	33%	28%	51%	38%	38%	59%	42%	34%	40%	25%	28%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	206	203	203	200	208	208	208	203	211	214	208	200
# CO2 23 to 27	96	111	122	90	112	104	75	100	111	117	120	120
Pop. Mean	22	24	24	23	23	23	22	23	24	23	24	24
Std. Deviation	3.87	3.21	2.95	3.08	3.33	3.20	3.33	3.25	3.32	3.16	3.22	2.91
% CO2 23 to 27	47%	55%	60%	45%	54%	50%	36%	49%	53%	55%	58%	60%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	206	203	203	200	208	208	208	203	211	214	208	200
# CO2 > 27	14	24	24	9	18	26	10	17	28	12	35	24
Pop. Mean	22	24	24	23	23	23	22	23	24	23	24	24
Std. Deviation	3.87	3.21	2.95	3.08	3.33	3.20	3.33	3.25	3.32	3.16	3.22	2.91
% CO2 > 27	7%	12%	12%	5%	9%	13%	5%	8%	13%	6%	17%	12%




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

4


\*Albumin values use BCG method - as of July 2001

## II. NUTRITION


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	205	202	204	198	207	208	208	204	212	218	209	201
# Albumin >= 3.0	190	188	185	187	194	188	189	184	186	190	193	184
Pop. Mean	3.6	3.6	3.6	3.6	3.6	3.5	3.5	3.5	3.5	3.5	3.6	3.6
Std. Deviation	0.41	0.41	0.44	0.39	0.41	0.43	0.44	0.45	0.45	0.48	0.41	0.44
% Alb >= 3.0	93%	93%	91%	94%	94%	90%	91%	90%	88%	87%	92%	92%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	205	202	204	198	207	208	208	204	212	218	209	201
# Albumin >= 3.5	143	142	132	139	131	119	125	125	122	128	132	127
Pop. Mean	3.6	3.6	3.6	3.6	3.6	3.5	3.5	3.5	3.5	3.5	3.6	3.6
Std. Deviation	0.41	0.41	0.44	0.39	0.41	0.43	0.44	0.45	0.45	0.48	0.41	0.44
% Alb >= 3.5	70%	70%	65%	70%	63%	57%	60%	61%	58%	59%	63%	63%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	205	202	204	198	207	208	208	204	212	218	209	201
# Albumin >= 4.0	43	47	39	38	34	24	33	33	32	32	39	33
Pop. Mean	3.6	3.6	3.6	3.6	3.6	3.5	3.5	3.5	3.5	3.5	3.6	3.6
Std. Deviation	0.41	0.41	0.44	0.39	0.41	0.43	0.44	0.45	0.45	0.48	0.41	0.44
% Alb >= 4.0	21%	23%	19%	19%	16%	12%	16%	16%	15%	15%	19%	16%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# nPNA	42	40	37	36	34	31	29	27	26	28	46	44
# NPNA >= 0.9	15	13	13	12	12	9	7	6	6	7	18	17
Pop. Mean	0.9	0.9	0.9	0.9	0.9	0.9	0.8	0.8	0.8	0.8	0.9	0.9
Std. Deviation	0.28	0.28	0.29	0.29	0.29	0.27	0.25	0.24	0.24	0.25	0.28	0.27
% NPNA >= 0.9	36%	33%	35%	33%	35%	29%	24%	22%	23%	25%	39%	39%



Methodology: a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.


**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

5


\*Albumin values use BCG method - as of July 2001

**II. NUTRITION - CONT.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	210	205	199	198	205	204	199	201	207	209	205	198
# BMI >= 19	204	199	195	193	199	196	192	195	201	199	195	187
Pop. Mean	28	28	28	29	28	28	28	28	28	28	28	28
Std. Deviation	6.7	6.8	6.7	6.7	6.7	6.9	6.6	6.3	6.3	6.7	6.7	7.1
% BMI >= 19	97%	97%	98%	97%	97%	96%	96%	97%	97%	95%	95%	94%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	210	205	199	198	205	204	199	201	207	209	205	198
# BMI > 30	70	66	64	64	62	68	63	56	63	63	64	66
Pop. Mean	28	28	28	29	28	28	28	28	28	28	28	28
Std. Deviation	6.7	6.8	6.7	6.7	6.7	6.9	6.6	6.3	6.3	6.7	6.7	7.1
% BMI > 30	33%	32%	32%	32%	30%	33%	32%	28%	30%	30%	31%	33%




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

6


Lab methodology for PTH changed January 2012

### III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	206	201	203	198	208	205	209	203	212	216	211	200
# PO4 < 3.5	5	8	10	11	14	14	15	11	15	14	12	11
Pop. Mean	5.7	5.6	5.8	5.7	5.6	5.5	5.6	5.5	5.4	5.3	5.5	5.6
Std. Deviation	1.47	1.42	1.61	1.61	1.61	1.48	1.65	1.66	1.54	1.42	1.50	1.48
% PO4 < 3.5	2%	4%	5%	6%	7%	7%	7%	5%	7%	6%	6%	6%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	206	201	203	198	208	205	209	203	212	216	211	200
# PO4 3.5 to 5.5	101	105	85	85	94	100	98	106	110	122	110	92
Pop. Mean	5.7	5.6	5.8	5.7	5.6	5.5	5.6	5.5	5.4	5.3	5.5	5.6
Std. Deviation	1.47	1.42	1.61	1.61	1.61	1.48	1.65	1.66	1.54	1.42	1.50	1.48
% PO4 3.5 to 5.5	49%	52%	42%	43%	45%	49%	47%	52%	52%	56%	52%	46%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	206	201	203	198	208	205	209	203	212	216	211	200
# PO4 > 5.5	100	88	108	102	100	91	96	86	87	80	89	97
Pop. Mean	5.7	5.6	5.8	5.7	5.6	5.5	5.6	5.5	5.4	5.3	5.5	5.6
Std. Deviation	1.47	1.42	1.61	1.61	1.61	1.48	1.65	1.66	1.54	1.42	1.50	1.48
% PO4 > 5.5	49%	44%	53%	52%	48%	44%	46%	42%	41%	37%	42%	49%




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

7


Lab methodology for PTH changed January 2012

**III. OSTEODYSTROPHY - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	208	204	204	201	209	208	209	203	212	218	210	201
# Calcium < 8.5	47	55	45	46	50	43	44	37	42	46	40	45
Pop. Mean	9.1	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.1	9.0	9.0	9.0
Std. Deviation	0.80	0.73	0.69	0.74	0.75	0.72	0.71	0.74	0.78	0.73	0.71	0.70
% Calcium < 8.5	23%	27%	22%	23%	24%	21%	21%	18%	20%	21%	19%	22%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	208	204	204	201	209	208	209	203	212	218	210	201
# Calcium 8.5 to 10.2	155	146	156	154	154	161	164	162	165	166	166	150
Pop. Mean	9.1	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.1	9.0	9.0	9.0
Std. Deviation	0.80	0.73	0.69	0.74	0.75	0.72	0.71	0.74	0.78	0.73	0.71	0.70
% Calcium 8.5 to 10.2	75%	72%	76%	77%	74%	77%	78%	80%	78%	76%	79%	75%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	208	204	204	201	209	208	209	203	212	218	210	201
# Calcium > 10.2	6	3	3	1	5	4	1	4	5	6	4	6
Pop. Mean	9.1	8.9	8.9	8.9	9.0	9.0	8.9	9.0	9.1	9.0	9.0	9.0
Std. Deviation	0.80	0.73	0.69	0.74	0.75	0.72	0.71	0.74	0.78	0.73	0.71	0.70
% Calcium > 10.2	3%	1%	1%	0%	2%	2%	0%	2%	2%	3%	2%	3%




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

8


Lab methodology for PTH changed January 2012

**III. OSTEODYSTROPHY - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	185		181			202			205			
# PTH-I < 150	36		36			40			54			
Pop. Mean	360		398			361			305			
Std. Deviation	292		336			294			219			
% PTH-I < 150	19%		20%			20%			26%			



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	185		181			202			205			
# PTH-I > 300	87		93			93			85			
Pop. Mean	360		398			361			305			
Std. Deviation	292		336			294			219			
% PTH-I > 300	47%		51%			46%			41%			



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	185		181			202			205			
# PTH-I > 400	60		69			75			53			
Pop. Mean	360		398			361			305			
Std. Deviation	292		336			294			219			
% PTH-I > 400	32%		38%			37%			26%			




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**


9

#### IV. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	206	203	202	201	206	207	207	204	207	215	208	200
# Hgb < 10	37	48	46	43	45	41	37	49	50	46	48	51
Pop. Mean	10.9	10.8	10.8	10.8	10.9	10.9	10.9	10.8	10.8	10.7	10.7	10.7
Std. Deviation	1.3	1.4	1.3	1.2	1.3	1.4	1.4	1.5	1.3	1.4	1.3	1.3
% Hgb < 10	18%	24%	23%	21%	22%	20%	18%	24%	24%	21%	23%	26%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	206	203	202	201	206	207	207	204	207	215	208	200
# Hgb < 9	16	23	18	14	13	16	20	25	24	20	19	25
Pop. Mean	10.9	10.8	10.8	10.8	10.9	10.9	10.9	10.8	10.8	10.7	10.7	10.7
Std. Deviation	1.3	1.4	1.3	1.2	1.3	1.4	1.4	1.5	1.3	1.4	1.3	1.3
% Hgb < 9	8%	11%	9%	7%	6%	8%	10%	12%	12%	9%	9%	13%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	206	203	202	201	206	207	207	204	207	215	208	200
# Hgb 10 to 12	134	117	127	134	129	131	129	122	128	139	133	119
Pop. Mean	10.9	10.8	10.8	10.8	10.9	10.9	10.9	10.8	10.8	10.7	10.7	10.7
Std. Deviation	1.3	1.4	1.3	1.2	1.3	1.4	1.4	1.5	1.3	1.4	1.3	1.3
% Hgb 10 to 12	65%	58%	63%	67%	63%	63%	62%	60%	62%	65%	64%	60%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	206	203	202	201	206	207	207	204	207	215	208	200
# Hgb > 11	95	86	78	83	91	89	90	81	94	91	86	75
Pop. Mean	10.9	10.8	10.8	10.8	10.9	10.9	10.9	10.8	10.8	10.7	10.7	10.7
Std. Deviation	1.3	1.4	1.3	1.2	1.3	1.4	1.4	1.5	1.3	1.4	1.3	1.3
% Hgb > 11	46%	42%	39%	41%	44%	43%	43%	40%	45%	42%	41%	38%




Methodology: a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.

**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

10

**IV. ANEMIA - CONT.**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	206	203	202	201	206	207	207	204	207	215	208	200
# Hgb > 12	35	38	29	24	32	35	41	33	29	30	27	30
Pop. Mean	10.9	10.8	10.8	10.8	10.9	10.9	10.9	10.8	10.8	10.7	10.7	10.7
Std. Deviation	1.3	1.4	1.3	1.2	1.3	1.4	1.4	1.5	1.3	1.4	1.3	1.3
% Hgb > 12	17%	19%	14%	12%	16%	17%	20%	16%	14%	14%	13%	15%



**Methodology:** a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.


**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

11


#### IV. ANEMIA - CONT.

##### Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Ferritin</b>	185			179			206			211		
<b># Ferritin &lt; 800</b>	80			87			118			112		
<b>Pop. Mean</b>	946			883			787			879		
<b>Std. Deviation</b>	556			533			516			809		
<b>% Ferritin &lt; 800</b>	43%			49%			57%			53%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Ferritin</b>	185			179			206			211		
<b># Ferritin 800 to 1200</b>	48			50			53			61		
<b>Pop. Mean</b>	946			883			787			879		
<b>Std. Deviation</b>	556			533			516			809		
<b>% Ferritin 800 to 1200</b>	26%			28%			26%			29%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<b># Ferritin</b>	185			179			206			211		
<b># Ferritin &gt; 1200</b>	57			42			35			38		
<b>Pop. Mean</b>	946			883			787			879		
<b>Std. Deviation</b>	556			533			516			809		
<b>% Ferritin &gt; 1200</b>	31%			23%			17%			18%		




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**


12

**IV. ANEMIA - CONT.**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	183			178			206			207		
# % Sat < 30	76			82			90			98		
Pop. Mean	35			34			34			33		
Std. Deviation	15			14			14			13		
% % Sat < 30	42%			46%			44%			47%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	183			178			206			207		
# % Sat 30 to 50	83			76			90			90		
Pop. Mean	35			34			34			33		
Std. Deviation	15			14			14			13		
% Sat% 30 to 50	45%			43%			44%			43%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	183			178			206			207		
# % Sat > 50	24			20			26			19		
Pop. Mean	35			34			34			33		
Std. Deviation	15			14			14			13		
% Sat% > 50	13%			11%			13%			9%		




**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

13

**V. Diabetes**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	81	7	11	78	12	9	96	9	6	101	9	4
# HgA1c < 7	40	3	6	46	6	6	54	8	5	55	7	1
Pop. Mean	7.2	7.3	7.0	7.0	7.3	7.4	7.1	6.8	6.4	7.1	6.2	8.0
Std. Deviation	1.41	1.52	1.32	1.35	1.40	1.88	1.30	0.98	1.09	1.46	1.15	1.42
% HgA1c < 7	49%	43%	55%	59%	50%	67%	56%	89%	83%	54%	78%	25%



Methodology: a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.


**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**

14


## VI. Infection Control

### Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	217	212	206	208	214	214	210	212	217	222	216	206
# Pneumonia	186	180	174	174	174	170	161	162	165	165	159	149
% Pneumonia	86%	85%	84%	84%	81%	79%	77%	76%	76%	74%	74%	72%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	217	212	206						217	221	215	206
# Influenza	168	177	172						16	162	177	173
% Influenza	77%	83%	83%						7%	73%	82%	84%



### Exit Site Infection Rate

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Current Month	76.90	67.07	216.47	0	0	107.68	0	228.37	0	0	0	75.14
Rolling Year-to-date	0.12	0.13	0.12	0.09	0.08	0.08	0.08	0.08	0.06	0.06	0.05	0.06

### Peritonitis Infection Rate


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Current Month	28.84	20.12	27.06	35.04	55.69	30.76	112.98	45.67	20.17	19.66	74.41	37.57
Rolling Year-to-date	0.30	0.32	0.33	0.35	0.32	0.34	0.33	0.32	0.34	0.37	0.36	0.38

**Northwest Kidney Centers - Home Peritoneal Dialysis**  
**Quality Assurance Reports**  
**Through period ending Dec. 31, 2017**


15

**VIII. Outcome measures**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	217	212	206	208	214	214	210	212	217	222	216	206
# Hospital Admissions	23	27	16	22	31	22	25	22	18	25	21	19



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	217	212	206	208	214	214	210	212	217	222	216	206
# Individual Deaths	3	1	2	3	2	1	6	0	3	3	3	4



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	217	212	206	208	214	214	210	212	217	222	216	206
# Transplants	1	0	0	0	1	0	1	1	0	1	3	1



Methodology: a) Kt/V, CRCL and nPNa values are 4 month rolling mean of last value for each month, all other report lab results are based on last value of month; b) BP's are average of all values for month.