



I. ADEQUACY OF DIALYSIS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	76	79	76	76	82	82	83	85	89	88	90	90
# spKt/V >= 1.4	59	60	63	60	69	72	71	71	74	69	75	72
Pop. Mean	1.67	1.66	1.68	1.69	1.65	1.65	1.64	1.65	1.66	1.63	1.61	1.64
Std. Deviation	0.33	0.31	0.35	0.36	0.29	0.28	0.32	0.26	0.32	0.29	0.31	0.29
% spKt/V >= 1.4	78%	76%	83%	79%	84%	88%	86%	84%	83%	78%	83%	80%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	72	76	73	74	80	79	79	81	82	83	84	87
# spKt/V >= 1.4 w/3tx/wk	57	58	61	60	68	69	68	69	68	66	69	69
Pop. Mean	1.68	1.67	1.68	1.70	1.66	1.65	1.65	1.66	1.66	1.63	1.62	1.65
Std. Deviation	0.33	0.31	0.35	0.36	0.29	0.29	0.33	0.26	0.32	0.30	0.32	0.29
% >= 1.4 w/3tx/wk	79%	76%	84%	81%	85%	87%	86%	85%	83%	80%	82%	79%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	76	79	76	76	82	82	83	85	89	88	90	90
# spKt/V >= 1.2	75	77	75	74	79	80	81	85	87	87	87	89
Pop. Mean	1.67	1.66	1.68	1.69	1.65	1.65	1.64	1.65	1.66	1.63	1.61	1.64
Std. Deviation	0.33	0.31	0.35	0.36	0.29	0.28	0.32	0.26	0.32	0.29	0.31	0.29
% spKt/V >= 1.2	99%	97%	99%	97%	96%	98%	98%	100%	98%	99%	97%	99%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	72	76	73	74	80	79	79	81	82	83	84	87
# spKt/V >= 1.2 w/3tx/wk	72	74	72	72	77	77	77	81	80	82	81	86
Pop. Mean	1.68	1.67	1.68	1.70	1.66	1.65	1.65	1.66	1.66	1.63	1.62	1.65
Std. Deviation	0.33	0.31	0.35	0.36	0.29	0.29	0.33	0.26	0.32	0.30	0.32	0.29
% >= 1.2 w/3tx/wk	100%	97%	99%	97%	96%	97%	97%	100%	98%	99%	96%	99%




I. ADEQUACY OF DIALYSIS - CONT.

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	76	79	76	76	82	82	84	85	89	88	90	90
# URR >= 65	74	77	75	74	77	81	80	84	86	83	87	89
Pop. Mean	76	76	76	76	75	76	76	76	76	75	75	75
Std. Deviation	6.18	6.24	5.97	6.74	5.96	4.96	7.05	5.04	6.13	5.71	7.05	5.46
% URR >= 65	97%	97%	99%	97%	94%	99%	95%	99%	97%	94%	97%	99%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	72	76	73	74	80	79	80	81	82	83	84	87
# URR>=65 w/ 3tx/wk	71	74	72	72	75	78	76	80	80	78	81	86
Pop. Mean	76	76	76	76	76	76	76	76	76	75	75	75
Std. Deviation	5.97	6.28	5.98	6.72	5.97	5.01	7.14	5.06	6.24	5.77	7.26	5.53
% URR>=65 w/ 3tx/wk	99%	97%	99%	97%	94%	99%	95%	99%	98%	94%	96%	99%




I. ADEQUACY OF DIALYSIS - CONT.

Blood Pressure Control (Pre)


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Dia BP	77	80	76	77	82	82	84	86	89	89	90	91
# Pre Dia BP < 90	57	61	60	62	65	68	70	70	68	71	68	71
Pop. Mean	80	79	78	78	77	76	78	77	78	79	79	80
Std. Deviation	13.8	13.4	12.9	13.2	12.9	12.9	13.4	13.7	13.6	12.5	12.3	12.6
% Pre Dia BP < 90	74%	76%	79%	81%	79%	83%	83%	81%	76%	80%	76%	78%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	77	80	76	77	82	82	84	86	89	89	90	91
# Pre Sys BP < 150	42	51	55	50	56	52	53	58	61	56	54	58
Pop. Mean	146	143	141	142	141	140	141	140	142	143	143	146
Std. Deviation	22.1	20.5	20.2	22.1	20.4	21.5	22.0	22.2	20.9	20.0	18.8	19.1
%Pre Sys BP <150	55%	64%	72%	65%	68%	63%	63%	67%	69%	63%	60%	64%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	77	80	76	77	82	82	84	86	89	89	90	91
# L processed/kg>0.8	72	72	69	70	72	73	73	75	78	78	79	80
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>0.8	94%	90%	91%	91%	88%	89%	87%	87%	88%	88%	88%	88%




Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2017


4

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	77	79	76	77	82	82	84	86	89	87	90	91
# CO2 < 23	36	44	28	39	36	35	30	44	27	46	40	38
Pop. Mean	22	22	23	22	23	23	24	22	24	22	23	23
Std. Deviation	2.26	2.51	2.27	2.99	2.99	3.49	4.02	2.84	3.23	2.57	2.85	2.66
% CO2 < 23	47%	56%	37%	51%	44%	43%	36%	51%	30%	53%	44%	42%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	77	79	76	77	82	82	84	86	89	87	90	91
# CO2 23 to 27	40	34	47	37	43	38	43	42	51	39	44	49
Pop. Mean	22	22	23	22	23	23	24	22	24	22	23	23
Std. Deviation	2.26	2.51	2.27	2.99	2.99	3.49	4.02	2.84	3.23	2.57	2.85	2.66
% CO2 23 to 27	52%	43%	62%	48%	52%	46%	51%	49%	57%	45%	49%	54%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	77	79	76	77	82	82	84	86	89	87	90	91
# CO2 > 27	1	1	1	1	3	9	11	0	11	2	6	4
Pop. Mean	22	22	23	22	23	23	24	22	24	22	23	23
Std. Deviation	2.26	2.51	2.27	2.99	2.99	3.49	4.02	2.84	3.23	2.57	2.85	2.66
% CO2 > 27	1%	1%	1%	1%	4%	11%	13%	0%	12%	2%	7%	4%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2017

5


*Albumin values use BCG method - as of July 2001

II. NUTRITION


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	77	79	76	77	82	82	84	86	89	88	90	91
# Albumin >= 4.0	39	39	31	30	27	23	26	30	34	29	24	27
Pop. Mean	3.9	3.9	3.9	3.9	3.8	3.7	3.8	3.7	3.8	3.8	3.8	3.7
Std. Deviation	0.46	0.41	0.33	0.37	0.42	0.45	0.38	0.40	0.44	0.40	0.35	0.37
% Alb >= 4.0	51%	49%	41%	39%	33%	28%	31%	35%	38%	33%	27%	30%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	77	79	76	77	82	82	84	86	89	88	90	91
# Albumin >= 3.5	65	69	69	68	69	68	70	68	72	73	73	73
Pop. Mean	3.9	3.9	3.9	3.9	3.8	3.7	3.8	3.7	3.8	3.8	3.8	3.7
Std. Deviation	0.46	0.41	0.33	0.37	0.42	0.45	0.38	0.40	0.44	0.40	0.35	0.37
% Alb >= 3.5	84%	87%	91%	88%	84%	83%	83%	79%	81%	83%	81%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	76	79	75	77	82	82	84	86	85	88	90	90
# BMI >= 19	71	73	70	72	78	78	80	81	79	83	84	84
Pop. Mean	26	27	26	27	27	27	27	27	27	27	27	27
Std. Deviation	5.9	6.3	6.3	6.2	6.1	6.0	6.0	5.8	5.5	5.6	5.7	5.8
% BMI >= 19	93%	92%	93%	94%	95%	95%	95%	94%	93%	94%	93%	93%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# BMI	76	79	75	77	82	82	84	86	85	88	90	90
# BMI > 30	17	17	15	16	17	15	17	16	15	19	21	22
Pop. Mean	26	27	26	27	27	27	27	27	27	27	27	27
Std. Deviation	5.9	6.3	6.3	6.2	6.1	6.0	6.0	5.8	5.5	5.6	5.7	5.8
% BMI > 30	22%	22%	20%	21%	21%	18%	20%	19%	18%	22%	23%	24%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2017

6


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	77	79	76	76	82	82	84	86	89	88	90	91
# PO4 < 3.5	12	5	5	8	8	10	5	11	7	6	9	5
Pop. Mean	5.2	5.2	5.2	5.5	5.7	5.2	5.5	5.1	5.6	5.6	5.8	5.8
Std. Deviation	1.76	1.66	1.62	2.30	2.24	1.83	1.94	1.71	1.91	2.01	2.22	1.85
% PO4 < 3.5	16%	6%	7%	11%	10%	12%	6%	13%	8%	7%	10%	5%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	77	79	76	76	82	82	84	86	89	88	90	91
# PO4 3.5 to 5.5	37	49	45	43	41	45	49	48	49	46	34	39
Pop. Mean	5.2	5.2	5.2	5.5	5.7	5.2	5.5	5.1	5.6	5.6	5.8	5.8
Std. Deviation	1.76	1.66	1.62	2.30	2.24	1.83	1.94	1.71	1.91	2.01	2.22	1.85
% PO4 3.5 to 5.5	48%	62%	59%	57%	50%	55%	58%	56%	55%	52%	38%	43%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	77	79	76	76	82	82	84	86	89	88	90	91
# PO4 > 5.5	28	25	26	25	33	27	30	27	33	36	47	47
Pop. Mean	5.2	5.2	5.2	5.5	5.7	5.2	5.5	5.1	5.6	5.6	5.8	5.8
Std. Deviation	1.76	1.66	1.62	2.30	2.24	1.83	1.94	1.71	1.91	2.01	2.22	1.85
% PO4 > 5.5	36%	32%	34%	33%	40%	33%	36%	31%	37%	41%	52%	52%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	77	79	76	77	82	82	84	86	89	88	90	91
# Calcium < 8.5	18	15	16	17	15	17	13	12	10	12	13	14
Pop. Mean	8.9	9.0	9.0	9.0	9.0	9.0	9.1	9.2	9.1	9.1	9.1	9.1
Std. Deviation	0.73	0.65	0.71	0.71	0.74	0.73	0.71	0.65	0.66	0.76	0.67	0.62
% Calcium < 8.5	23%	19%	21%	22%	18%	21%	15%	14%	11%	14%	14%	15%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	77	79	76	77	82	82	84	86	89	88	90	91
# Calcium 8.5 to 10.2	58	64	60	59	67	64	71	72	79	76	75	77
Pop. Mean	8.9	9.0	9.0	9.0	9.0	9.0	9.1	9.2	9.1	9.1	9.1	9.1
Std. Deviation	0.73	0.65	0.71	0.71	0.74	0.73	0.71	0.65	0.66	0.76	0.67	0.62
% Calcium 8.5 to 10.2	75%	81%	79%	77%	82%	78%	85%	84%	89%	86%	83%	85%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	77	79	76	77	82	82	84	86	89	88	90	91
# Calcium > 10.2	1	0	0	1	0	1	0	2	0	0	2	0
Pop. Mean	8.9	9.0	9.0	9.0	9.0	9.0	9.1	9.2	9.1	9.1	9.1	9.1
Std. Deviation	0.73	0.65	0.71	0.71	0.74	0.73	0.71	0.65	0.66	0.76	0.67	0.62
% Calcium > 10.2	1%	0%	0%	1%	0%	1%	0%	2%	0%	0%	2%	0%




Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	77			77			83			84		
# PTH-I < 150	11			18			16			20		
Pop. Mean	406			351			352			325		
Std. Deviation	278			276			273			281		
% PTH-I < 150	14%			23%			19%			24%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	77			77			83			84		
# PTH-I > 300	45			37			39			41		
Pop. Mean	406			351			352			325		
Std. Deviation	278			276			273			281		
% PTH-I > 300	58%			48%			47%			49%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	77			77			83			84		
# PTH-I > 400	27			27			30			21		
Pop. Mean	406			351			352			325		
Std. Deviation	278			276			273			281		
% PTH-I > 400	35%			35%			36%			25%		




Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2017


9

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	77	80	76	77	82	82	84	86	85	89	90	86
# Fistula	50	49	47	48	53	54	52	52	50	57	56	54
% Fistula	65%	61%	62%	62%	65%	66%	62%	60%	59%	64%	62%	63%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	77	80	76	77	82	82	84	86	85	89	90	86
# Graft	7	8	9	7	8	4	6	7	7	5	5	5
% Graft	9%	10%	12%	9%	10%	5%	7%	8%	8%	6%	6%	6%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	77	80	76	77	82	82	84	86	85	89	90	86
# Catheters	20	23	20	22	21	24	26	27	28	27	29	27
% Catheters	26%	29%	26%	29%	26%	29%	31%	31%	33%	30%	32%	31%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	77	80	76	77	82	82	84	86	85	89	90	86
# Catheters	12	12	12	12	13	16	15	19	21	22	21	20
% Catheters	16%	15%	16%	16%	16%	20%	18%	22%	25%	25%	23%	23%

Definition: Catheter in use on last treatment of the month




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	50	51	47	50	54	54	55	53	52	58	58	60
# Fistula > 3 yrs	21	20	21	23	22	22	22	21	21	21	23	22
% Fistula > 3 yrs	42%	39%	45%	46%	41%	41%	40%	40%	40%	36%	40%	37%



V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	67	69	66	68	69	66	67	67	67	71	76	76
# Hgb < 10	16	18	14	15	19	19	19	11	15	12	20	24
Pop. Mean	10.7	10.5	10.7	10.7	10.5	10.7	10.5	10.9	10.6	10.8	10.4	10.3
Std. Deviation	1.1	1.4	1.1	1.3	1.2	1.4	1.1	0.9	1.2	1.0	1.3	1.4
% Hgb < 10	24%	26%	21%	22%	28%	29%	28%	16%	22%	17%	26%	32%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	67	69	66	68	69	66	67	67	67	71	76	76
# Hgb < 9	3	8	7	7	8	4	7	2	5	3	9	12
Pop. Mean	10.7	10.5	10.7	10.7	10.5	10.7	10.5	10.9	10.6	10.8	10.4	10.3
Std. Deviation	1.1	1.4	1.1	1.3	1.2	1.4	1.1	0.9	1.2	1.0	1.3	1.4
% Hgb < 9	4%	12%	11%	10%	12%	6%	10%	3%	7%	4%	12%	16%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	67	69	66	68	69	66	67	67	67	71	76	76
# Hgb 10 to 12	45	45	49	47	46	38	45	49	46	51	49	49
Pop. Mean	10.7	10.5	10.7	10.7	10.5	10.7	10.5	10.9	10.6	10.8	10.4	10.3
Std. Deviation	1.1	1.4	1.1	1.3	1.2	1.4	1.1	0.9	1.2	1.0	1.3	1.4
% Hgb 10 to 12	67%	65%	74%	69%	67%	58%	67%	73%	69%	72%	64%	64%

Note: Excludes patients who received no ESA in month.



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	67	69	66	68	69	66	67	67	67	71	76	76
# Hgb > 11	29	24	31	34	22	19	24	31	24	23	18	22
Pop. Mean	10.7	10.5	10.7	10.7	10.5	10.7	10.5	10.9	10.6	10.8	10.4	10.3
Std. Deviation	1.1	1.4	1.1	1.3	1.2	1.4	1.1	0.9	1.2	1.0	1.3	1.4
% Hgb > 11	43%	35%	47%	50%	32%	29%	36%	46%	36%	32%	24%	29%


Note: Excludes patients who received no ESA in month.



V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	67	69	66	68	69	66	67	67	67	71	76	76
# Hgb > 12	6	6	3	6	4	9	3	7	6	8	7	3
Pop. Mean	10.7	10.5	10.7	10.7	10.5	10.7	10.5	10.9	10.6	10.8	10.4	10.3
Std. Deviation	1.1	1.4	1.1	1.3	1.2	1.4	1.1	0.9	1.2	1.0	1.3	1.4
% Hgb > 12	9%	9%	5%	9%	6%	14%	4%	10%	9%	11%	9%	4%

Note: Excludes patients who received no ESA in month.




Average EPO Dose per Week per Kilogram

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average EPO	0	0	0	0	0	0	0	0	0	0	0	0



Average Darbepoetin Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	.5	.5	.5	.5	.5	.4	.4	.5	.4	.4	.4	.5




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	76			77	27		84			87		
# Ferritin < 800	36			40	15		41			44		
Pop. Mean	865			765	800		992			874		
Std. Deviation	476			407	488		1587			579		
% Ferritin < 800	47%			52%	56%		49%			51%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	76			77	27		84			87		
# Ferritin 800 to 1200	27			27	9		28			29		
Pop. Mean	865			765	800		992			874		
Std. Deviation	476			407	488		1587			579		
% Ferritin 800 to 1200	36%			35%	33%		33%			33%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	76			77	27		84			87		
# Ferritin > 1200	13			10	3		15			14		
Pop. Mean	865			765	800		992			874		
Std. Deviation	476			407	488		1587			579		
% Ferritin > 1200	17%			13%	11%		18%			16%		




Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2017


14

V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	76			77	27		82			85		
# % Sat < 30	42			57	15		49			44		
Pop. Mean	30			26	28		30			31		
Std. Deviation	13			11	10		11			12		
% % Sat < 30	55%			74%	56%		60%			52%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	76			77	27		82			85		
# % Sat 30 to 50	28			17	12		28			38		
Pop. Mean	30			26	28		30			31		
Std. Deviation	13			11	10		11			12		
% % Sat 30 to 50	37%			22%	44%		34%			45%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	76			77	27		82			85		
# % Sat > 50	6			3	0		5			3		
Pop. Mean	30			26	28		30			31		
Std. Deviation	13			11	10		11			12		
% % Sat > 50	8%			4%	0%		6%			4%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Blood Transfusion	1	1	0	1	0	1	0	1	1	1	1	1




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Lake City Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2017

15

VI. Diabetes

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	51			52			53			55		
# HgA1c < 7	28			32			31			30		
Pop. Mean	6.9			6.7			6.9			7.0		
Std. Deviation	1.46			1.29			1.46			1.47		
% HgA1c < 7	55%			62%			58%			55%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Pneumonia	58	58	55	57	62	62	60	62	64	61	62	63
% Pneumonia	74%	73%	72%	74%	75%	75%	71%	72%	72%	69%	69%	69%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76						89	89	90	91
# Influenza	71	73	70						6	73	75	78
% Influenza	91%	91%	92%						7%	82%	83%	86%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Hospital Admissions	15	7	13	14	13	16	14	15	5	11	17	10



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Individual Deaths	1	1	1	1	1	2	1	0	1	2	1	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Missed Treatments	64	35	22	43	51	27	26	41	38	59	52	77



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	78	80	76	77	83	83	84	86	89	89	90	91
# Transplants	1	0	1	0	0	0	1	0	0	0	0	0

