


Federal Way West Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


1

I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	43	42	43	41	43	44	46	44	45	46	46	44
# spKt/V >= 1.2	43	40	43	41	42	42	44	42	43	45	44	42
Pop. Mean	1.67	1.65	1.64	1.68	1.63	1.62	1.65	1.66	1.65	1.61	1.67	1.64
Std. Deviation	0.32	0.31	0.31	0.27	0.29	0.36	0.40	0.35	0.33	0.32	0.35	0.32
% spKt/V >= 1.2	100%	95%	100%	100%	98%	95%	96%	95%	96%	98%	96%	95%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	42	42	42	41	42	44	46	43	45	45	46	44
# spKt/V >= 1.2 w/3tx/wk	42	40	42	41	41	42	44	41	43	45	44	42
Pop. Mean	1.68	1.65	1.62	1.68	1.64	1.62	1.65	1.67	1.65	1.64	1.67	1.64
Std. Deviation	0.32	0.31	0.29	0.27	0.28	0.36	0.40	0.34	0.33	0.28	0.35	0.32
% >=1.2 w/3tx/wk	100%	95%	100%	100%	98%	95%	96%	95%	96%	100%	96%	95%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	46	45	45	43	43	44	46	44	45	46	46	44
# URR >= 65	45	43	44	43	42	41	44	41	43	45	44	42
Pop. Mean	76	75	75	76	75	74	75	75	75	75	76	75
Std. Deviation	5.88	5.78	5.89	4.66	5.45	8.58	8.24	7.56	6.40	7.79	6.77	6.49
% URR >= 65	98%	96%	98%	100%	98%	93%	96%	93%	96%	98%	96%	95%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	42	42	43	41	43	44	46	44	45	46	46	44
# URR>=65 w/ 3tx/wk	41	40	42	41	42	41	44	41	43	45	44	42
Pop. Mean	76	75	75	76	75	74	75	75	75	75	76	75
Std. Deviation	6.00	5.95	5.86	4.68	5.45	8.58	8.24	7.56	6.40	7.79	6.77	6.49
% URR>=65 w/ 3tx/wk	98%	95%	98%	100%	98%	93%	96%	93%	96%	98%	96%	95%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	46	45	45	43	43	44	46	44	45	46	46	44
# Pre Sys BP <= 165	39	39	41	39	38	39	42	39	40	41	42	38
Pop. Mean	146	145	144	143	142	142	141	145	144	142	143	142
Std. Deviation	18.6	19.3	16.4	18.7	18.8	18.5	16.9	18.9	19.8	17.1	18.1	20.2
%Pre Sys BP <=165	83%	84%	89%	86%	84%	89%	91%	89%	89%	89%	87%	86%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	46	45	45	43	43	44	46	44	45	46	46	44
# L processed/kg>=0.8	41	42	39	38	40	38	41	39	38	39	42	40
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.4	0.3	0.3	0.3	0.3	0.4	0.3	0.4	0.4	0.4	0.3	0.4
% L processed/kg>=0.8	89%	93%	87%	88%	93%	86%	89%	89%	84%	85%	91%	91%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	46	45	45	43	43	44	46	44	45	46	46	44
# CO2 < 23	14	10	9	5	13	15	10	8	14	11	13	14
Pop. Mean	24	25	25	26	24	23	24	25	23	24	24	24
Std. Deviation	3.67	3.61	3.72	2.84	3.49	3.54	3.28	3.73	3.12	3.40	3.08	2.14
% CO2 < 23	30%	22%	20%	12%	30%	34%	22%	18%	31%	24%	28%	32%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	46	45	45	43	43	44	46	44	45	46	46	44
# CO2 23 to 27	23	20	26	28	25	25	29	30	25	33	30	29
Pop. Mean	24	25	25	26	24	23	24	25	23	24	24	24
Std. Deviation	3.67	3.61	3.72	2.84	3.49	3.54	3.28	3.73	3.12	3.40	3.08	2.14
% CO2 23 to 27	50%	44%	58%	65%	58%	57%	63%	68%	56%	72%	65%	66%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	46	45	45	43	43	44	46	44	45	46	46	44
# CO2 > 27	9	15	10	10	5	4	7	6	6	2	3	1
Pop. Mean	24	25	25	26	24	23	24	25	23	24	24	24
Std. Deviation	3.67	3.61	3.72	2.84	3.49	3.54	3.28	3.73	3.12	3.40	3.08	2.14
% CO2 > 27	20%	33%	22%	23%	12%	9%	15%	14%	13%	4%	7%	2%




Federal Way West Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	46	45	45	43	43	44	46	44	45	46	46	44
# Albumin >= 4.0	24	28	23	22	21	21	20	22	28	30	30	26
Pop. Mean	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.9	3.9	4.0	4.0	4.0
Std. Deviation	0.41	0.46	0.45	0.41	0.45	0.45	0.49	0.41	0.40	0.38	0.38	0.38
% Alb >= 4.0	52%	62%	51%	51%	49%	48%	43%	50%	62%	65%	65%	59%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	46	45	45	43	43	44	46	44	45	46	46	44
# PO4 3.5 to 5.5	22	18	27	19	18	17	16	16	17	22	21	19
Pop. Mean	5.7	5.5	5.6	5.5	5.7	5.8	5.4	5.5	5.5	5.8	5.9	5.7
Std. Deviation	2.07	1.59	1.59	1.43	1.64	1.76	1.72	1.82	1.71	1.71	1.46	1.47
% PO4 3.5 to 5.5	48%	40%	60%	44%	42%	39%	35%	36%	38%	48%	46%	43%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	46	45	45	43	43	44	46	44	45	46	46	44
# Calcium <= 8	6	2	3	5	5	4	4	7	3	6	6	5
Pop. Mean	8.9	9.0	8.8	8.8	8.8	8.9	8.8	8.9	9.0	8.9	8.8	9.0
Std. Deviation	0.66	0.55	0.54	0.70	0.61	0.70	0.65	0.67	0.59	0.61	0.65	0.76
% Calcium <= 8	13%	4%	7%	12%	12%	9%	9%	16%	7%	13%	13%	11%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	46	45	45	43	43	44	46	44	45	46	46	44
# Calcium > 10.2	0	0	0	0	0	1	0	0	0	0	0	0
Pop. Mean	8.9	9.0	8.8	8.8	8.8	8.9	8.8	8.9	9.0	8.9	8.8	9.0
Std. Deviation	0.66	0.55	0.54	0.70	0.61	0.70	0.65	0.67	0.59	0.61	0.65	0.76
% Calcium > 10.2	0%	0%	0%	0%	0%	2%	0%	0%	0%	0%	0%	0%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			45			43			45			44
# PTH-I 150 to 600			27			25			28			27
Pop. Mean			469			439			472			545
Std. Deviation			271			303			319			421
% PTH-I 150 to 600			60%			58%			62%			61%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Federal Way West Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	46	45	45	43	43	44	46	44	45	46	46	44
# Fistula	34	34	34	32	30	30	31	29	32	33	30	29
% Fistula	74%	76%	76%	74%	70%	68%	67%	66%	71%	72%	65%	66%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	46	45	45	43	43	44	46	44	45	46	46	44
# Graft	4	4	4	4	4	4	4	5	5	4	4	4
% Graft	9%	9%	9%	9%	9%	9%	9%	11%	11%	9%	9%	9%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	46	45	45	43	43	44	46	44	45	46	46	44
# Catheters	8	7	7	7	9	10	11	10	8	9	12	11
% Catheters	17%	16%	16%	16%	21%	23%	24%	23%	18%	20%	26%	25%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


IV. ACCESS - CONT.**Catheters > 90 days**

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	46	45	45	43	43	44	46	44	45	46	46	44
# Catheters	3	3	3	5	5	6	6	6	6	6	6	4
% Catheters	7%	7%	7%	12%	12%	14%	13%	14%	13%	13%	13%	9%

Definition: Catheter in use on last treatment of the month




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	34	34	34	32	30	30	31	29	32	33	30	29
# Fistula > 3 yrs	15	16	16	15	13	13	13	14	14	15	15	14
% Fistula > 3 yrs	44%	47%	47%	47%	43%	43%	42%	48%	44%	45%	50%	48%



V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	39	39	40	36	38	39	40	37	38	40	41	40
# Hgb < 10	8	7	8	8	13	10	9	7	7	11	10	7
Pop. Mean	10.6	10.8	10.5	10.5	10.3	10.4	10.6	10.7	10.5	10.4	10.5	10.7
Std. Deviation	0.8	0.9	1.4	1.1	1.1	1.1	1.5	1.0	1.3	1.2	1.1	1.3
% Hgb < 10	21%	18%	20%	22%	34%	26%	23%	19%	18%	28%	24%	18%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	39	39	40	36	38	39	40	37	38	40	41	40
# Hgb >= 12	0	2	4	1	0	0	5	1	2	3	1	4
Pop. Mean	10.6	10.8	10.5	10.5	10.3	10.4	10.6	10.7	10.5	10.4	10.5	10.7
Std. Deviation	0.8	0.9	1.4	1.1	1.1	1.1	1.5	1.0	1.3	1.2	1.1	1.3
% Hgb >= 12	0%	5%	10%	3%	0%	0%	13%	3%	5%	8%	2%	10%

Note: Excludes patients who received no ESA in month.


**Average Darbepoetin Dose per Week per Kilogram**

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.**Iron Profile**


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			45	8		44			45			44
# Ferritin < 800			28	4		30			33			35
Pop. Mean			644	859		642			578			500
Std. Deviation			408	289		443			429			359
% Ferritin < 800			62%	50%		68%			73%			80%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			45	8		44			45			44
# Ferritin 800 to 1200			12	3		8			8			7
Pop. Mean			644	859		642			578			500
Std. Deviation			408	289		443			429			359
% Ferritin 800 to 1200			27%	38%		18%			18%			16%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			45	8		44			45			44
# Ferritin > 1200			5	1		6			4			2
Pop. Mean			644	859		642			578			500
Std. Deviation			408	289		443			429			359
% Ferritin > 1200			11%	13%		14%			9%			5%




Federal Way West Kidney Center - Center Hemodialysis

Quality Assurance Reports
Through period ending Jan. 31, 2026


10

V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			45	4		44			45			44
# % Sat < 30			29	1		31			22			32
Pop. Mean			29	38		27			31			25
Std. Deviation			17	15		16			12			12
% % Sat < 30			64%	25%		70%			49%			73%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			45	4		44			45			44
# % Sat 30 to 50			10	2		10			20			10
Pop. Mean			29	38		27			31			25
Std. Deviation			17	15		16			12			12
% % Sat 30 to 50			22%	50%		23%			44%			23%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			45	4		44			45			44
# % Sat > 50			6	1		3			3			2
Pop. Mean			29	38		27			31			25
Std. Deviation			17	15		16			12			12
% % Sat > 50			13%	25%		7%			7%			5%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

VI. Diabetes


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45	45	44	43	44	46	44	45	46	46	45
# Pneumonia	32	32	32	30	28	32	31	31	32	32	34	33
% Pneumonia	70%	71%	71%	68%	65%	73%	67%	70%	71%	70%	74%	73%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45						44	45	46	46	45
# Influenza	40	40						20	39	39	37	37
% Influenza	87%	89%						45%	87%	85%	80%	82%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45	45	44	43	44	46	44	45	46	46	45
# Hospital Admissions	6	5	3	5	4	6	5	2	6	6	7	9



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45	45	44	43	44	46	44	45	46	46	45
# Individual Deaths	0	1	0	2	1	0	1	1	0	2	1	1



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45	45	44	43	44	46	44	45	46	46	45
# Missed Treatments	50	52	53	41	50	52	34	39	80	49	40	49



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	46	45	45	44	43	44	46	44	45	46	46	45
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

