


Rainier Beach Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


1

I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	79	75	75	79	80	75	72	71	70	68	67	70
# spKt/V >= 1.2	72	72	74	75	75	75	69	69	70	68	65	67
Pop. Mean	1.58	1.57	1.58	1.54	1.56	1.58	1.56	1.61	1.58	1.61	1.58	1.57
Std. Deviation	0.32	0.31	0.31	0.32	0.34	0.30	0.27	0.32	0.28	0.30	0.28	0.30
% spKt/V >= 1.2	91%	96%	99%	95%	94%	100%	96%	97%	100%	100%	97%	96%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	68	74	74	75	78	73	69	68	68	66	66	67
# spKt/V >= 1.2 w/3tx/wk	68	71	73	72	74	73	68	68	68	66	64	64
Pop. Mean	1.62	1.57	1.58	1.56	1.57	1.58	1.57	1.63	1.57	1.61	1.57	1.56
Std. Deviation	0.30	0.31	0.31	0.31	0.34	0.30	0.26	0.30	0.27	0.30	0.28	0.30
% >= 1.2 w/3tx/wk	100%	96%	99%	96%	95%	100%	99%	100%	100%	100%	97%	96%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	81	82	82	83	85	78	75	75	73	70	69	72
# URR >= 65	74	79	81	79	77	76	72	73	72	68	66	68
Pop. Mean	74	74	74	73	73	74	74	75	74	75	74	74
Std. Deviation	6.67	6.01	5.97	5.99	6.91	6.06	5.37	5.96	5.43	5.44	6.02	5.96
% URR >= 65	91%	96%	99%	95%	91%	97%	96%	97%	99%	97%	96%	94%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	75	76	75	79	81	74	72	70	70	67	66	67
# URR>=65 w/ 3tx/wk	68	73	74	75	74	72	70	70	70	66	64	64
Pop. Mean	74	74	74	74	73	74	74	75	74	75	74	74
Std. Deviation	6.72	6.09	5.88	6.05	7.00	6.06	5.28	5.62	5.32	5.33	5.74	5.94
% URR>=65 w/ 3tx/wk	91%	96%	99%	95%	91%	97%	97%	100%	100%	99%	97%	96%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	81	82	83	83	85	78	76	75	73	70	69	72
# Pre Sys BP <= 165	68	74	71	71	69	65	65	64	65	56	55	62
Pop. Mean	145	144	145	146	146	144	146	147	147	147	149	149
Std. Deviation	19.4	18.9	18.5	19.1	19.8	21.0	20.6	19.0	17.1	17.8	17.6	17.1
%Pre Sys BP <=165	83%	88%	82%	84%	80%	83%	86%	84%	88%	79%	78%	86%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	81	82	83	83	85	78	76	75	73	70	69	72
# L processed/kg>=0.8	69	71	72	72	76	67	68	65	69	63	63	65
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3
% L processed/kg>=0.8	85%	87%	87%	87%	89%	86%	89%	87%	95%	90%	91%	90%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	81	82	83	83	84	78	76	75	73	70	68	72
# CO2 < 23	18	8	16	18	24	19	19	14	18	26	10	25
Pop. Mean	24	26	25	24	24	24	24	25	24	23	25	24
Std. Deviation	2.63	2.78	3.51	2.97	3.02	3.24	2.92	3.11	3.06	2.81	2.89	2.47
% CO2 < 23	22%	10%	19%	22%	29%	24%	25%	19%	25%	37%	15%	35%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	81	82	83	83	84	78	76	75	73	70	68	72
# CO2 23 to 27	53	46	50	55	51	49	46	52	44	40	46	44
Pop. Mean	24	26	25	24	24	24	24	25	24	23	25	24
Std. Deviation	2.63	2.78	3.51	2.97	3.02	3.24	2.92	3.11	3.06	2.81	2.89	2.47
% CO2 23 to 27	65%	56%	60%	66%	61%	63%	61%	69%	60%	57%	68%	61%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	81	82	83	83	84	78	76	75	73	70	68	72
# CO2 > 27	10	28	17	10	9	10	11	9	11	4	12	3
Pop. Mean	24	26	25	24	24	24	24	25	24	23	25	24
Std. Deviation	2.63	2.78	3.51	2.97	3.02	3.24	2.92	3.11	3.06	2.81	2.89	2.47
% CO2 > 27	12%	34%	20%	12%	11%	13%	14%	12%	15%	6%	18%	4%




Rainier Beach Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	81	82	83	83	84	78	76	75	73	70	69	72
# Albumin >= 4.0	35	33	38	35	32	35	27	29	29	34	33	30
Pop. Mean	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.8	3.9	3.9	3.9	3.8
Std. Deviation	0.41	0.39	0.42	0.43	0.44	0.42	0.40	0.41	0.44	0.47	0.40	0.44
% Alb >= 4.0	43%	40%	46%	42%	38%	45%	36%	39%	40%	49%	48%	42%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	81	82	83	83	83	78	76	75	73	70	69	72
# PO4 3.5 to 5.5	35	32	36	31	32	29	24	29	29	23	29	33
Pop. Mean	6.2	6.1	6.1	6.3	6.3	6.3	6.1	6.1	6.3	6.2	6.2	6.1
Std. Deviation	2.02	2.04	2.08	1.92	1.97	2.28	1.81	1.90	2.18	1.84	1.93	1.87
% PO4 3.5 to 5.5	43%	39%	43%	37%	39%	37%	32%	39%	40%	33%	42%	46%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	81	82	83	83	83	78	76	75	73	70	69	72
# Calcium <= 8	7	9	10	9	16	7	11	6	11	12	7	8
Pop. Mean	8.9	8.9	8.9	8.9	8.9	8.9	8.8	8.9	8.9	8.9	8.9	8.9
Std. Deviation	0.57	0.67	0.69	0.66	0.83	0.73	0.68	0.64	0.80	0.76	0.67	0.73
% Calcium <= 8	9%	11%	12%	11%	19%	9%	14%	8%	15%	17%	10%	11%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	81	82	83	83	83	78	76	75	73	70	69	72
# Calcium > 10.2	0	0	1	0	1	1	0	0	1	2	0	1
Pop. Mean	8.9	8.9	8.9	8.9	8.9	8.9	8.8	8.9	8.9	8.9	8.9	8.9
Std. Deviation	0.57	0.67	0.69	0.66	0.83	0.73	0.68	0.64	0.80	0.76	0.67	0.73
% Calcium > 10.2	0%	0%	1%	0%	1%	1%	0%	0%	1%	3%	0%	1%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			81			76			72			72
# PTH-I 150 to 600			52			44			48			47
Pop. Mean			427			512			418			483
Std. Deviation			316			446			283			318
% PTH-I 150 to 600			64%			58%			67%			65%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Rainier Beach Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	81	82	83	83	85	78	76	75	73	70	69	72
# Fistula	42	39	41	41	37	35	38	38	37	38	36	36
% Fistula	52%	48%	49%	49%	44%	45%	50%	51%	51%	54%	52%	50%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	81	82	83	83	85	78	76	75	73	70	69	72
# Graft	16	17	16	14	14	14	14	14	13	11	11	12
% Graft	20%	21%	19%	17%	16%	18%	18%	19%	18%	16%	16%	17%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	81	82	83	83	85	78	76	75	73	70	69	72
# Catheters	23	26	26	28	34	29	24	23	23	21	22	24
% Catheters	28%	32%	31%	34%	40%	37%	32%	31%	32%	30%	32%	33%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	81	82	83	83	85	78	76	75	73	70	69	72
# Catheters	11	14	15	19	21	19	17	16	18	15	16	17
% Catheters	14%	17%	18%	23%	25%	24%	22%	21%	25%	21%	23%	24%

Definition: Catheter in use on last treatment of the month




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	42	39	41	41	37	35	38	38	37	38	36	36
# Fistula > 3 yrs	15	13	15	15	13	12	12	13	14	12	10	10
% Fistula > 3 yrs	36%	33%	37%	37%	35%	34%	32%	34%	38%	32%	28%	28%



V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	73	67	72	71	76	67	64	64	69	61	58	66
# Hgb < 10	26	24	22	14	19	16	12	15	19	15	17	16
Pop. Mean	10.3	10.2	10.4	10.6	10.5	10.6	10.7	10.5	10.4	10.6	10.3	10.4
Std. Deviation	1.5	1.3	1.3	1.3	1.1	1.3	1.2	1.1	1.2	1.3	1.2	1.2
% Hgb < 10	36%	36%	31%	20%	25%	24%	19%	23%	28%	25%	29%	24%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	73	67	72	71	76	67	64	64	69	61	58	66
# Hgb >= 12	4	2	1	5	4	5	5	3	2	6	1	1
Pop. Mean	10.3	10.2	10.4	10.6	10.5	10.6	10.7	10.5	10.4	10.6	10.3	10.4
Std. Deviation	1.5	1.3	1.3	1.3	1.1	1.3	1.2	1.1	1.2	1.3	1.2	1.2
% Hgb >= 12	5%	3%	1%	7%	5%	7%	8%	5%	3%	10%	2%	2%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




Rainier Beach Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026

9


V. ANEMIA - CONT.

Iron Profile


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			83	13		78			73			72
# Ferritin < 800			71	11		63			60			58
Pop. Mean			454	574		463			431			452
Std. Deviation			322	354		408			372			331
% Ferritin < 800			86%	85%		81%			82%			81%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			83	13		78			73			72
# Ferritin 800 to 1200			10	1		9			9			13
Pop. Mean			454	574		463			431			452
Std. Deviation			322	354		408			372			331
% Ferritin 800 to 1200			12%	8%		12%			12%			18%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			83	13		78			73			72
# Ferritin > 1200			2	1		6			4			1
Pop. Mean			454	574		463			431			452
Std. Deviation			322	354		408			372			331
% Ferritin > 1200			2%	8%		8%			5%			1%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Rainier Beach Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026


10

V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			83	13		78			73			72
# % Sat < 30			57	7		56			54			50
Pop. Mean			26	33		28			26			27
Std. Deviation			11	15		17			14			11
% % Sat < 30			69%	54%		72%			74%			69%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			83	13		78			73			72
# % Sat 30 to 50			22	5		15			15			18
Pop. Mean			26	33		28			26			27
Std. Deviation			11	15		17			14			11
% % Sat 30 to 50			27%	38%		19%			21%			25%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			83	13		78			73			72
# % Sat > 50			4	1		7			4			4
Pop. Mean			26	33		28			26			27
Std. Deviation			11	15		17			14			11
% % Sat > 50			5%	8%		9%			5%			6%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

VI. Diabetes


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82	83	83	85	78	77	76	74	70	69	72
# Pneumonia	37	35	37	38	36	32	33	33	31	29	27	26
% Pneumonia	46%	43%	45%	46%	42%	41%	43%	43%	42%	41%	39%	36%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82						76	74	70	69	72
# Influenza	37	36						33	46	44	42	42
% Influenza	46%	44%						43%	62%	63%	61%	58%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82	83	83	85	78	77	76	74	70	69	72
# Hospital Admissions	12	15	12	13	14	10	8	6	17	11	13	9



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82	83	83	85	78	77	76	74	70	69	72
# Individual Deaths	3	2	2	1	3	2	1	2	1	5	1	1



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82	83	83	85	78	77	76	74	70	69	72
# Missed Treatments	74	98	86	90	91	68	85	77	78	67	76	59



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	81	82	83	83	85	78	77	76	74	70	69	72
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

