


Panther Lake Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


1

I. ADEQUACY OF DIALYSIS

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V	22	24	28	28	30	31	33	35	33	34	35	35
# spKt/V >= 1.2	22	24	28	28	30	31	33	35	33	33	35	35
Pop. Mean	1.65	1.68	1.68	1.64	1.76	1.66	1.61	1.56	1.64	1.59	1.60	1.60
Std. Deviation	0.27	0.29	0.28	0.24	0.77	0.26	0.27	0.23	0.26	0.25	0.22	0.26
% spKt/V >= 1.2	100%	100%	100%	100%	100%	100%	100%	100%	100%	97%	100%	100%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# spKt/V w/ 3tx/wk	21	24	28	28	30	31	33	35	33	34	34	34
# spKt/V >= 1.2 w/3tx/wk	21	24	28	28	30	31	33	35	33	33	34	34
Pop. Mean	1.66	1.68	1.68	1.64	1.76	1.66	1.61	1.56	1.64	1.59	1.59	1.59
Std. Deviation	0.27	0.29	0.28	0.24	0.77	0.26	0.27	0.23	0.26	0.25	0.22	0.25
% >= 1.2 w/3tx/wk	100%	100%	100%	100%	100%	100%	100%	100%	100%	97%	100%	100%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR	22	24	28	28	29	32	33	35	33	34	35	35
# URR >= 65	22	24	28	28	29	32	33	35	33	33	35	35
Pop. Mean	76	77	76	76	76	76	75	74	76	75	75	75
Std. Deviation	5.29	5.18	5.32	4.69	5.01	4.68	5.18	4.63	4.85	5.42	4.47	5.06
% URR >= 65	100%	100%	100%	100%	100%	100%	100%	100%	100%	97%	100%	100%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# URR w/ 3tx/wk	22	24	28	28	29	32	33	35	33	34	34	34
# URR>=65 w/ 3tx/wk	22	24	28	28	29	32	33	35	33	33	34	34
Pop. Mean	76	77	76	76	76	76	75	74	76	75	75	75
Std. Deviation	5.29	5.18	5.32	4.69	5.01	4.68	5.18	4.63	4.85	5.42	4.44	4.97
% URR>=65 w/ 3tx/wk	100%	100%	100%	100%	100%	100%	100%	100%	100%	97%	100%	100%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Pre Sys BP	22	24	28	28	30	32	33	35	33	34	35	35
# Pre Sys BP <= 165	19	21	24	26	29	30	31	33	32	31	28	33
Pop. Mean	149	143	139	139	136	135	135	139	141	143	144	141
Std. Deviation	19.0	21.9	19.6	19.0	16.5	17.4	18.3	16.7	17.5	17.8	17.7	15.6
% Pre Sys BP <= 165	86%	88%	86%	93%	97%	94%	94%	94%	97%	91%	80%	94%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# L processed/kg	22	24	28	28	30	32	33	35	33	34	35	35
# L processed/kg>=0.8	21	24	25	27	28	29	30	31	29	29	32	31
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.2	0.2	0.2	0.2	0.2	0.4	0.3	0.3	0.2	0.3	0.2	0.2
% L processed/kg>=0.8	95%	100%	89%	96%	93%	91%	91%	89%	88%	85%	91%	89%




I. ADEQUACY OF DIALYSIS - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	22	24	28	28	30	32	33	35	33	34	35	35
# CO2 < 23	2	2	5	10	9	18	9	9	8	13	14	18
Pop. Mean	25	26	25	23	24	22	24	24	24	23	23	23
Std. Deviation	2.97	2.40	3.06	2.33	2.06	3.17	3.48	2.67	2.89	2.96	2.88	2.96
% CO2 < 23	9%	8%	18%	36%	30%	56%	27%	26%	24%	38%	40%	51%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	22	24	28	28	30	32	33	35	33	34	35	35
# CO2 23 to 27	17	16	19	17	19	14	19	21	25	19	18	14
Pop. Mean	25	26	25	23	24	22	24	24	24	23	23	23
Std. Deviation	2.97	2.40	3.06	2.33	2.06	3.17	3.48	2.67	2.89	2.96	2.88	2.96
% CO2 23 to 27	77%	67%	68%	61%	63%	44%	58%	60%	76%	56%	51%	40%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# CO2	22	24	28	28	30	32	33	35	33	34	35	35
# CO2 > 27	3	6	4	1	2	0	5	5	0	2	3	3
Pop. Mean	25	26	25	23	24	22	24	24	24	23	23	23
Std. Deviation	2.97	2.40	3.06	2.33	2.06	3.17	3.48	2.67	2.89	2.96	2.88	2.96
% CO2 > 27	14%	25%	14%	4%	7%	0%	15%	14%	0%	6%	9%	9%




Panther Lake Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Jan. 31, 2026

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Albumin	22	24	28	28	30	32	33	35	33	34	35	35
# Albumin >= 4.0	19	14	16	12	17	16	13	12	18	21	21	21
Pop. Mean	4.1	4.0	3.9	3.9	3.9	3.9	3.9	3.9	3.9	4.0	4.0	4.0
Std. Deviation	0.50	0.43	0.46	0.44	0.50	0.45	0.42	0.39	0.37	0.46	0.44	0.46
% Alb >= 4.0	86%	58%	57%	43%	57%	50%	39%	34%	55%	62%	60%	60%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PO4	22	24	28	28	30	32	33	35	33	34	35	34
# PO4 3.5 to 5.5	9	13	17	14	17	13	14	12	12	16	17	12
Pop. Mean	6.1	5.9	5.8	6.1	5.8	6.3	6.2	5.8	6.3	6.1	6.2	5.9
Std. Deviation	2.16	1.73	1.61	2.46	1.99	2.51	2.31	1.75	2.35	2.35	2.20	1.58
% PO4 3.5 to 5.5	41%	54%	61%	50%	57%	41%	42%	34%	36%	47%	49%	35%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	22	24	28	28	30	32	33	35	33	34	35	35
# Calcium <= 8	2	1	1	3	2	1	2	1	1	2	2	2
Pop. Mean	9.2	9.0	9.1	9.0	8.9	8.8	9.0	9.0	9.1	8.9	9.0	9.0
Std. Deviation	0.67	0.62	0.50	0.67	0.76	0.58	0.66	0.64	0.58	0.60	0.63	0.54
% Calcium <= 8	9%	4%	4%	11%	7%	3%	6%	3%	3%	6%	6%	6%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Calcium	22	24	28	28	30	32	33	35	33	34	35	35
# Calcium > 10.2	1	0	0	0	1	0	0	0	0	0	0	0
Pop. Mean	9.2	9.0	9.1	9.0	8.9	8.8	9.0	9.0	9.1	8.9	9.0	9.0
Std. Deviation	0.67	0.62	0.50	0.67	0.76	0.58	0.66	0.64	0.58	0.60	0.63	0.54
% Calcium > 10.2	5%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# PTH-I			28			31			33			35
# PTH-I 150 to 600			17			17			21			19
Pop. Mean			444			543			384			596
Std. Deviation			259			323			231			702
% PTH-I 150 to 600			61%			55%			64%			54%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Panther Lake Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Jan. 31, 2026


6

IV. ACCESS


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	22	24	28	28	30	32	33	35	33	34	35	35
# Fistula	18	20	23	22	23	23	25	28	26	27	27	27
% Fistula	82%	83%	82%	79%	77%	72%	76%	80%	79%	79%	77%	77%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	22	24	28	28	30	32	33	35	33	34	35	35
# Graft	2	2	1	1	1	1	2	2	2	2	2	2
% Graft	9%	8%	4%	4%	3%	3%	6%	6%	6%	6%	6%	6%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	22	24	28	28	30	32	33	35	33	34	35	35
# Catheters	2	2	4	5	6	8	6	5	5	5	6	6
% Catheters	9%	8%	14%	18%	20%	25%	18%	14%	15%	15%	17%	17%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


IV. ACCESS - CONT.**Catheters > 90 days**

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Access	22	24	28	28	30	32	33	35	33	34	35	35
# Catheters	0	0	0	0	0	2	2	1	2	2	2	3
% Catheters	0%	0%	0%	0%	0%	6%	6%	3%	6%	6%	6%	9%

Definition: Catheter in use on last treatment of the month




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Fistula	18	20	23	22	23	23	25	28	26	27	27	27
# Fistula > 3 yrs	7	10	10	9	9	10	10	10	9	9	10	11
% Fistula > 3 yrs	39%	50%	43%	41%	39%	43%	40%	36%	35%	33%	37%	41%



V. ANEMIA


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	18	22	23	25	28	29	31	30	29	30	29	31
# Hgb < 10	5	4	2	6	6	9	11	12	2	5	5	3
Pop. Mean	10.4	10.7	10.9	10.7	10.8	10.5	10.5	10.3	11.0	10.8	10.8	11.1
Std. Deviation	1.1	0.8	1.1	1.3	1.1	1.3	1.2	1.1	0.8	1.2	1.0	1.0
% Hgb < 10	28%	18%	9%	24%	21%	31%	35%	40%	7%	17%	17%	10%

Note: Excludes patients who received no ESA in month.




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Hgb	18	22	23	25	28	29	31	30	29	30	29	31
# Hgb >= 12	0	0	1	1	1	1	1	0	3	2	1	1
Pop. Mean	10.4	10.7	10.9	10.7	10.8	10.5	10.5	10.3	11.0	10.8	10.8	11.1
Std. Deviation	1.1	0.8	1.1	1.3	1.1	1.3	1.2	1.1	0.8	1.2	1.0	1.0
% Hgb >= 12	0%	0%	4%	4%	4%	3%	3%	0%	10%	7%	3%	3%

Note: Excludes patients who received no ESA in month.


**Average Darbepoetin Dose per Week per Kilogram**

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.**Iron Profile**


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			28	2		32			33			35
# Ferritin < 800			19	2		21			30			30
Pop. Mean			549	463		591			400			435
Std. Deviation			412	343		392			257			298
% Ferritin < 800			68%	100%		66%			91%			86%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			28	2		32			33			35
# Ferritin 800 to 1200			8			9			3			5
Pop. Mean			549	463		591			400			435
Std. Deviation			412	343		392			257			298
% Ferritin 800 to 1200			29%			28%			9%			14%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Ferritin			28	2		32			33			35
# Ferritin > 1200			1			2						
Pop. Mean			549	463		591			400			435
Std. Deviation			412	343		392			257			298
% Ferritin > 1200			4%			6%						




V. ANEMIA - CONT.


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			28	2		32			33			35
# % Sat < 30			22	1		21			21			20
Pop. Mean			28	23		29			29			29
Std. Deviation			18	17		19			14			16
% % Sat < 30			79%	50%		66%			64%			57%



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			28	2		32			33			35
# % Sat 30 to 50			3	1		7			8			13
Pop. Mean			28	23		29			29			29
Std. Deviation			18	17		19			14			16
% % Sat 30 to 50			11%	50%		22%			24%			37%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# % Sat			28	2		32			33			35
# % Sat > 50			3	0		4			4			2
Pop. Mean			28	23		29			29			29
Std. Deviation			18	17		19			14			16
% % Sat > 50			11%	0%		13%			12%			6%



VI. Diabetes


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# HgA1c			0			0			0			0
# HgA1c <= 7			0			0			0			0
Pop. Mean			0			0			0			0
Std. Deviation			0			0			0			0
% HgA1c <= 7			0%			0%			0%			0%




VII. Infection Control

Pneumonia vaccination within the past five years

	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24	28	28	30	32	33	35	34	34	35	35
# Pneumonia	21	22	23	24	27	28	29	31	32	32	33	32
% Pneumonia	95%	92%	82%	86%	90%	88%	88%	89%	94%	94%	94%	91%




	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24						35	34	34	35	35
# Influenza	20	22						5	28	29	30	29
% Influenza	91%	92%						14%	82%	85%	86%	83%




VIII. Outcome measures


	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24	28	28	30	32	33	35	34	34	35	35
# Hospital Admissions	4	3	1	1	4	2	2	4	3	3	2	2



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24	28	28	30	32	33	35	34	34	35	35
# Individual Deaths	0	0	1	1	0	0	0	1	1	0	0	0



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24	28	28	30	32	33	35	34	34	35	35
# Missed Treatments	27	20	6	13	14	27	19	19	21	19	33	15



	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan
# Patient	22	24	28	28	30	32	33	35	34	34	35	35
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

