


Bellevue Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025


1

I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	51	47	53	57	55	55	57	59	56	58	58	58
# spKt/V >= 1.2	51	47	53	56	55	54	57	58	56	57	57	54
Pop. Mean	1.55	1.57	1.55	1.54	1.58	1.54	1.55	1.51	1.60	1.51	1.53	1.51
Std. Deviation	0.41	0.35	0.32	0.29	0.41	0.29	0.29	0.29	0.42	0.28	0.32	0.29
% spKt/V >= 1.2	100%	100%	100%	98%	100%	98%	100%	98%	100%	98%	98%	93%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	45	43	48	49	50	49	50	54	52	52	50	48
# spKt/V >= 1.2 w/3tx/wk	45	43	48	49	50	49	50	53	52	51	50	48
Pop. Mean	1.54	1.56	1.54	1.55	1.54	1.54	1.53	1.50	1.56	1.49	1.54	1.53
Std. Deviation	0.43	0.35	0.32	0.29	0.29	0.29	0.28	0.30	0.38	0.27	0.31	0.28
% >= 1.2 w/3tx/wk	100%	100%	100%	100%	100%	100%	100%	98%	100%	98%	100%	100%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	62	58	63	66	66	64	66	70	69	69	69	68
# URR >= 65	57	56	61	64	63	62	64	65	68	64	65	62
Pop. Mean	73	73	74	73	73	73	74	72	74	73	73	73
Std. Deviation	6.49	6.95	6.02	6.17	6.61	6.22	6.12	6.86	7.49	7.12	7.00	6.69
% URR >= 65	92%	97%	97%	97%	95%	97%	97%	93%	99%	93%	94%	91%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	46	44	49	51	51	49	51	55	53	53	52	52
# URR>=65 w/ 3tx/wk	45	43	48	51	51	49	51	52	53	51	51	50
Pop. Mean	73	74	74	74	74	74	74	72	74	72	73	73
Std. Deviation	5.74	6.08	5.92	5.28	5.33	5.38	5.46	6.64	6.60	6.48	6.42	6.11
% URR>=65 w/ 3tx/wk	98%	98%	98%	100%	100%	100%	100%	95%	100%	96%	98%	96%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	62	58	63	66	67	65	66	70	69	69	69	69
# Pre Sys BP <= 165	53	51	54	56	58	59	61	66	63	58	57	54
Pop. Mean	150	148	149	149	148	145	144	144	143	147	147	148
Std. Deviation	14.5	15.8	14.4	16.1	16.5	16.7	16.1	16.4	17.3	19.1	17.7	18.7
%Pre Sys BP <=165	79%	86%	86%	82%	85%	91%	92%	91%	91%	81%	80%	77%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	62	58	63	66	67	65	66	70	69	69	69	69
# L processed/kg>=0.8	51	49	54	54	54	51	54	55	54	52	56	54
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3	0.3
% L processed/kg>=0.8	82%	84%	86%	82%	81%	78%	82%	79%	78%	75%	81%	78%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	62	58	63	66	67	65	66	70	69	69	69	69
# CO2 < 23	20	20	16	17	14	18	15	24	16	22	13	18
Pop. Mean	24	24	25	24	25	24	24	24	24	24	25	24
Std. Deviation	3.05	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76
% CO2 < 23	32%	34%	25%	26%	21%	28%	23%	34%	23%	32%	19%	26%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	62	58	63	66	67	65	66	70	69	69	69	69
# CO2 23 to 27	34	29	33	40	42	41	43	38	42	41	46	47
Pop. Mean	24	24	25	24	25	24	24	24	24	24	25	24
Std. Deviation	3.05	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76
% CO2 23 to 27	55%	50%	52%	61%	63%	63%	65%	54%	61%	59%	67%	68%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	62	58	63	66	67	65	66	70	69	69	69	69
# CO2 > 27	8	9	14	9	11	6	8	8	11	6	10	4
Pop. Mean	24	24	25	24	25	24	24	24	24	24	25	24
Std. Deviation	3.05	3.34	3.01	3.27	2.97	3.32	3.08	3.10	3.00	3.01	2.97	2.76
% CO2 > 27	13%	16%	22%	14%	16%	9%	12%	11%	16%	9%	14%	6%




Bellevue Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	62	58	63	66	67	65	66	70	69	69	69	69
# Albumin >= 4.0	36	33	36	35	34	39	33	32	36	34	38	37
Pop. Mean	3.9	4.0	4.0	3.9	4.0	4.0	3.9	3.9	3.9	3.9	3.9	3.9
Std. Deviation	0.36	0.34	0.35	0.39	0.32	0.27	0.30	0.36	0.38	0.34	0.37	0.40
% Alb >= 4.0	58%	57%	57%	53%	51%	60%	50%	46%	52%	49%	55%	54%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	62	58	63	66	67	65	66	70	69	69	69	69
# PO4 3.5 to 5.5	30	23	30	19	26	20	28	29	24	24	23	27
Pop. Mean	6.0	6.0	5.8	6.2	5.9	6.2	6.0	5.9	6.1	6.2	6.0	6.2
Std. Deviation	1.79	1.62	1.48	1.94	1.69	1.79	1.73	1.47	1.93	1.75	1.52	1.76
% PO4 3.5 to 5.5	48%	40%	48%	29%	39%	31%	42%	41%	35%	35%	33%	39%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	62	58	63	66	67	65	66	70	69	69	69	69
# Calcium <= 8	2	5	4	6	4	5	6	5	4	7	7	7
Pop. Mean	9.1	9.0	9.1	9.1	9.1	9.0	9.0	8.9	9.0	9.0	9.1	9.1
Std. Deviation	0.66	0.68	0.76	0.76	0.59	0.65	0.67	0.67	0.68	0.73	0.71	0.82
% Calcium <= 8	3%	9%	6%	9%	6%	8%	9%	7%	6%	10%	10%	10%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	62	58	63	66	67	65	66	70	69	69	69	69
# Calcium > 10.2	2	1	1	3	1	1	1	0	0	1	0	3
Pop. Mean	9.1	9.0	9.1	9.1	9.1	9.0	9.0	8.9	9.0	9.0	9.1	9.1
Std. Deviation	0.66	0.68	0.76	0.76	0.59	0.65	0.67	0.67	0.68	0.73	0.71	0.82
% Calcium > 10.2	3%	2%	2%	5%	1%	2%	2%	0%	0%	1%	0%	4%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	62			66			65			68		
# PTH-I 150 to 600	38			34			36			37		
Pop. Mean	452			471			652			558		
Std. Deviation	311			451			768			675		
% PTH-I 150 to 600	61%			52%			55%			54%		




Bellevue Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025


6

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	62	58	63	66	67	65	66	70	69	69	69	69
# Fistula	45	40	44	45	48	48	47	51	51	51	53	55
% Fistula	73%	69%	70%	68%	72%	74%	71%	73%	74%	74%	77%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	62	58	63	66	67	65	66	70	69	69	69	69
# Graft	9	8	8	7	8	8	8	8	8	8	6	7
% Graft	15%	14%	13%	11%	12%	12%	12%	11%	12%	12%	9%	10%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	62	58	63	66	67	65	66	70	69	69	69	69
# Catheters	8	10	11	14	11	9	11	11	10	10	10	7
% Catheters	13%	17%	17%	21%	16%	14%	17%	16%	14%	14%	14%	10%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	62	58	63	66	67	65	66	70	69	69	69	69
# Catheters	2	3	3	5	7	7	7	5	6	6	7	5
% Catheters	3%	5%	5%	8%	10%	11%	11%	7%	9%	9%	10%	7%

Definition: Catheter in use on last treatment of the month



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	45	40	44	45	48	48	47	51	51	51	53	55
# Fistula > 3 yrs	15	14	15	14	14	15	13	16	17	17	18	20
% Fistula > 3 yrs	33%	35%	34%	31%	29%	31%	28%	31%	33%	33%	34%	36%



Bellevue Kidney Center - Center Hemodialysis


Quality Assurance Reports
Through period ending Dec. 31, 2025

8

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	55	50	59	60	52	49	53	62	53	60	59	60
# Hgb < 10	12	12	13	13	10	12	10	17	13	13	14	14
Pop. Mean	10.5	10.4	10.5	10.6	10.7	10.6	10.4	10.4	10.4	10.6	10.4	10.5
Std. Deviation	1.6	1.4	1.3	1.5	1.3	1.3	1.2	1.6	1.5	1.5	1.3	1.2
% Hgb < 10	22%	24%	22%	22%	19%	24%	19%	27%	25%	22%	24%	23%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	55	50	59	60	52	49	53	62	53	60	59	60
# Hgb >= 12	6	2	3	4	4	4	0	3	2	4	1	1
Pop. Mean	10.5	10.4	10.5	10.6	10.7	10.6	10.4	10.4	10.4	10.6	10.4	10.5
Std. Deviation	1.6	1.4	1.3	1.5	1.3	1.3	1.2	1.6	1.5	1.5	1.3	1.2
% Hgb >= 12	11%	4%	5%	7%	8%	8%	0%	5%	4%	7%	2%	2%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	62			66	3		66			69		
# Ferritin < 800	51			50	3		51			54		
Pop. Mean	482			541	518		579			512		
Std. Deviation	372			374	304		471			420		
% Ferritin < 800	82%			76%	100%		77%			78%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	62			66	3		66			69		
# Ferritin 800 to 1200	7			11			12			13		
Pop. Mean	482			541	518		579			512		
Std. Deviation	372			374	304		471			420		
% Ferritin 800 to 1200	11%			17%			18%			19%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	62			66	3		66			69		
# Ferritin > 1200	4			5			3			2		
Pop. Mean	482			541	518		579			512		
Std. Deviation	372			374	304		471			420		
% Ferritin > 1200	6%			8%			5%			3%		




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	62			66	3		66			69		
# % Sat < 30	36			44	3		34			43		
Pop. Mean	32			27	23		34			29		
Std. Deviation	18			12	6		19			16		
% % Sat < 30	58%			67%	100%		52%			62%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	62			66	3		66			69		
# % Sat 30 to 50	19			21	0		23			19		
Pop. Mean	32			27	23		34			29		
Std. Deviation	18			12	6		19			16		
% % Sat 30 to 50	31%			32%	0%		35%			28%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	62			66	3		66			69		
# % Sat > 50	7			1	0		9			7		
Pop. Mean	32			27	23		34			29		
Std. Deviation	18			12	6		19			16		
% % Sat > 50	11%			2%	0%		14%			10%		



VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	0			0			0			0		
# HgA1c <= 7	0			0			0			0		
Pop. Mean	0			0			0			0		
Std. Deviation	0			0			0			0		
% HgA1c <= 7	0%			0%			0%			0%		




VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63	66	67	65	66	70	69	69	69	69
# Pneumonia	44	42	44	44	47	46	44	45	44	43	45	44
% Pneumonia	71%	71%	70%	67%	70%	71%	67%	64%	64%	62%	65%	64%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63						69	69	69	69
# Influenza	50	48	50						9	54	54	53
% Influenza	81%	81%	79%						13%	78%	78%	77%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63	66	67	65	66	70	69	69	69	69
# Hospital Admissions	9	7	7	6	6	7	7	7	6	9	11	10



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63	66	67	65	66	70	69	69	69	69
# Individual Deaths	0	2	0	0	0	0	3	1	0	0	3	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63	66	67	65	66	70	69	69	69	69
# Missed Treatments	60	48	49	41	68	49	40	51	47	69	60	63



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	62	59	63	66	67	65	66	70	69	69	69	69
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

