



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	51	47	43	42	40	43	46	42	41	41	45	43
# spKt/V >= 1.2	50	46	43	42	40	42	44	41	41	39	44	43
Pop. Mean	1.52	1.55	1.59	1.56	1.60	1.50	1.52	1.58	1.52	1.54	1.52	1.53
Std. Deviation	0.27	0.28	0.27	0.27	0.29	0.29	0.26	0.45	0.27	0.29	0.26	0.23
% spKt/V >= 1.2	98%	98%	100%	100%	100%	98%	96%	98%	100%	95%	98%	100%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	50	47	43	42	40	43	46	42	41	39	44	42
# spKt/V >= 1.2 w/3tx/wk	49	46	43	42	40	42	44	41	41	37	43	42
Pop. Mean	1.52	1.55	1.59	1.56	1.60	1.50	1.52	1.58	1.52	1.55	1.52	1.53
Std. Deviation	0.27	0.28	0.27	0.27	0.29	0.29	0.26	0.45	0.27	0.29	0.26	0.23
% >= 1.2 w/3tx/wk	98%	98%	100%	100%	100%	98%	96%	98%	100%	95%	98%	100%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	51	48	44	43	41	44	47	42	42	42	45	44
# URR >= 65	49	46	44	43	41	42	44	41	42	40	42	43
Pop. Mean	73	74	75	74	74	72	73	73	73	73	73	74
Std. Deviation	5.30	5.90	5.18	5.56	5.41	6.26	5.65	5.77	5.24	5.88	5.30	5.15
% URR >= 65	96%	96%	100%	100%	100%	95%	94%	98%	100%	95%	93%	98%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	50	47	43	42	40	43	46	41	41	41	44	43
# URR>=65 w/ 3tx/wk	48	46	43	42	40	41	43	40	41	39	41	42
Pop. Mean	73	74	75	74	75	73	73	73	73	74	73	74
Std. Deviation	5.30	5.75	5.10	5.47	5.32	6.26	5.66	5.83	5.15	5.83	5.26	5.16
% URR>=65 w/ 3tx/wk	96%	98%	100%	100%	100%	95%	93%	98%	100%	95%	93%	98%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	51	48	44	43	41	44	47	45	43	43	45	45
# Pre Sys BP <= 165	40	38	37	37	31	36	37	34	31	29	34	36
Pop. Mean	149	149	147	146	151	150	147	148	149	151	152	151
Std. Deviation	20.8	22.5	22.8	21.8	20.3	18.2	18.7	21.2	23.7	24.4	22.9	20.9
%Pre Sys BP <=165	76%	77%	84%	84%	76%	82%	79%	73%	72%	63%	76%	80%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	51	48	44	43	41	44	47	45	43	43	45	45
# L processed/kg>=0.8	38	41	37	38	36	35	38	36	36	35	40	39
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.3	0.2
% L processed/kg>=0.8	75%	85%	84%	88%	88%	80%	81%	80%	84%	81%	89%	87%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	51	47	43	43	41	43	47	44	43	42	45	44
# CO2 < 23	10	20	9	13	10	10	11	10	4	12	8	11
Pop. Mean	24	24	25	23	24	24	24	24	25	24	24	23
Std. Deviation	3.93	3.23	3.22	4.09	3.99	2.98	3.39	3.54	3.85	3.65	3.46	3.83
% CO2 < 23	20%	43%	21%	30%	24%	23%	23%	23%	9%	29%	18%	25%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	51	47	43	43	41	43	47	44	43	42	45	44
# CO2 23 to 27	35	22	31	27	28	31	32	32	32	29	37	30
Pop. Mean	24	24	25	23	24	24	24	24	25	24	24	23
Std. Deviation	3.93	3.23	3.22	4.09	3.99	2.98	3.39	3.54	3.85	3.65	3.46	3.83
% CO2 23 to 27	69%	47%	72%	63%	68%	72%	68%	73%	74%	69%	82%	68%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	51	47	43	43	41	43	47	44	43	42	45	44
# CO2 > 27	6	5	3	3	3	2	4	2	7	1	0	3
Pop. Mean	24	24	25	23	24	24	24	24	25	24	24	23
Std. Deviation	3.93	3.23	3.22	4.09	3.99	2.98	3.39	3.54	3.85	3.65	3.46	3.83
% CO2 > 27	12%	11%	7%	7%	7%	5%	9%	5%	16%	2%	0%	7%




Fife Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	51	48	44	43	41	44	47	44	43	42	45	44
# Albumin >= 4.0	25	26	24	23	22	20	21	19	20	19	26	29
Pop. Mean	3.9	3.9	4.0	3.9	4.0	3.9	3.9	3.8	3.9	3.9	3.9	4.0
Std. Deviation	0.31	0.35	0.34	0.31	0.31	0.34	0.37	0.45	0.36	0.45	0.40	0.42
% Alb >= 4.0	49%	54%	55%	53%	54%	45%	45%	43%	47%	45%	58%	66%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Fife Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025

5


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	51	48	44	43	41	44	47	44	43	42	45	44
# PO4 3.5 to 5.5	12	15	16	14	15	10	13	15	12	11	17	18
Pop. Mean	6.6	6.9	6.5	6.2	6.2	6.6	6.8	6.5	6.4	6.7	6.6	6.5
Std. Deviation	1.88	2.23	2.45	2.02	2.14	1.94	2.52	1.96	2.01	2.12	2.03	1.80
% PO4 3.5 to 5.5	24%	31%	36%	33%	37%	23%	28%	34%	28%	26%	38%	41%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	51	48	44	43	41	44	47	44	43	42	45	44
# Calcium <= 8	4	3	2	2	3	3	5	3	1	4	5	4
Pop. Mean	9.0	9.1	9.2	9.1	9.1	9.1	8.9	9.0	9.0	9.0	9.0	9.0
Std. Deviation	0.72	0.66	0.64	0.69	0.64	0.62	0.61	0.62	0.57	0.81	0.92	0.83
% Calcium <= 8	8%	6%	5%	5%	7%	7%	11%	7%	2%	10%	11%	9%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	51	48	44	43	41	44	47	44	43	42	45	44
# Calcium > 10.2	1	1	2	0	0	0	0	0	0	0	0	0
Pop. Mean	9.0	9.1	9.2	9.1	9.1	9.1	8.9	9.0	9.0	9.0	9.0	9.0
Std. Deviation	0.72	0.66	0.64	0.69	0.64	0.62	0.61	0.62	0.57	0.81	0.92	0.83
% Calcium > 10.2	2%	2%	5%	0%	0%	0%	0%	0%	0%	0%	0%	0%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	51			43			47			41		
# PTH-I 150 to 600	25			24			18			24		
Pop. Mean	718			679			770			637		
Std. Deviation	520			607			633			536		
% PTH-I 150 to 600	49%			56%			38%			59%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Fife Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025


6

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	51	48	44	43	41	44	47	45	43	43	45	45
# Fistula	30	28	28	27	25	27	30	29	28	29	32	33
% Fistula	59%	58%	64%	63%	61%	61%	64%	64%	65%	67%	71%	73%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	51	48	44	43	41	44	47	45	43	43	45	45
# Graft	4	3	3	4	4	4	4	3	2	2	3	3
% Graft	8%	6%	7%	9%	10%	9%	9%	7%	5%	5%	7%	7%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	51	48	44	43	41	44	47	45	43	43	45	45
# Catheters	17	17	13	12	12	13	13	13	13	12	10	9
% Catheters	33%	35%	30%	28%	29%	30%	28%	29%	30%	28%	22%	20%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	51	48	44	43	41	44	47	45	43	43	45	45
# Catheters	8	12	9	8	10	10	7	7	8	7	7	7
% Catheters	16%	25%	20%	19%	24%	23%	15%	16%	19%	16%	16%	16%

Definition: Catheter in use on last treatment of the month



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	30	28	28	27	25	27	30	29	28	29	32	33
# Fistula > 3 yrs	14	12	12	11	10	10	11	9	9	10	11	12
% Fistula > 3 yrs	47%	43%	43%	41%	40%	37%	37%	31%	32%	34%	34%	36%




Fife Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025

8

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	41	40	40	40	39	39	40	41	40	39	39	39
# Hgb < 10	9	10	8	9	8	11	12	12	15	10	13	15
Pop. Mean	10.9	10.8	10.6	10.5	10.6	10.5	10.4	10.5	10.2	10.4	10.2	10.4
Std. Deviation	1.4	1.1	1.2	1.1	1.1	1.1	1.1	1.2	1.1	1.2	1.2	1.1
% Hgb < 10	22%	25%	20%	23%	21%	28%	30%	29%	38%	26%	33%	38%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	41	40	40	40	39	39	40	41	40	39	39	39
# Hgb >= 12	5	4	3	2	3	3	1	2	0	0	1	1
Pop. Mean	10.9	10.8	10.6	10.5	10.6	10.5	10.4	10.5	10.2	10.4	10.2	10.4
Std. Deviation	1.4	1.1	1.2	1.1	1.1	1.1	1.1	1.2	1.1	1.2	1.2	1.1
% Hgb >= 12	12%	10%	8%	5%	8%	8%	3%	5%	0%	0%	3%	3%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	51			43	1		47			42		
# Ferritin < 800	44			33	1		38			36		
Pop. Mean	435			506	474		487			480		
Std. Deviation	311			334	0		325			268		
% Ferritin < 800	86%			77%	100%		81%			86%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	51			43	1		47			42		
# Ferritin 800 to 1200	6			9			8			6		
Pop. Mean	435			506	474		487			480		
Std. Deviation	311			334	0		325			268		
% Ferritin 800 to 1200	12%			21%			17%			14%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	51			43	1		47			42		
# Ferritin > 1200	1			1			1					
Pop. Mean	435			506	474		487			480		
Std. Deviation	311			334	0		325			268		
% Ferritin > 1200	2%			2%			2%					




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	51			43	1		47			42		
# % Sat < 30	29			27	1		32			26		
Pop. Mean	29			28	21		29			30		
Std. Deviation	11			13	0		14			14		
% % Sat < 30	57%			63%	100%		68%			62%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	51			43	1		47			42		
# % Sat 30 to 50	19			14	0		11			13		
Pop. Mean	29			28	21		29			30		
Std. Deviation	11			13	0		14			14		
% % Sat 30 to 50	37%			33%	0%		23%			31%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	51			43	1		47			42		
# % Sat > 50	3			2	0		4			3		
Pop. Mean	29			28	21		29			30		
Std. Deviation	11			13	0		14			14		
% % Sat > 50	6%			5%	0%		9%			7%		



VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	0			0			0			0		
# HgA1c <= 7	0			0			0			0		
Pop. Mean	0			0			0			0		
Std. Deviation	0			0			0			0		
% HgA1c <= 7	0%			0%			0%			0%		




VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44	43	41	44	47	45	43	43	45	45
# Pneumonia	38	39	37	36	33	34	35	34	32	31	33	34
% Pneumonia	75%	81%	84%	84%	80%	77%	74%	76%	74%	72%	73%	76%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44						43	43	45	45
# Influenza	38	35	33						5	34	35	35
% Influenza	75%	73%	75%						12%	79%	78%	78%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44	43	41	44	47	45	43	43	45	45
# Hospital Admissions	5	5	12	4	6	6	12	9	6	11	5	5



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44	43	41	44	47	45	43	43	45	45
# Individual Deaths	0	2	0	2	2	0	0	1	1	1	1	1



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44	43	41	44	47	45	43	43	45	45
# Missed Treatments	94	66	84	43	64	53	101	93	83	116	62	78



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	51	48	44	43	41	44	47	45	43	43	45	45
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

