



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	145	145	145	146	147	145	149	148	150	148	151	150
# spKt/V >= 1.2	144	145	143	146	146	144	147	147	148	148	149	148
Pop. Mean	1.62	1.64	1.66	1.66	1.63	1.59	1.62	1.60	1.62	1.63	1.60	1.63
Std. Deviation	0.28	0.30	0.32	0.36	0.28	0.28	0.29	0.29	0.32	0.27	0.28	0.29
% spKt/V >= 1.2	99%	100%	99%	100%	99%	99%	99%	99%	99%	100%	99%	99%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	143	144	144	145	146	144	148	147	149	147	148	149
# spKt/V >= 1.2 w/3tx/wk	142	144	142	145	145	143	146	146	147	147	146	147
Pop. Mean	1.62	1.64	1.65	1.66	1.63	1.59	1.61	1.60	1.62	1.63	1.60	1.62
Std. Deviation	0.28	0.30	0.32	0.36	0.28	0.29	0.29	0.29	0.32	0.27	0.28	0.29
% >= 1.2 w/3tx/wk	99%	100%	99%	100%	99%	99%	99%	99%	99%	100%	99%	99%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	153	151	151	153	153	152	156	155	157	155	157	157
# URR >= 65	151	150	146	151	151	148	153	153	154	154	155	155
Pop. Mean	75	75	75	75	75	75	75	75	75	76	75	75
Std. Deviation	5.42	5.87	6.17	5.92	5.44	5.96	5.98	5.74	5.89	5.47	5.81	5.91
% URR >= 65	99%	99%	97%	99%	99%	97%	98%	99%	98%	99%	99%	99%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	148	147	147	148	149	147	151	151	153	152	154	154
# URR>=65 w/ 3tx/wk	146	146	142	146	147	143	148	149	150	151	152	152
Pop. Mean	75	75	75	75	75	74	75	75	75	75	75	75
Std. Deviation	5.39	5.88	6.15	5.90	5.45	5.88	5.91	5.66	5.89	5.37	5.76	5.90
% URR>=65 w/ 3tx/wk	99%	99%	97%	99%	99%	97%	98%	99%	98%	99%	99%	99%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	153	151	151	153	154	152	156	155	157	155	157	157
# Pre Sys BP <= 165	132	127	131	132	131	130	137	135	134	133	133	140
Pop. Mean	147	146	146	145	145	143	143	144	145	147	147	145
Std. Deviation	19.5	20.9	20.4	18.8	19.8	19.2	19.5	19.7	19.2	18.5	19.3	18.8
%Pre Sys BP <=165	86%	83%	85%	85%	84%	84%	88%	87%	84%	86%	83%	87%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	153	151	151	153	154	152	156	155	157	155	157	157
# L processed/kg>=0.8	140	138	136	138	136	132	139	133	138	132	135	135
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>=0.8	92%	91%	90%	90%	88%	87%	89%	86%	88%	85%	86%	86%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	153	150	151	153	154	152	156	155	157	155	157	157
# CO2 < 23	51	38	18	28	35	20	50	23	20	28	41	36
Pop. Mean	23	25	26	25	25	25	24	25	25	25	24	25
Std. Deviation	2.64	3.32	3.03	2.78	2.70	2.65	2.77	2.61	2.53	2.81	3.12	3.32
% CO2 < 23	33%	25%	12%	18%	23%	13%	32%	15%	13%	18%	26%	23%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	153	150	151	153	154	152	156	155	157	155	157	157
# CO2 23 to 27	98	86	92	103	99	109	92	110	108	100	96	80
Pop. Mean	23	25	26	25	25	25	24	25	25	25	24	25
Std. Deviation	2.64	3.32	3.03	2.78	2.70	2.65	2.77	2.61	2.53	2.81	3.12	3.32
% CO2 23 to 27	64%	57%	61%	67%	64%	72%	59%	71%	69%	65%	61%	51%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	153	150	151	153	154	152	156	155	157	155	157	157
# CO2 > 27	4	26	41	22	20	23	14	22	29	27	20	41
Pop. Mean	23	25	26	25	25	25	24	25	25	25	24	25
Std. Deviation	2.64	3.32	3.03	2.78	2.70	2.65	2.77	2.61	2.53	2.81	3.12	3.32
% CO2 > 27	3%	17%	27%	14%	13%	15%	9%	14%	18%	17%	13%	26%




Kent Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	153	151	151	153	154	152	156	155	157	155	157	157
# Albumin >= 4.0	71	75	76	79	72	71	64	64	81	73	83	93
Pop. Mean	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.9	3.8	3.9	3.9	4.0
Std. Deviation	0.41	0.47	0.42	0.42	0.42	0.41	0.41	0.40	0.47	0.40	0.41	0.39
% Alb >= 4.0	46%	50%	50%	52%	47%	47%	41%	41%	52%	47%	53%	59%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	153	151	151	153	154	152	156	155	157	155	157	157
# PO4 3.5 to 5.5	52	65	62	58	63	63	77	75	64	79	63	70
Pop. Mean	5.8	5.8	5.8	5.9	5.8	5.9	5.9	5.8	5.9	5.7	5.9	5.9
Std. Deviation	1.66	1.83	1.81	1.82	1.93	1.59	1.95	1.70	1.79	1.71	1.79	1.71
% PO4 3.5 to 5.5	34%	43%	41%	38%	41%	41%	49%	48%	41%	51%	40%	45%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	153	151	151	153	154	152	156	155	157	155	157	157
# Calcium <= 8	14	19	21	19	19	19	25	14	22	11	18	16
Pop. Mean	8.9	9.0	8.9	8.9	8.9	8.9	8.8	8.8	8.8	8.9	8.9	9.0
Std. Deviation	0.74	0.80	0.73	0.76	0.75	0.71	0.72	0.68	0.72	0.63	0.73	0.70
% Calcium <= 8	9%	13%	14%	12%	12%	13%	16%	9%	14%	7%	11%	10%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	153	151	151	153	154	152	156	155	157	155	157	157
# Calcium > 10.2	0	2	0	0	0	2	0	0	0	1	1	2
Pop. Mean	8.9	9.0	8.9	8.9	8.9	8.9	8.8	8.8	8.8	8.9	8.9	9.0
Std. Deviation	0.74	0.80	0.73	0.76	0.75	0.71	0.72	0.68	0.72	0.63	0.73	0.70
% Calcium > 10.2	0%	1%	0%	0%	0%	1%	0%	0%	0%	1%	1%	1%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	153			153			156			155		
# PTH-I 150 to 600	97			99			98			103		
Pop. Mean	458			434			501			453		
Std. Deviation	403			403			427			496		
% PTH-I 150 to 600	63%			65%			63%			66%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Kent Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025


6

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	153	151	151	153	154	152	156	155	157	155	157	157
# Fistula	113	113	112	113	113	110	114	112	113	113	116	115
% Fistula	74%	75%	74%	74%	73%	72%	73%	72%	72%	73%	74%	73%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	153	151	151	153	154	152	156	155	157	155	157	157
# Graft	12	9	11	10	10	9	10	11	10	10	10	11
% Graft	8%	6%	7%	7%	6%	6%	6%	7%	6%	6%	6%	7%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	153	151	151	153	154	152	156	155	157	155	157	157
# Catheters	28	29	28	30	31	33	32	32	34	32	31	31
% Catheters	18%	19%	19%	20%	20%	22%	21%	21%	22%	21%	20%	20%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	153	151	151	153	154	152	156	155	157	155	157	157
# Catheters	18	21	22	19	17	19	18	21	21	22	23	24
% Catheters	12%	14%	15%	12%	11%	13%	12%	14%	13%	14%	15%	15%

Definition: Catheter in use on last treatment of the month




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	113	113	112	113	113	110	114	112	113	113	116	115
# Fistula > 3 yrs	48	49	49	49	47	46	48	46	47	50	50	51
% Fistula > 3 yrs	42%	43%	44%	43%	42%	42%	42%	41%	42%	44%	43%	44%



V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	135	125	130	133	136	128	139	132	139	141	138	136
# Hgb < 10	24	20	29	28	32	28	30	34	39	40	36	32
Pop. Mean	10.9	10.8	10.7	10.7	10.7	10.5	10.5	10.6	10.4	10.5	10.5	10.6
Std. Deviation	1.1	1.1	1.2	1.1	1.3	1.2	1.2	1.2	1.3	1.3	1.2	1.2
% Hgb < 10	18%	16%	22%	21%	24%	22%	22%	26%	28%	28%	26%	24%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	135	125	130	133	136	128	139	132	139	141	138	136
# Hgb >= 12	18	8	14	7	17	6	3	9	9	8	1	5
Pop. Mean	10.9	10.8	10.7	10.7	10.7	10.5	10.5	10.6	10.4	10.5	10.5	10.6
Std. Deviation	1.1	1.1	1.2	1.1	1.3	1.2	1.2	1.2	1.3	1.3	1.2	1.2
% Hgb >= 12	13%	6%	11%	5%	13%	5%	2%	7%	6%	6%	1%	4%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	153			153	17		156			155		
# Ferritin < 800	127			124	16		129			135		
Pop. Mean	488			472	475		446			422		
Std. Deviation	344			336	325		341			319		
% Ferritin < 800	83%			81%	94%		83%			87%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	153			153	17		156			155		
# Ferritin 800 to 1200	20			24			22			18		
Pop. Mean	488			472	475		446			422		
Std. Deviation	344			336	325		341			319		
% Ferritin 800 to 1200	13%			16%			14%			12%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	153			153	17		156			155		
# Ferritin > 1200	6			5	1		5			2		
Pop. Mean	488			472	475		446			422		
Std. Deviation	344			336	325		341			319		
% Ferritin > 1200	4%			3%	6%		3%			1%		




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	153			153	17		156			155		
# % Sat < 30	97			101	11		107			103		
Pop. Mean	28			28	28		27			26		
Std. Deviation	13			14	15		13			11		
% % Sat < 30	63%			66%	65%		69%			66%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	153			153	17		156			155		
# % Sat 30 to 50	48			43	5		37			44		
Pop. Mean	28			28	28		27			26		
Std. Deviation	13			14	15		13			11		
% % Sat 30 to 50	31%			28%	29%		24%			28%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	153			153	17		156			155		
# % Sat > 50	8			9	1		12			8		
Pop. Mean	28			28	28		27			26		
Std. Deviation	13			14	15		13			11		
% % Sat > 50	5%			6%	6%		8%			5%		



VI. Diabetes


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	0			0			0			0		
# HgA1c <= 7	0			0			0			0		
Pop. Mean	0			0			0			0		
Std. Deviation	0			0			0			0		
% HgA1c <= 7	0%			0%			0%			0%		




VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151	153	154	152	156	155	157	155	157	157
# Pneumonia	133	133	133	128	128	127	133	131	135	132	133	134
% Pneumonia	87%	87%	88%	84%	83%	84%	85%	85%	86%	85%	85%	85%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151						157	155	157	157
# Influenza	121	119	118						19	126	126	127
% Influenza	79%	78%	78%						12%	81%	80%	81%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151	153	154	152	156	155	157	155	157	157
# Hospital Admissions	12	12	13	8	11	18	17	13	15	11	14	14



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151	153	154	152	156	155	157	155	157	157
# Individual Deaths	2	2	2	2	0	2	1	3	1	3	3	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151	153	154	152	156	155	157	155	157	157
# Missed Treatments	152	141	119	123	128	116	142	145	133	109	121	161



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	153	153	151	153	154	152	156	155	157	155	157	157
# Transplants	0	0	0	0	0	1	0	0	0	0	0	0

