



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	64	65	64	63	65	68	69	65	67	68	64	64
# spKt/V >= 1.2	62	64	64	59	64	65	68	63	64	64	63	61
Pop. Mean	1.57	1.55	1.56	1.57	1.58	1.54	1.59	1.58	1.60	1.58	1.61	1.61
Std. Deviation	0.30	0.24	0.25	0.30	0.28	0.26	0.25	0.31	0.36	0.28	0.25	0.30
% spKt/V >= 1.2	97%	98%	100%	94%	98%	96%	99%	97%	96%	94%	98%	95%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	63	63	62	60	64	66	68	63	65	67	63	62
# spKt/V >= 1.2 w/3tx/wk	62	63	62	57	63	64	67	61	63	63	62	59
Pop. Mean	1.58	1.56	1.55	1.59	1.58	1.54	1.59	1.59	1.61	1.58	1.61	1.61
Std. Deviation	0.29	0.24	0.25	0.29	0.28	0.24	0.25	0.31	0.36	0.29	0.25	0.30
% >= 1.2 w/3tx/wk	98%	100%	100%	95%	98%	97%	99%	97%	97%	94%	98%	95%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	78	77	78	79	84	84	86	83	85	85	79	79
# URR >= 65	76	76	75	76	81	82	85	79	81	80	78	74
Pop. Mean	74	74	74	75	74	74	75	74	74	74	75	75
Std. Deviation	6.44	4.99	5.47	6.02	5.93	5.54	5.05	6.39	6.47	6.73	5.41	6.53
% URR >= 65	97%	99%	96%	96%	96%	98%	99%	95%	95%	94%	99%	94%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	64	64	63	62	66	68	70	65	69	71	67	66
# URR>=65 w/ 3tx/wk	63	63	61	59	64	66	69	63	66	66	66	63
Pop. Mean	74	74	74	75	74	74	75	74	74	74	75	75
Std. Deviation	6.52	5.01	5.25	6.14	5.72	5.39	5.09	6.32	6.64	6.96	5.19	6.24
% URR>=65 w/ 3tx/wk	98%	98%	97%	95%	97%	97%	99%	97%	96%	93%	99%	95%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	80	78	79	80	84	84	87	83	85	86	79	80
# Pre Sys BP <= 165	75	68	71	73	75	77	80	76	74	74	68	69
Pop. Mean	141	142	143	141	142	139	140	142	143	144	144	146
Std. Deviation	18.1	19.4	20.8	18.9	19.8	19.1	19.0	17.8	19.1	18.6	18.6	19.0
%Pre Sys BP <=165	93%	83%	89%	91%	89%	92%	89%	90%	87%	83%	86%	84%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	80	78	79	80	84	84	87	83	85	86	79	80
# L processed/kg>=0.8	67	69	69	70	72	73	72	71	76	77	73	71
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
% L processed/kg>=0.8	84%	88%	87%	88%	86%	87%	83%	86%	89%	90%	92%	89%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	80	78	78	80	84	84	85	83	85	86	78	80
# CO2 < 23	13	13	9	15	15	20	18	16	20	20	22	19
Pop. Mean	25	25	25	25	24	24	25	25	24	24	24	24
Std. Deviation	2.55	2.88	2.61	2.67	2.67	3.13	2.94	3.08	2.31	3.03	3.14	3.09
% CO2 < 23	16%	17%	12%	19%	18%	24%	21%	19%	24%	23%	28%	24%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	80	78	78	80	84	84	85	83	85	86	78	80
# CO2 23 to 27	56	55	57	58	62	56	56	53	61	58	44	51
Pop. Mean	25	25	25	25	24	24	25	25	24	24	24	24
Std. Deviation	2.55	2.88	2.61	2.67	2.67	3.13	2.94	3.08	2.31	3.03	3.14	3.09
% CO2 23 to 27	70%	71%	73%	73%	74%	67%	66%	64%	72%	67%	56%	64%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	80	78	78	80	84	84	85	83	85	86	78	80
# CO2 > 27	11	10	12	7	7	8	11	14	4	8	12	10
Pop. Mean	25	25	25	25	24	24	25	25	24	24	24	24
Std. Deviation	2.55	2.88	2.61	2.67	2.67	3.13	2.94	3.08	2.31	3.03	3.14	3.09
% CO2 > 27	14%	13%	15%	9%	8%	10%	13%	17%	5%	9%	15%	13%




Kirkland Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	80	78	78	80	84	84	85	82	84	85	78	80
# Albumin >= 4.0	31	44	42	33	34	38	36	41	34	34	34	43
Pop. Mean	3.8	3.9	3.9	3.9	3.9	3.8	3.8	3.9	3.8	3.8	3.9	3.9
Std. Deviation	0.42	0.40	0.41	0.42	0.40	0.47	0.53	0.49	0.51	0.48	0.45	0.49
% Alb >= 4.0	39%	56%	54%	41%	40%	45%	42%	50%	40%	40%	44%	54%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	80	78	78	80	84	84	85	83	85	86	79	79
# PO4 3.5 to 5.5	30	35	29	34	34	30	37	31	42	40	34	28
Pop. Mean	6.1	5.9	6.0	6.0	5.9	6.1	6.1	6.1	6.0	5.9	6.1	6.1
Std. Deviation	2.01	1.87	1.84	1.77	1.92	1.78	1.86	1.87	1.96	2.19	2.00	1.92
% PO4 3.5 to 5.5	38%	45%	37%	43%	40%	36%	44%	37%	49%	47%	43%	35%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	80	78	78	80	84	84	85	83	85	86	79	80
# Calcium <= 8	13	13	8	9	12	9	12	10	13	10	6	7
Pop. Mean	8.9	8.9	8.9	8.9	8.8	8.9	8.8	8.9	8.8	8.8	8.9	9.0
Std. Deviation	0.90	0.86	0.73	0.78	0.75	0.76	0.77	0.77	0.75	0.72	0.62	0.63
% Calcium <= 8	16%	17%	10%	11%	14%	11%	14%	12%	15%	12%	8%	9%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	80	78	78	80	84	84	85	83	85	86	79	80
# Calcium > 10.2	5	4	3	2	1	2	0	1	1	0	0	0
Pop. Mean	8.9	8.9	8.9	8.9	8.8	8.9	8.8	8.9	8.8	8.8	8.9	9.0
Std. Deviation	0.90	0.86	0.73	0.78	0.75	0.76	0.77	0.77	0.75	0.72	0.62	0.63
% Calcium > 10.2	6%	5%	4%	3%	1%	2%	0%	1%	1%	0%	0%	0%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	80			79			85			85		
# PTH-I 150 to 600	44			47			56			56		
Pop. Mean	600			465			444			440		
Std. Deviation	578			381			329			340		
% PTH-I 150 to 600	55%			59%			66%			66%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Kirkland Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025


6

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	80	78	79	80	84	84	87	83	85	86	79	80
# Fistula	48	46	47	46	49	51	53	52	51	51	48	47
% Fistula	60%	59%	59%	58%	58%	61%	61%	63%	60%	59%	61%	59%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	80	78	79	80	84	84	87	83	85	86	79	80
# Graft	12	11	10	10	10	10	10	10	10	9	6	7
% Graft	15%	14%	13%	13%	12%	12%	11%	12%	12%	10%	8%	9%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	80	78	79	80	84	84	87	83	85	86	79	80
# Catheters	20	21	22	24	25	23	24	21	24	26	25	26
% Catheters	25%	27%	28%	30%	30%	27%	28%	25%	28%	30%	32%	33%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


IV. ACCESS - CONT.**Catheters > 90 days**

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	80	78	79	80	84	84	87	83	85	86	79	80
# Catheters	9	12	15	16	17	16	13	12	14	17	16	17
% Catheters	11%	15%	19%	20%	20%	19%	15%	14%	16%	20%	20%	21%

Definition: Catheter in use on last treatment of the month




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	48	46	47	46	49	51	53	52	51	51	48	47
# Fistula > 3 yrs	19	19	19	19	22	23	23	22	22	22	21	19
% Fistula > 3 yrs	40%	41%	40%	41%	45%	45%	43%	42%	43%	43%	44%	40%



V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	73	72	68	68	78	75	73	75	76	78	68	68
# Hgb < 10	22	17	16	17	20	29	23	21	23	24	17	20
Pop. Mean	10.4	10.6	10.7	10.6	10.7	10.2	10.3	10.4	10.3	10.4	10.5	10.4
Std. Deviation	1.4	1.1	1.2	1.0	1.3	1.4	1.2	1.3	1.3	1.5	1.1	1.2
% Hgb < 10	30%	24%	24%	25%	26%	39%	32%	28%	30%	31%	25%	29%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	73	72	68	68	78	75	73	75	76	78	68	68
# Hgb >= 12	6	3	5	1	10	6	5	3	1	5	2	2
Pop. Mean	10.4	10.6	10.7	10.6	10.7	10.2	10.3	10.4	10.3	10.4	10.5	10.4
Std. Deviation	1.4	1.1	1.2	1.0	1.3	1.4	1.2	1.3	1.3	1.5	1.1	1.2
% Hgb >= 12	8%	4%	7%	1%	13%	8%	7%	4%	1%	6%	3%	3%

Note: Excludes patients who received no ESA in month.




Average Darbepoetin Dose per Week per Kilogram

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.**Iron Profile**


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	80			80	10		86			84		
# Ferritin < 800	63			60	6		66			66		
Pop. Mean	524			521	581		567			540		
Std. Deviation	374			385	378		379			405		
% Ferritin < 800	79%			75%	60%		77%			79%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	80			80	10		86			84		
# Ferritin 800 to 1200	14			14	4		13			15		
Pop. Mean	524			521	581		567			540		
Std. Deviation	374			385	378		379			405		
% Ferritin 800 to 1200	18%			18%	40%		15%			18%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	80			80	10		86			84		
# Ferritin > 1200	3			6			7			3		
Pop. Mean	524			521	581		567			540		
Std. Deviation	374			385	378		379			405		
% Ferritin > 1200	4%			8%			8%			4%		




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	80			80	10		86			84		
# % Sat < 30	45			53	7		49			55		
Pop. Mean	29			28	28		37			27		
Std. Deviation	13			17	12		74			13		
% % Sat < 30	56%			66%	70%		57%			65%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	80			80	10		86			84		
# % Sat 30 to 50	30			20	2		33			25		
Pop. Mean	29			28	28		37			27		
Std. Deviation	13			17	12		74			13		
% % Sat 30 to 50	38%			25%	20%		38%			30%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	80			80	10		86			84		
# % Sat > 50	5			7	1		4			4		
Pop. Mean	29			28	28		37			27		
Std. Deviation	13			17	12		74			13		
% % Sat > 50	6%			9%	10%		5%			5%		



VI. Diabetes

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	0			0			0			0		
# HgA1c <= 7	0			0			0			0		
Pop. Mean	0			0			0			0		
Std. Deviation	0			0			0			0		
% HgA1c <= 7	0%			0%			0%			0%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79	80	85	84	87	83	85	86	79	81
# Pneumonia	61	65	70	68	70	69	68	66	65	65	60	58
% Pneumonia	76%	83%	89%	85%	82%	82%	78%	80%	76%	76%	76%	72%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79						85	86	79	81
# Influenza	60	58	60						15	59	59	59
% Influenza	75%	74%	76%						18%	69%	75%	73%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79	80	85	84	87	83	85	86	79	81
# Hospital Admissions	12	6	10	11	13	14	12	11	12	11	12	12



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79	80	85	84	87	83	85	86	79	81
# Individual Deaths	3	2	2	0	1	0	2	2	0	2	2	3



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79	80	85	84	87	83	85	86	79	81
# Missed Treatments	70	49	71	52	82	84	57	69	78	77	59	64



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	80	78	79	80	85	84	87	83	85	86	79	81
# Transplants	0	0	0	0	0	0	0	0	0	0	1	0

