



I. ADEQUACY OF DIALYSIS

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V	35	36	33	34	36	35	34	34	35	36	36	35
# spKt/V >= 1.2	34	34	33	34	36	35	34	32	34	36	36	35
Pop. Mean	1.54	1.53	1.54	1.57	1.52	1.55	1.57	1.52	1.51	1.56	1.54	1.55
Std. Deviation	0.28	0.26	0.25	0.25	0.21	0.28	0.25	0.24	0.24	0.25	0.23	0.25
% spKt/V >= 1.2	97%	94%	100%	100%	100%	100%	100%	94%	97%	100%	100%	100%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# spKt/V w/ 3tx/wk	34	35	31	32	33	32	31	31	32	32	33	33
# spKt/V >= 1.2 w/3tx/wk	33	33	31	32	33	32	31	29	31	32	33	33
Pop. Mean	1.53	1.52	1.53	1.56	1.52	1.54	1.56	1.51	1.50	1.54	1.54	1.56
Std. Deviation	0.28	0.27	0.25	0.26	0.21	0.29	0.26	0.24	0.24	0.24	0.24	0.25
% >= 1.2 w/3tx/wk	97%	94%	100%	100%	100%	100%	100%	94%	97%	100%	100%	100%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR	35	36	33	34	36	35	34	34	35	36	36	35
# URR >= 65	33	35	33	34	36	35	33	32	33	36	35	35
Pop. Mean	73	73	74	74	73	74	74	73	73	74	74	74
Std. Deviation	6.49	6.35	4.80	4.72	4.18	5.42	4.99	5.22	5.32	5.08	5.01	4.99
% URR >= 65	94%	97%	100%	100%	100%	100%	97%	94%	94%	100%	97%	100%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# URR w/ 3tx/wk	34	35	31	32	33	32	31	31	32	32	33	33
# URR>=65 w/ 3tx/wk	32	34	31	32	33	32	30	29	30	32	32	33
Pop. Mean	73	73	74	74	73	74	74	73	73	74	74	74
Std. Deviation	6.53	6.38	4.84	4.78	4.27	5.56	5.12	5.37	5.38	4.84	5.15	5.04
% URR>=65 w/ 3tx/wk	94%	97%	100%	100%	100%	100%	97%	94%	94%	100%	97%	100%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Pre Sys BP	35	36	33	34	36	35	34	34	35	36	36	35
# Pre Sys BP <= 165	29	30	27	30	31	30	28	28	30	30	29	27
Pop. Mean	149	147	149	150	148	145	147	146	149	149	150	150
Std. Deviation	19.5	18.9	20.9	19.8	21.4	21.8	18.4	21.1	19.0	20.3	20.6	18.0
%Pre Sys BP <=165	83%	81%	82%	88%	86%	86%	79%	79%	83%	83%	81%	77%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# L processed/kg	35	36	33	34	36	35	34	34	35	36	36	35
# L processed/kg>=0.8	29	27	27	28	31	29	27	26	28	29	29	30
Pop. Mean	1	1	1	1	1	1	1	1	1	1	1	1
Std. Deviation	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3
% L processed/kg>=0.8	83%	75%	82%	82%	86%	83%	79%	76%	80%	81%	81%	86%




I. ADEQUACY OF DIALYSIS - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	35	36	33	34	36	35	34	34	35	36	36	35
# CO2 < 23	6	15	4	16	5	8	7	15	10	7	7	7
Pop. Mean	24	23	26	23	25	25	24	23	24	24	24	24
Std. Deviation	2.58	3.20	2.68	3.48	2.21	2.89	2.73	3.43	3.65	2.45	2.49	3.07
% CO2 < 23	17%	42%	12%	47%	14%	23%	21%	44%	29%	19%	19%	20%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	35	36	33	34	36	35	34	34	35	36	36	35
# CO2 23 to 27	26	20	18	17	30	21	24	16	22	27	28	25
Pop. Mean	24	23	26	23	25	25	24	23	24	24	24	24
Std. Deviation	2.58	3.20	2.68	3.48	2.21	2.89	2.73	3.43	3.65	2.45	2.49	3.07
% CO2 23 to 27	74%	56%	55%	50%	83%	60%	71%	47%	63%	75%	78%	71%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# CO2	35	36	33	34	36	35	34	34	35	36	36	35
# CO2 > 27	3	1	11	1	1	6	3	3	3	2	1	3
Pop. Mean	24	23	26	23	25	25	24	23	24	24	24	24
Std. Deviation	2.58	3.20	2.68	3.48	2.21	2.89	2.73	3.43	3.65	2.45	2.49	3.07
% CO2 > 27	9%	3%	33%	3%	3%	17%	9%	9%	9%	6%	3%	9%




Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025

4

*Albumin values use BCG method - as of July 2001

II. NUTRITION

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Albumin	35	36	33	34	36	35	34	34	35	36	36	35
# Albumin >= 4.0	12	13	17	16	18	20	15	15	18	16	15	19
Pop. Mean	3.8	3.8	3.9	3.9	3.9	3.9	3.9	3.9	3.9	3.8	3.9	3.9
Std. Deviation	0.36	0.38	0.30	0.38	0.37	0.39	0.45	0.34	0.34	0.42	0.37	0.39
% Alb >= 4.0	34%	36%	52%	47%	50%	57%	44%	44%	51%	44%	42%	54%



Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
Through period ending Dec. 31, 2025

5


Lab methodology for PTH changed January 2012

III. OSTEODYSTROPHY


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PO4	35	36	33	34	36	35	34	34	35	36	36	35
# PO4 3.5 to 5.5	12	17	14	17	17	14	16	15	18	17	16	16
Pop. Mean	6.1	5.8	5.6	5.8	5.7	5.9	5.4	5.6	5.6	5.4	5.8	6.0
Std. Deviation	1.49	1.38	1.14	1.52	1.36	1.41	1.34	1.32	1.54	1.44	1.46	1.57
% PO4 3.5 to 5.5	34%	47%	42%	50%	47%	40%	47%	44%	51%	47%	44%	46%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	35	36	33	34	36	35	34	34	35	36	36	35
# Calcium <= 8	5	7	4	4	3	2	5	4	0	5	3	4
Pop. Mean	9.0	8.8	8.9	8.9	8.9	8.9	8.8	8.8	9.1	8.8	8.9	8.9
Std. Deviation	0.78	0.77	0.62	0.88	0.68	0.56	0.72	0.65	0.52	0.72	0.62	0.70
% Calcium <= 8	14%	19%	12%	12%	8%	6%	15%	12%	0%	14%	8%	11%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Calcium	35	36	33	34	36	35	34	34	35	36	36	35
# Calcium > 10.2	2	0	0	0	1	0	0	0	0	0	0	0
Pop. Mean	9.0	8.8	8.9	8.9	8.9	8.9	8.8	8.8	9.1	8.8	8.9	8.9
Std. Deviation	0.78	0.77	0.62	0.88	0.68	0.56	0.72	0.65	0.52	0.72	0.62	0.70
% Calcium > 10.2	6%	0%	0%	0%	3%	0%	0%	0%	0%	0%	0%	0%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# PTH-I	35			34			34			36		
# PTH-I 150 to 600	23			21			23			25		
Pop. Mean	552			575			588			465		
Std. Deviation	516			701			686			285		
% PTH-I 150 to 600	66%			62%			68%			69%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025


6

IV. ACCESS


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	35	36	33	34	36	35	34	34	35	36	36	35
# Fistula	31	31	28	28	30	29	28	28	30	30	30	28
% Fistula	89%	86%	85%	82%	83%	83%	82%	82%	86%	83%	83%	80%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	35	36	33	34	36	35	34	34	35	36	36	35
# Graft	0	0	0	0	0	0	0	0	0	0	0	0
% Graft	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%	0%



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	35	36	33	34	36	35	34	34	35	36	36	35
# Catheters	4	5	5	6	6	6	6	6	5	6	6	7
% Catheters	11%	14%	15%	18%	17%	17%	18%	18%	14%	17%	17%	20%




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.

IV. ACCESS - CONT.


Catheters > 90 days

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Access	35	36	33	34	36	35	34	34	35	36	36	35
# Catheters	4	4	3	3	5	5	5	4	3	3	4	5
% Catheters	11%	11%	9%	9%	14%	14%	15%	12%	9%	8%	11%	14%

Definition: Catheter in use on last treatment of the month



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Fistula	31	31	28	28	30	29	28	28	30	30	30	28
# Fistula > 3 yrs	6	6	4	5	6	6	6	5	7	7	7	9
% Fistula > 3 yrs	19%	19%	14%	18%	20%	21%	21%	18%	23%	23%	23%	32%




Enumclaw Kidney Center - Center Hemodialysis
Quality Assurance Reports
 Through period ending Dec. 31, 2025

8

V. ANEMIA


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	32	32	33	36	33	33	34	27	32	28	27
# Hgb < 10	3	7	4	6	6	10	6	3	4	1	4	3
Pop. Mean	11.1	10.8	10.8	10.8	10.7	10.6	10.6	11.2	10.8	11.2	10.9	10.8
Std. Deviation	0.8	0.9	0.8	0.9	0.9	1.3	1.0	1.0	1.0	0.7	0.9	0.7
% Hgb < 10	9%	22%	13%	18%	17%	30%	18%	9%	15%	3%	14%	11%

Note: Excludes patients who received no ESA in month.




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Hgb	34	32	32	33	36	33	33	34	27	32	28	27
# Hgb >= 12	4	2	1	1	1	2	0	4	0	3	2	1
Pop. Mean	11.1	10.8	10.8	10.8	10.7	10.6	10.6	11.2	10.8	11.2	10.9	10.8
Std. Deviation	0.8	0.9	0.8	0.9	0.9	1.3	1.0	1.0	1.0	0.7	0.9	0.7
% Hgb >= 12	12%	6%	3%	3%	3%	6%	0%	12%	0%	9%	7%	4%

Note: Excludes patients who received no ESA in month.



Average Darbepoetin Dose per Week per Kilogram


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Average Darbepoetin	0	0	0	0	0	0	0	0	0	0	0	0




V. ANEMIA - CONT.

Iron Profile


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	35			34	1		34			36		
# Ferritin < 800	30			27	1		27			31		
Pop. Mean	469			581	657		608			509		
Std. Deviation	313			343	0		347			293		
% Ferritin < 800	86%			79%	100%		79%			86%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	35			34	1		34			36		
# Ferritin 800 to 1200	3			5			3			4		
Pop. Mean	469			581	657		608			509		
Std. Deviation	313			343	0		347			293		
% Ferritin 800 to 1200	9%			15%			9%			11%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Ferritin	35			34	1		34			36		
# Ferritin > 1200	2			2			4			1		
Pop. Mean	469			581	657		608			509		
Std. Deviation	313			343	0		347			293		
% Ferritin > 1200	6%			6%			12%			3%		




V. ANEMIA - CONT.


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	35			34	1		34			36		
# % Sat < 30	18			25	1		26			21		
Pop. Mean	30			26	10		26			29		
Std. Deviation	15			11	0		11			12		
% % Sat < 30	51%			74%	100%		76%			58%		



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	35			34	1		34			36		
# % Sat 30 to 50	15			8	0		7			13		
Pop. Mean	30			26	10		26			29		
Std. Deviation	15			11	0		11			12		
% % Sat 30 to 50	43%			24%	0%		21%			36%		




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# % Sat	35			34	1		34			36		
# % Sat > 50	2			1	0		1			2		
Pop. Mean	30			26	10		26			29		
Std. Deviation	15			11	0		11			12		
% % Sat > 50	6%			3%	0%		3%			6%		



VI. Diabetes

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# HgA1c	0			0			0			0		
# HgA1c <= 7	0			0			0			0		
Pop. Mean	0			0			0			0		
Std. Deviation	0			0			0			0		
% HgA1c <= 7	0%			0%			0%			0%		




Methodology: a) All labs for 'Adequacy of Dialysis', 'Nutrition', 'Osteodystrophy', 'Anemia' and 'Diabetes' based on last value of month; b) BP's and #L processed are average of all values for month; c) Access data takes last access of month; d) Values for SGA and 'Infection Control' use most recent result.


VII. Infection Control

Pneumonia vaccination within the past five years

	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33	34	36	35	34	34	35	36	36	35
# Pneumonia	26	26	24	24	25	25	25	25	25	25	25	24
% Pneumonia	74%	72%	73%	71%	69%	71%	74%	74%	71%	69%	69%	69%




	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33						35	36	36	35
# Influenza	22	23	20						1	26	27	27
% Influenza	63%	64%	61%						3%	72%	75%	77%




VIII. Outcome measures


	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33	34	36	35	34	34	35	36	36	35
# Hospital Admissions	2	5	1	0	5	2	5	3	2	2	4	1



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33	34	36	35	34	34	35	36	36	35
# Individual Deaths	0	0	1	1	0	0	1	0	0	0	0	0



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33	34	36	35	34	34	35	36	36	35
# Missed Treatments	44	44	28	36	46	33	44	46	45	31	31	22



	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
# Patient	35	36	33	34	36	35	34	34	35	36	36	35
# Transplants	0	0	0	0	0	0	0	0	0	0	0	0

